

TEA


OMP

General catalogue

03

omptea.eu

en


350
110
480
400
220

Design 4 - 35

Washbasin and bidet 36 - 89

Sink 90 - 109

Shower tray 110 - 129


Bathtub 130 - 143

Floor drain 144 - 221

In-wall 222 - 235

Accessories 236 - 273

Informations 274 - 304



Design

4S Four season -
Clicker hotellerie -
Q Clicker -
Clicker glass -
Lanterna -
Lanterna Linse -
Clicker hotellerie exp - new
Lanterna exp - new
Zarpazo hotellerie + Zarpazo Q -
Navarro -
Tea clicker - new
Tea free-flow - new
Tea clicker + Clicker hotellerie CSA - new
Tea free-flow CSA - new
Tea space-saver - new
Ring -
Innova -
Totem -
Toti -
Quasar -
Maomao -
Maomao -
Toti lowered -
Maomao lowered -
Toti mini -
Exec series -
Maomao floor pipe - new
spare pipes for traps - new






for the sanitary ware image, special thanks to
technova



7533

4s Four season

chrome plated brass automatic waste




a. **7533.370.5**

size	packaging	category
ø63 × 1"¼	1×box / 15 (T)	12

- ø63 plug
- H. 90 threaded shaft
- H. 80 × 1"¼ counter nut
- slotted
- with device for overflow closure

47 l/min — 15 pcs.



b. **7533.375.5**

size	packaging	category
ø63 × 1"¼	1×box / 15 (T)	12

- ø63 plug
- H. 90 threaded shaft
- H. 40 × 1"¼ counter nut
- slotted
- with device for overflow closure


47 l/min — 15 pcs.

SPARE PARTS / PLUG

137.036.0

For more informations see page 252

NOTES




device for overflow closure

a single product for every thicknesses



8530
Clicker hotellerie
chrome plated brass automatic waste




a. 8530.300.5

- ø63 plug
- H. 35 threaded shaft
- H. 40 × 1"¼ counter nut
- unslotted
- suitable also for steel washbasins

size	packaging	category
ø63 × 1"¼	1×box / 15 (l)	12

44 l/min — 15 pcs.




a. 8530.360.5

- ø63 plug
- H. 60 threaded shaft
- H. 40 × 1"¼ counter nut
- slotted

size	packaging	category
ø63 × 1"¼	1×box / 15 (l)	12

42 l/min — 15 pcs.




b. 8530.310.5

- ø63 plug
- H. 60 threaded shaft
- H. 40 × 1"¼ counter nut
- unslotted

size	packaging	category
ø63 × 1"¼	1×box / 15 (l)	12

45 l/min — 15 pcs.




a. 8530.370.5

- ø63 plug
- H. 90 threaded shaft
- H. 40 × 1"¼ counter nut
- slotted

size	packaging	category
ø63 × 1"¼	1×box / 15 (l)	12

45 l/min — 15 pcs.



b. 8530.320.5

- ø63 plug
- H. 90 threaded shaft
- H. 40 × 1"¼ counter nut
- unslotted

size	packaging	category
ø63 × 1"¼	1×box / 15 (l)	12


45 l/min — 15 pcs.

SPARE PARTS / PLUG
137.036.0
For more informations see page 252



8540
Q Clicker

chrome plated brass automatic waste




a. 8540.300.5

- ⧄70 square plug
- H. 35 threaded shaft
- H. 40 × 1"¼ counter nut
- unslotted
- suitable also for steel washbasins

size	packaging	category
⧄70 × 1"¼	1×box / 15 (l)	12

45 l/min · 15 pcs. · new




a. 8540.360.5

- ⧄70 square plug
- H. 60 threaded shaft
- H. 40 × 1"¼ counter nut
- slotted

size	packaging	category
⧄70 × 1"¼	1×box / 15 (l)	12

45 l/min · 15 pcs.




b. 8540.310.5

- ⧄70 square plug
- H. 60 threaded shaft
- H. 40 × 1"¼ counter nut
- unslotted

size	packaging	category
⧄70 × 1"¼	1×box / 15 (l)	12

45 l/min · 15 pcs.




a. 8540.370.5

- ⧄70 square plug
- H. 90 threaded shaft
- H. 40 × 1"¼ counter nut
- slotted

size	packaging	category
⧄70 × 1"¼	1×box / 15 (l)	12

45 l/min · 15 pcs. · new



b. 8540.320.5

- ⧄70 square plug
- H. 90 threaded shaft
- H. 40 × 1"¼ counter nut
- unslotted

size	packaging	category
⧄70 × 1"¼	1×box / 15 (l)	12

45 l/min · 15 pcs. · new

SPARE PARTS / PLUG

137.037.0


For more informations see page 252



8530

Clicker glass

c.p. brass automatic wastes with bigger top for glass washbasin




a. 8530.660.5

size	packaging	category
ø70 × 1"¼	1×box / 15 (l)	12

- ø70 bigger plug for glass washbasins
- H. 60 threaded shaft
- H. 40 × 1"¼ counter nut
- slotted

44 l/min — 15 pcs.



b. 8530.610.5

size	packaging	category
ø70 × 1"¼	1×box / 15 (l)	12

- ø70 bigger plug for glass washbasins
- H. 60 threaded shaft
- H. 40 × 1"¼ counter nut
- unslotted

44 l/min — 15 pcs.

SPARE PARTS / PLUG


137.053.0

For more informations see page 252



147
Lanterna

chrome plated brass free-flow waste




a. 147.355.5

- ø65 cover
- H. 40 threaded shaft
- H. 40 × 1"¼ counter nut
- unslotted
- suitable also for steel washbasins

size	packaging	category
ø63 × 1"¼	1×box / 15 (l)	12

53 l/min — 15 pcs.




a. 147.555.5

- ø65 cover
- H. 55 threaded shaft
- H. 40 × 1"¼ counter nut
- unslotted

size	packaging	category
ø63 × 1"¼	1×box / 15 (l)	12

53 l/min — 15 pcs.




b. 147.755.5

- ø65 cover
- H. 70 threaded shaft
- H. 40 × 1"¼ counter nut
- unslotted

size	packaging	category
ø63 × 1"¼	1×box / 15 (l)	12

53 l/min — 15 pcs.



c. 147.955.5

- ø65 cover
- H. 90 threaded shaft
- H. 40 × 1"¼ counter nut
- unslotted

size	packaging	category
ø63 × 1"¼	1×box / 15 (l)	12

53 l/min — 15 pcs.

SPARE PARTS / COVER


119.713.5

For more informations see page 252



147
Lanterna linse

chrome plated brass free-flow waste




a. 147.345.5

size	packaging	category
ø63 × 1"¼	1×box / 15 (l)	12

- ø32 grid
- H. 40 threaded shaft
- H. 40 × 1"¼ counter nut
- unslotted
- suitable also for steel washbasins

36 l/min · 15 pcs.




a. 147.545.5

size	packaging	category
ø63 × 1"¼	1×box / 15 (l)	12

- ø32 grid
- H. 55 threaded shaft
- H. 40 × 1"¼ counter nut
- unslotted

36 l/min · 15 pcs.




b. 147.745.5

size	packaging	category
ø63 × 1"¼	1×box / 15 (l)	12

- ø32 grid
- H. 70 threaded shaft
- H. 40 × 1"¼ counter nut
- unslotted

36 l/min · 15 pcs.



c. 147.945.5

size	packaging	category
ø63 × 1"¼	1×box / 15 (l)	12

- ø32 grid
- H. 90 threaded shaft
- H. 40 × 1"¼ counter nut
- unslotted

36 l/min · 15 pcs.




8530

Clicker hotellerie exp

chrome plated brass automatic waste

new




a. 8530.361.5

- ø63 plug
- H. 60 × 1"¼ threaded shaft
- nickel-plated raw brass through-counter nut
- slotted

size	packaging	category
ø63 × 1"¼	1×box / 15 (l)	12

42 l/min · 15 pcs. · new




b. 8530.311.5

- ø63 plug
- H. 60 × 1"¼ threaded shaft
- nickel-plated raw brass through-counter nut
- unslotted

size	packaging	category
ø63 × 1"¼	1×box / 15 (l)	12

45 l/min · 15 pcs. · new




a. 8530.371.5

- ø63 plug
- H. 90 × 1"¼ threaded shaft
- nickel-plated raw brass through-counter nut
- slotted

size	packaging	category
ø63 × 1"¼	1×box / 15 (l)	12

45 l/min · 15 pcs. · new



b. 8530.321.5

- ø63 plug
- H. 90 × 1"¼ threaded shaft
- nickel-plated raw brass through-counter nut
- unslotted

size	packaging	category
ø63 × 1"¼	1×box / 15 (l)	12

45 l/min · 15 pcs. · new

SPARE PARTS / PLUG

137.036.0


For more informations see page 252



147
Lanterna exp

chrome plated brass free-flow waste

new




a. 147.550.5

size	packaging	category
ø63 × 1"¼	1×box / 15 (l)	12

- ø65 cover
- H. 55 × 1"¼ threaded shaft
- nickel-plated raw brass through-counter nut
- unslotted

53 l/min · 15 pcs. · new




b. 147.750.5

size	packaging	category
ø63 × 1"¼	1×box / 15 (l)	12

- ø65 cover
- H. 70 × 1"¼ threaded shaft
- nickel-plated raw brass through-counter nut
- unslotted

53 l/min · 15 pcs. · new



c. 147.950.5

size	packaging	category
ø63 × 1"¼	1×box / 15 (l)	12

- ø65 cover
- H. 90 × 1"¼ threaded shaft
- nickel-plated raw brass through-counter nut
- unslotted

53 l/min · 15 pcs. · new

SPARE PARTS / COVER

119.713.5


For more informations see page 252



8532 + 8542

Zarpazo hotellerie + Zarpazo Q

chrome plated brass automatic waste with screw



ZARPAZO HOTELLERIE

a. 8532.310.5


size	packaging	category
ø63 × 1"¼	1×box / 15 (l)	12

- ø63 plug
- H. 40 waste
- H. 50 × 1"¼ counter nut
- screw L. 60

43 l/min — 15 pcs.

OTHER FINISHING AVAILABLE

matt black	matt white	polished gold	brushed steel	brushed bronze
8532.310.5.X	8532.310.5.XD	8532.310.5.3	8532.310.5.Y2	8532.310.5.6



b. 8532.312.5

size	packaging	category
ø63 × 1"¼	1×box / 15 (l)	12


- ø63 plug
- H. 40 waste
- H. 25 × 1"¼ counter nut
- screw L. 60

43 l/min — 15 pcs.

SPARE PARTS / PLUG

137.027.0

For more informations see page 252



ZARPAZO Q

a. 8542.310.5

size	packaging	category
⧄70 × 1"¼	1×box / 15 (l)	12


- ⧄70 square plug
- H. 40 waste
- H. 50 × 1"¼ counter nut
- screw L. 60

45 l/min — 15 pcs.



542
Navarro

chrome plated brass free-flow waste with screw



a. 542.710.5

size	packaging	category
ø63 × 1"¼	1×box / 15 (l)	12

- ø65 cover
- H. 40 waste
- H. 50 × 1"¼ counter nut
- screw L. 60

54 l/min — 15 pcs.


SPARE PARTS / COVER

119.713.5

For more informations see page 252

OTHER FINISHING AVAILABLE

matt black	matt white	polished gold	brushed steel	brushed bronze
542.710.5.X	542.710.5.XD	542.710.5.3	542.710.5.Y2	542.710.5.6



a. 542.742.5

size	packaging	category
ø63 × 1"¼	1×box / 15 (l)	12

- ø65 cover
- H. 25 waste
- H. 25 × 1"¼ counter nut
- screw L. 60

54 l/min — 15 pcs.

7532

Tea clicker

automatic universal wastes with screw



chrome plated

matt black

matt white

brushed steel

gloss white ceramic

matt white ceramic


matt black ceramic

NOTES

TEA (7532) is the automatic universal waste designed to obtain the minimum space under the sanitary with the most wide adjustment range and adaptability.
In fact, despite its adjustment range is from zero to 45 mm (as the already tested Zarpazo art. 8532), the footprint under the basin is only 20 mm.



NOTES



7532.310.5


water volume 41 l/min

EN 274 conform

8532.310.5

water volume 43 l/min

EN 274 conform




a. 7532.310.5

size	packaging	category
ø63 × 1"¼	1×box / 15 (l)	12

- chrome plated
- ø63 plug
- H. 40 waste
- H. 30 × 1"¼ counter nut
- screw L. 60

41 l/min · 15 pcs. · new

SPARE PARTS / PLUG
137.097.1
For more informations see page 252



a. 7532.310.5.X

size	packaging	category
ø63 × 1"¼	1×box / 15 (l)	12

- matt black finishing
- ø63 plug
- H. 40 waste
- H. 30 × 1"¼ counter nut
- screw L. 60

41 l/min · 15 pcs. · new

b. 7532.310.5.XD

size	packaging	category
ø63 × 1"¼	1×box / 15 (l)	12

- matt white finishing
- ø63 plug
- H. 40 waste
- H. 30 × 1"¼ counter nut
- screw L. 60


41 l/min · 15 pcs. · new

c. 7532.310.5.Y2

size	packaging	category
ø63 × 1"¼	1×box / 15 (l)	12

- brushed steel finishing
- ø63 plug
- H. 40 waste
- H. 30 × 1"¼ counter nut
- screw L. 60

41 l/min · 15 pcs. · new



a. 7532.310.5.T

size	packaging	category
ø63 × 1"¼	1×box / 15 (l)	12

- chrome plated
- ø70 gloss white ceramic plug
- H. 40 waste
- H. 30 × 1"¼ counter nut
- screw L. 60

41 l/min · 15 pcs. · new

b. 7532.310.5.T1

size	packaging	category
ø63 × 1"¼	1×box / 15 (l)	12

- chrome plated
- ø70 matt white ceramic plug
- H. 40 waste
- H. 30 × 1"¼ counter nut
- screw L. 60

41 l/min · 15 pcs. · new

c. 7532.310.5.T2

size	packaging	category
ø63 × 1"¼	1×box / 15 (l)	12

- chrome plated
- ø70 matt black ceramic plug
- H. 40 waste
- H. 30 × 1"¼ counter nut
- screw L. 60

41 l/min · 15 pcs. · new

7542

Tea free-flow

free-flow universal wastes with screw



chrome plated

matt black

matt white

brushed steel

gloss white ceramic

matt white ceramic


matt black ceramic

NOTES

TEA (7542) is the new free-flow universal waste designed to obtain the minimum space under the sanitary with the most wide adjustment range and adaptability.
In fact, despite its adjustment range is from zero to 45 mm (as the already tested Navarro art. 542), the footprint under the basin is only 20 mm.



NOTES



7542.710.5


water volume 42 l/min

EN 274 conform

542.710.5

water volume 54 l/min

EN 274 conform




a. 7542.710.5

size	packaging	category
ø63 × 1"¼	1×box / 15 (l)	12

- chrome plated
- ø63 cover
- H. 40 waste
- H. 30 × 1"¼ counter nut
- screw L. 60

42 l/min · 15 pcs. · new

SPARE PARTS / COVER
137.098.1
For more informations see page 252



a. 7542.710.5.X

size	packaging	category
ø63 × 1"¼	1×box / 15 (l)	12

- matt black finishing
- ø63 cover
- H. 40 waste
- H. 30 × 1"¼ counter nut
- screw L. 60

42 l/min · 15 pcs. · new

b. 7542.710.5.XD

size	packaging	category
ø63 × 1"¼	1×box / 15 (l)	12

- matt white finishing
- ø63 cover
- H. 40 waste
- H. 30 × 1"¼ counter nut
- screw L. 60


42 l/min · 15 pcs. · new

c. 7542.710.5.Y2

size	packaging	category
ø63 × 1"¼	1×box / 15 (l)	12

- brushed steel finishing
- ø63 cover
- H. 40 waste
- H. 30 × 1"¼ counter nut
- screw L. 60

42 l/min · 15 pcs. · new



a. 7542.710.5.T

size	packaging	category
ø63 × 1"¼	1×box / 15 (l)	12

- chrome plated
- ø70 gloss white ceramic cover
- H. 40 waste
- H. 30 × 1"¼ counter nut
- screw L. 60

42 l/min · 15 pcs. · new

b. 7542.710.5.T1

size	packaging	category
ø63 × 1"¼	1×box / 15 (l)	12

- chrome plated
- ø70 matt white ceramic cover
- H. 40 waste
- H. 30 × 1"¼ counter nut
- screw L. 60

42 l/min · 15 pcs. · new

c. 7542.710.5.T2

size	packaging	category
ø63 × 1"¼	1×box / 15 (l)	12

- chrome plated
- ø70 matt black ceramic cover
- H. 40 waste
- H. 30 × 1"¼ counter nut
- screw L. 60


42 l/min · 15 pcs. · new



7532 + 8530 US

Tea clicker **+ Clicker** hotellerie CSA

CSA approved automatic wastes



TEA CLICKER

a. 7532.310.5 US

- chrome plated
- ø63 plug
- H. 40 waste
- H. 30 × 1"¼ counter nut
- screw L. 60

size: ø63 × 1"¼ | packaging: 1×box / 15 (l) | category: 12


41 l/min | 15 pcs. | new

b. 7532.310.5.X US

- matt black finishing
- ø63 plug
- H. 40 waste
- H. 30 × 1"¼ counter nut
- screw L. 60

size: ø63 × 1"¼ | packaging: 1×box / 15 (l) | category: 12

41 l/min | 15 pcs. | new



a. 7532.310.5.T US

- chrome plated
- ø70 gloss white ceramic plug
- H. 40 waste
- H. 30 × 1"¼ counter nut
- screw L. 60

size: ø63 × 1"¼ | packaging: 1×box / 15 (l) | category: 12

41 l/min | 15 pcs. | new

b. 7532.310.5.T1 US

- chrome plated
- ø70 matt white ceramic plug
- H. 40 waste
- H. 30 × 1"¼ counter nut
- screw L. 60

size: ø63 × 1"¼ | packaging: 1×box / 15 (l) | category: 12


41 l/min | 15 pcs. | new

c. 7532.310.5.T2 US

- chrome plated
- ø70 matt black ceramic plug
- H. 40 waste
- H. 30 × 1"¼ counter nut
- screw L. 60

size: ø63 × 1"¼ | packaging: 1×box / 15 (l) | category: 12

41 l/min | 15 pcs. | new



CLICKER HOTELL

a. 8530.360.5 US

- chrome plated
- ø63 plug
- H. 60 threaded shaft
- H. 40 × 1"¼ counter nut
- slotted

size: ø63 × 1"¼ | packaging: 1×box / 15 (l) | category: 12

42 l/min | 15 pcs. | new

b. 8530.360.5.X US

- matt black finishing
- ø63 plug
- H. 60 threaded shaft
- H. 40 × 1"¼ counter nut
- slotted

size: ø63 × 1"¼ | packaging: 1×box / 15 (l) | category: 12


42 l/min | 15 pcs. | new



7542 US

Tea free-flow CSA

CSA approved free-flow wastes



a. **7542.710.5 US**


- chrome plated
- ø63 cover
- H. 40 waste
- H. 30 × 1"¼ counter nut
- screw L. 60

size	packaging	category
ø63 × 1"¼	1×box / 15 (l)	12
42 l/min	15 pcs.	

b. **7542.710.5.X US**

- matt black finishing
- ø63 cover
- H. 40 waste
- H. 30 × 1"¼ counter nut
- screw L. 60

size	packaging	category
ø63 × 1"¼	1×box / 15 (l)	12
42 l/min	15 pcs.	



a. **7542.710.5.T US**

- chrome plated
- ø70 gloss white ceramic cover
- H. 40 waste
- H. 30 × 1"¼ counter nut
- screw L. 60

size	packaging	category
ø63 × 1"¼	1×box / 15 (l)	12
42 l/min	15 pcs.	

b. **7542.710.5.T1 US**

- chrome plated
- ø70 matt white ceramic cover
- H. 40 waste
- H. 30 × 1"¼ counter nut
- screw L. 60

size	packaging	category
ø63 × 1"¼	1×box / 15 (l)	12
42 l/min	15 pcs.	

c. **7542.710.5.T2 US**

- chrome plated
- ø70 matt black ceramic cover
- H. 40 waste
- H. 30 × 1"¼ counter nut
- screw L. 60

size	packaging	category
ø63 × 1"¼	1×box / 15 (l)	12
42 l/min	15 pcs.	

ACCESSORIES / OUTLET PIPE

86.196.5

For more informations see page 244

NOTES / CSA CERTIFICATION

The items listed on these pages have been certified by the CSA Group, which has issued certificate number 80166555 (master 303400) for us. These data, along with the CSA mark, are marked on the products listed here and on their packaging, thereby enabling their sale in the American and Canadian markets.
The similar items featured on the previous pages are not included in this certification

7532 + 7542


Tea space-saver

universal wastes with screw for space-saver traps



NOTES


Version with ABS counter nut and horizontal outlet, particularly suitable to be combined with our space-saving traps for washbasins and bathroom furniture.
With only 55 mm of total encumbrance from the basin, the new range of Tea waste is the optimal technical solution in bathroom furniture where the presence of drawers and containers under-sink does not allow the installation of traditional wastes and traps.



NOTES

7532.316.5

water volume
31 l/min



7532.310.5

water volume
41 l/min

EN 274
conform


a.

7532.316.5

size	packaging	category
ø63 × ø32	1×box / 16 (B)	12

- automatic
- ø63 plug
- H. 40 waste
- H. 55 ABS counter nut with lateral outlet 1"¼
- PP extension L. 200 × ø32
- screw L. 35 and 60

31 l/min 16 pcs. new



SPARE PARTS / PLUG
137.097.1
For more informations see page 252


a.

7542.716.5

size	packaging	category
ø63 × ø32	1×box / 16 (B)	12

- free-flow
- ø63 cover
- H. 40 waste
- H. 55 ABS counter nut with lateral outlet 1"¼
- PP extension L. 200 × ø32
- screw L. 35 and 60


39 l/min 16 pcs. new



SPARE PARTS / COVER
137.098.1
For more informations see page 252



247
Ring
PP overflow set



a. 247.604.0

size	packaging	category
ø30 × øi50	1×bag / 15 (l)	10

- chrome plated brass grid
- for ø30 holed
- for washbasin thickness 5÷20
- max tube length L. 300
- with gasket

TP 15 l/min · 15 pcs.

OTHER FINISHING AVAILABLE

matt black	matt white	polished gold	brushed steel	brushed bronze
247.604.0.X	247.604.0.XD	247.604.0.3	247.604.0.Y2	247.604.0.6

b. 247.304.0

size	packaging	category
ø30 × øi50	1×bag / 15 (l)	10

- chrome plated ABS grid
- for ø30 holed
- for washbasin thickness 5÷20
- max tube length L. 300
- with gasket

TP 15 l/min · 15 pcs.

OTHER FINISHING AVAILABLE


matt black	matt white	polished gold	brushed steel	brushed bronze
247.304.0.HX	247.304.0.HD	-	-	-

c. 247.354.0


size	packaging	category
ø25 × øi50	1×bag / 15 (l)	10


- chrome plated ABS grid
- for ø25 holed
- for washbasin thickness 5÷20
- max tube length L. 300
- with gasket

TP 15 l/min · 15 pcs.



NOTES





a. 47.100.0

size	packaging	category
ø63 × H.25	1×bag / 10 (X)	08

- c.p. brass connection ring for washbasin
- H. 25
- with gasket


new · 50 pcs.



2930

Innova

ABS + brass automatic waste
with integrated overflow




a. 2930.300.5


size	packaging	category
ø63 × 1"¼	1×box / 8 (B)	05

- ABS bended pipe adjustable in height
- one way aerator valve
- ø63 c.p. brass plug
- H. 30 c.p. brass threaded shaft
- outlet 1"¼

30 l/min · 16 l/min · 8 pcs.

NOTES






a. 137.136.0

size	packaging	category
ø63	1×bag / 10 (X)	08

- spare plug
- only for art. 2930.300.5

10 pcs. · new




COMING SOON


Automatic waste with integrated overflow and air admittance valve

Hokkaido, our new innovative clicker waste equipped with an integrated overflow and water level maintenance system.
Hokkaido has been carefully designed to offer advanced functionality and practicality.

Main features of the Hokkaido waste:
- integrated overflow system: automatic protection against overfilling;
- water level maintenance: automatic adjustment.



700
Totem
chrome plated brass design trap




a. 700.135.5.K

- inlet H. 165 × 1"¼
- outlet L. 300 × ø32
- brass flange ø80

size	packaging	category
1"¼ × ø32	1×box / 10 (O)	12

50 mm 43 l/min 10 pcs.




b. 700.165.5.K

- inlet H. 165 × 1"¼
- outlet L. 350 × ø32
- brass flange ø80

size	packaging	category
1"¼ × ø32	1×box / 10 (O)	12

50 mm 43 l/min 10 pcs.



c. 700.165.6.K

- inlet H. 165 × 1"¼
- outlet L. 350 × ø40
- brass flange ø80


size	packaging	category
1"¼ × ø40	1×box / 10 (O)	12

50 mm 43 l/min 10 pcs.

ECOLOGICAL EFFICIENCY


Production process with lower environmental impact

For more informations see page 286



710
Toti

chrome plated brass design trap



a. 710.135.5.K


size	packaging	category
1"¼ × ø32	1×box / 10 (O)	12

- inlet H. 165 × 1"¼
- outlet L. 300 × ø32
- brass flange ø80

50 mm 45 l/min 10 pcs.

OTHER FINISHING AVAILABLE

matt black	matt white	polished gold	brushed steel	brushed bronze
710.135.5.X	710.135.5.XD	710.135.5.3	710.135.5.Y2	710.135.5.6




b. 710.165.5.K

size	packaging	category
1"¼ × ø32	1×box / 10 (O)	12

- inlet H. 165 × 1"¼
- outlet L. 350 × ø32
- brass flange ø80

50 mm 45 l/min 10 pcs.



c. 710.165.6.K

size	packaging	category
1"¼ × ø40	1×box / 10 (O)	12

- inlet H. 165 × 1"¼
- outlet L. 350 × ø40
- brass flange ø80

50 mm 45 l/min 10 pcs.

ECOLOGICAL EFFICIENCY

Production process with lower environmental impact

For more informations see page 286



810
Quasar


chrome plated brass design trap

a. **810.135.5.K**

- inlet H. 165 × 1"¼
- outlet L. 300 × ø32
- brass flange ø80

size	packaging	category
1"¼ × ø32	1×box / 10 (O)	12

50 mm 47 l/min 10 pcs.



OTHER FINISHING AVAILABLE


matt black	matt white	polished gold	brushed steel	brushed bronze
810.135.5.X	810.135.5.XD	810.135.5.3	810.135.5.Y2	810.135.5.6

b. **810.165.5.K**

- inlet H. 165 × 1"¼
- outlet L. 350 × ø32
- brass flange ø80

size	packaging	category
1"¼ × ø32	1×box / 10 (O)	12

50 mm 47 l/min 10 pcs.





c. **810.165.6.K**

- inlet H. 165 × 1"¼
- outlet L. 350 × ø40
- brass flange ø80


size	packaging	category
1"¼ × ø40	1×box / 10 (O)	12

50 mm 47 l/min 10 pcs.





916
Maomao
brass design traps




a. 916.324.5.K

- chrome plated
- inlet H. 120 × 1"¼
- outlet L. 250 × ø32
- brass flange ø70

size	packaging	category
1"¼ × ø32	1×box / 10 (T)	12

55 mm 44 l/min — 10 pcs.



a. 916.334.5.K

- chrome plated
- inlet H. 120 × 1"¼
- outlet L. 300 × ø32
- brass flange ø70

size	packaging	category
1"¼ × ø32	1×box / 10 (O)	12

55 mm 44 l/min — 10 pcs.

chrome plated

b. 916.334.5.X

- matt black finishing
- inlet H. 120 × 1"¼
- outlet L. 300 × ø32
- brass flange ø70

size	packaging	category
1"¼ × ø32	1×box / 10 (O)	12

55 mm 44 l/min — 10 pcs. — new

matt black finishing

c. 916.334.5.XD

- matt white finishing
- inlet H. 120 × 1"¼
- outlet L. 300 × ø32
- brass flange ø70

size	packaging	category
1"¼ × ø32	1×box / 10 (O)	12

55 mm 44 l/min — 10 pcs. — new

matt white finishing

d. 916.334.5.Y2

- brushed steel finishing
- inlet H. 120 × 1"¼
- outlet L. 300 × ø32
- brass flange ø70


size	packaging	category
1"¼ × ø32	1×box / 10 (O)	12

55 mm 44 l/min — 10 pcs. — new

brushed steel finishing

OTHER FINISHING AVAILABLE

polished gold	brushed bronze
916.334.5.3	916.334.5.6



713

Toti lowered


chrome plated brass height-reduced design trap

a. 713.135.5.K

- inlet H. 165 × 1"¼
- outlet L. 300 × ø32
- brass flange ø80

size	packaging	category
1"¼ × ø32	1×box / 10 (O)	12

25 mm 46 l/min 10 pcs.




ECOLOGICAL EFFICIENCY


Production process with lower environmental impact

For more informations see page 286

NOTE — **Toti** lowered




NOTE — **Maomao** lowered




913

Maomao lowered

brass height-reduced design trap






a. 913.324.5.K

- chrome plated
- inlet H. 120 × 1"¼
- outlet L. 250 × ø32
- brass flange ø70

size	packaging	category
1"¼ × ø32	1×box / 10 (T)	12

35 mm 44 l/min 10 pcs.



a. 913.334.5.K

- chrome plated
- inlet H. 120 × 1"¼
- outlet L. 300 × ø32
- brass flange ø70

size	packaging	category
1"¼ × ø32	1×box / 10 (O)	12

35 mm 44 l/min 10 pcs.

chrome plated

b. 913.334.5.X

- matt black finishing
- inlet H. 120 × 1"¼
- outlet L. 300 × ø32
- brass flange ø70

size	packaging	category
1"¼ × ø32	1×box / 10 (O)	12

new

35 mm 44 l/min 10 pcs.

matt black finishing

c. 913.334.5.XD

- matt white finishing
- inlet H. 120 × 1"¼
- outlet L. 300 × ø32
- brass flange ø70

size	packaging	category
1"¼ × ø32	1×box / 10 (O)	12

new

35 mm 44 l/min 10 pcs.

matt white finishing

d. 913.334.5.Y2

- brushed steel finishing
- inlet H. 120 × 1"¼
- outlet L. 300 × ø32
- brass flange ø70

size	packaging	category
1"¼ × ø32	1×box / 10 (O)	12

new

35 mm 44 l/min 10 pcs.

brushed steel finishing



510

Toti mini


chrome plated brass design trap

a. **510.135.5.K**

size	packaging	category
1"¼ × ø32	1×box / 10 (O)	12

- inlet H. 165 × 1"¼ (ø26)
- outlet L. 300 × ø32
- brass flange ø70

50 mm 31 l/min 10 pcs.




b. **510.165.5.K**

size	packaging	category
1"¼ × ø32	1×box / 10 (O)	12

- inlet H. 165 × 1"¼ (ø26)
- outlet L. 350 × ø32
- brass flange ø70

50 mm 31 l/min 10 pcs.




ECOLOGICAL EFFICIENCY


Production process with lower environmental impact

For more informations see page 286

NOTES



710.135.5.K




510.135.5.K



711 + 811 + 916

Exec series

chrome plated brass design space-saver traps



a. **711**.215.5.K

TOTI EXEC

- inlet 285×165 × 1"¼
- outlet L. 100 × ø32
- brass flange ø80


size	packaging	category
1"¼ × ø32	1×box / 8 (B)	12

50 mm 44 l/min 8 pcs.

ECOLOGICAL EFFICIENCY

Production process with lower environmental impact

For more informations see page 286




a. **811**.215.5.K

QUASAR EXEC

- inlet 285×165 × 1"¼
- outlet L. 100 × ø32
- brass flange ø80

size	packaging	category
1"¼ × ø32	1×box / 8 (B)	12

50 mm 46 l/min 8 pcs.



a. **916**.215.5.K

MAOMAO EXEC

- inlet 285×165 × 1"¼
- outlet L. 100 × ø32
- brass flange ø70

size	packaging	category
1"¼ × ø32	1×box / 8 (B)	12

55 mm 43 l/min 8 pcs.




0916

Maomao floor pipe

chrome plated brass design trap with floor outlet pipe

new



a. 0916.415.5.K

- with floor pipe
- inlet H. 120 × 1"¼
- outlet 220×680 × ø32
- brass flange ø70

size	packaging	category
1"¼ × ø32	1×box / 20 (M)	12

55 mm 44 l/min

20 pcs.


new

OTHER FINISHING AVAILABLE

matt black	matt white	polished gold	brushed steel	brushed bronze
0916.415.5.X	0916.415.5.XD	0916.415.5.3	0916.415.5.Y2	0916.415.5.6

spare pipes

for traps



a. 9980.250.5.K — new

- inlet pipe H.250
- chrome plated
- 1"¼ × ø32

size	packaging	category
H.250 × 1"¼	10×bag	08

b. 9980.250.5.X — new

- inlet pipe H.250
- matt balck finishing
- 1"¼ × ø32

size	packaging	category
H.250 × 1"¼	10×bag	08

c. 9980.250.5.XD — new


- inlet pipe H.250
- matt white finishing
- 1"¼ × ø32

size	packaging	category
H.250 × 1"¼	10×bag	08

d. 9980.250.5.Y2 — new

- inlet pipe H.250
- brushed steel finishing
- 1"¼ × ø32

size	packaging	category
H.250 × 1"¼	10×bag	08



a. 9978.350.5.K — new

- outlet pipe L.350
- chrome plated
- L.350 × ø32

size	packaging	category
L.350 × ø32	10×bag	08

b. 9978.350.5.X — new

- outlet pipe L.350
- matt balck finishing
- L.350 × ø32

size	packaging	category
L.350 × ø32	10×bag	08

c. 9978.350.5.XD — new


- outlet pipe L.350
- matt white finishing
- ø32

size	packaging	category
L.350 × ø32	10×bag	08

d. 9978.350.5.Y2 — new

- outlet pipe L.350
- brushed steel finishing
- ø32

size	packaging	category
L.350 × ø32	10×bag	08



a. 7114.423.5.K

- space-saver inlet pipe 285×165
- chrome plated
- 1"¼ × ø32

size	packaging	category
1"¼ × ø32	1×box / 8 (B)	12

b. 7114.423.5.XD — new

- space-saver inlet pipe 285×165
- matt balck finishing
- 1"¼ × ø32

size	packaging	category
1"¼ × ø32	1×box / 8 (B)	12

c. 7114.423.5.XD — new

- space-saver inlet pipe 285×165
- matt white finishing
- 1"¼ × ø32

size	packaging	category
1"¼ × ø32	1×box / 8 (B)	12

d. 7114.423.5.Y2 — new

- space-saver inlet pipe 285×165
- brushed steel finishing
- 1"¼ × ø32

size	packaging	category
1"¼ × ø32	1×box / 8 (B)	12

Washbasin and bidet

Mini Clicker -
Clicker ABS + Ri-Cambio -
Daisy -
Saltarello -
universal wastes -
other wastes + Trotter -
S-Pipe -
Lux -
S-Pipe + Lux bidet -
Lux 50/95 + Lux 60/80 -
S-Pipe + Lux floor pipe -
S-Pipe + Lux drops convector pipe -
reduced encumbrance traps -
Europa series -
Tea series -
Robot series -
Jolly + Jolly mini -
Toti ABS -
Maomao ABS - new
S-Pipe + Lux ABS -
other c.p. ABS traps -
Toti + Maomao white ABS - new
other white ABS traps -
PP bottle traps -
PP bottle traps for bidet -
other PP bottle traps -
PP tubular traps -
Savoia -
Mosquito -
Chihuahua -
Praktik bagno - new
Chrono -
Squid - new
Squid + Tea - new
PP space-saver traps -
Mosquito 2 - new
Squid 2 - new




for the sanitary ware image, special thanks to
technova





3530
Mini Clicker

chrome plated brass automatic waste




a. **3530.360.5**

- ø48 plug
- H. 60 threaded shaft
- H. 40 × 1"¼ counter nut
- slotted

size	packaging	category
ø63 × 1"¼	1×box / 15 (l)	04

45 l/min — 15 pcs.




b. **3530.310.5**

- ø48 plug
- H. 60 threaded shaft
- H. 40 × 1"¼ counter nut
- unslotted

size	packaging	category
ø63 × 1"¼	1×box / 15 (l)	04

45 l/min — 15 pcs.




a. **3530.370.5**

- ø48 plug
- H. 90 threaded shaft
- H. 40 × 1"¼ counter nut
- slotted

size	packaging	category
ø63 × 1"¼	1×box / 15 (l)	04

45 l/min — 15 pcs. — new



b. **3530.320.5**

- ø48 plug
- H. 90 threaded shaft
- H. 40 × 1"¼ counter nut
- unslotted

size	packaging	category
ø63 × 1"¼	1×box / 15 (l)	04

45 l/min — 15 pcs. — new

SPARE PARTS / PLUG

137.049.0


For more informations see page 252



4830 + 4230 + 8120

Clicker ABS + Ri-Cambio

ABS automatic wastes and
chrome plated brass plug to replace old simplex wastes




CLICKER ABS

a. 4830.360.5

size	packaging	category
ø63 × 1"¼	1×box / 15 (I)	05

- ø63 c.p. brass plug
- H. 60 ABS threaded shaft
- H. 40 × 1"¼ ABS counter nut
- slotted

40 l/min · 15 pcs.




b. 4230.360.5

size	packaging	category
ø63 × 1"¼	1×box / 15 (I)	05

- ø63 c.p. ABS plug
- H. 60 ABS threaded shaft
- H. 40 × 1"¼ ABS counter nut
- slotted

40 l/min · 15 pcs.




RI-CAMBIO


a. 8120.378.5

size	packaging	category
ø63	1×bag / 10 (X)	08

- chrome plated brass plug to replace the old simplex wastes
- ø63 c.p. brass plug
- hair-stop grid
- for 1"¼ wastes
- check compatibility with other manufacturers' wastes

10 pcs.





b. 8120.378.5.T

size	packaging	category
ø70	1×bag / 10 (X)	08

- ø70 gloss white ceramic plug
- hair-stop grid
- for 1"¼ wastes

10 pcs. · new

c. 8120.378.5.T1

size	packaging	category
ø70	1×bag / 10 (X)	08

- ø70 matt white ceramic plug
- hair-stop grid
- for 1"¼ wastes

10 pcs. · new

d. 8120.378.5.T2

size	packaging	category
ø70	1×bag / 10 (X)	08


- ø70 matt black ceramic plug
- hair-stop grid
- for 1"¼ wastes

10 pcs. · new



555
Daisy

chrome plated brass free-flow waste




a. 555.067.5

- ø63 grid
- H. 40 threaded shaft
- H. 40 × 1"¼ counter nut
- unslotted

size	packaging	category
ø63 × 1"¼	1×box / 15 (l)	04

43 l/min · 15 pcs. · new




a. 555.060.5

- ø63 grid
- H. 60 threaded shaft
- H. 40 × 1"¼ counter nut
- unslotted

size	packaging	category
ø63 × 1"¼	1×box / 15 (l)	04

43 l/min · 15 pcs.




b. 555.160.5

- ø63 grid
- H. 60 threaded shaft
- H. 40 × 1"¼ counter nut
- slotted

size	packaging	category
ø63 × 1"¼	1×box / 15 (l)	04

43 l/min · 15 pcs.




a. 555.061.5

- ø63 grid
- H. 60 × 1"¼ threaded shaft
- nickel-plated raw brass through-counter nut
- unslotted

size	packaging	category
ø63 × 1"¼	1×box / 15 (l)	04

43 l/min · 15 pcs.



b. 555.161.5

- ø63 grid
- H. 60 × 1"¼ threaded shaft
- nickel-plated raw brass through-counter nut
- slotted

size	packaging	category
ø63 × 1"¼	1×box / 15 (l)	04

43 l/min · 15 pcs.

529 + 2529
Saltarello
pop-up wastes




a. **529.160.5**

size	packaging	category
ø63 × 1"¼	1×box / 15 (l)	04

- c.p. brass pop-up waste
- ø40 c.p. brass plug
- H. 60 threaded shaft
- H. 55 × 1"¼ counter nut
- without manual
- L. 180 s/steel rod

50+ l/min — 15 pcs.




SPARE PARTS / PLUG
120.360.5
For more informations see page 252


a. **2529.000.5**

size	packaging	category
ø63 × 1"¼	1×bag / 60 (Q)	05


- PP pop-up waste
- ø40 s/steel plug
- H. 60 threaded shaft
- H. 50 × 1"¼ counter nut
- without manual
- L. 180 s/steel rod

49 l/min — 60 pcs.





34 + 55
Universal wastes
brass universal wastes




a. 34.610.5

- plug with triangle
- s/steel plate ø65
- brass valve bottom 1"¼
- screw L. 60

size	packaging	category
ø65 × 1" ¼	5×box / 150 (B)	04

36 l/min — 10 pcs.

SPARE PARTS / PLUG
120.120.5
For more informations see page 253




b. 34.620.5

- plug with ball-chain and ring
- s/steel plate ø65
- brass valve bottom 1"¼
- screw L. 60

size	packaging	category
ø65 × 1" ¼	5×box / 150 (B)	04

36 l/min — 10 pcs.

SPARE PARTS / PLUG
120.111.5
For more informations see page 253




c. 34.630.5

- plug with handle
- s/steel plate ø65
- brass valve bottom 1"¼
- screw L. 60

size	packaging	category
ø65 × 1" ¼	5×box / 150 (B)	04

36 l/min — 10 pcs.

SPARE PARTS / PLUG
120.170.5
For more informations see page 253




d. 34.640.5

- plug with ball-chain and stay
- s/steel plate ø65
- brass valve bottom 1"¼
- screw L. 60

size	packaging	category
ø65 × 1" ¼	5×box / 150 (B)	04

36 l/min — 10 pcs.



a. 55.660.5

- s/steel plate ø65
- raw brass valve bottom 1"¼
- screw L. 60

size	packaging	category
ø65 × 1"¼	10×box / 50 (T)	04

57 l/min — 10 pcs.




234
Universal wastes
PP universal wastes

a. 234.610.5

size	packaging	category
ø65 × 1" ¼	10×bag / 100 (T)	05

- plug with triangle
- s/steel plate ø65
- PP valve bottom 1"¼
- screw L. 60

36 l/min · 10 pcs.




SPARE PARTS / PLUG
120.120.5
For more informations see page 253

b. 234.620.5

size	packaging	category
ø65 × 1" ¼	10×bag / 100 (T)	05

- plug with ball-chain and ring
- s/steel plate ø65
- PP valve bottom 1"¼
- screw L. 60

36 l/min · 10 pcs.




SPARE PARTS / PLUG
120.111.5
For more informations see page 253

c. 234.630.5

size	packaging	category
ø65 × 1" ¼	10×bag / 100 (T)	05

- plug with handle
- s/steel plate ø65
- PP valve bottom 1"¼
- screw L. 60

36 l/min · 10 pcs.




SPARE PARTS / PLUG
120.170.5
For more informations see page 253

d. 234.640.5

size	packaging	category
ø65 × 1" ¼	10×bag / 100 (T)	05


- plug with ball-chain and stay
- s/steel plate ø65
- PP valve bottom 1"¼
- screw L. 60

36 l/min · 10 pcs.





29
Other wastes
chrome plated brass wastes




a. 29.020.5

size	packaging	category
ø63 × 1" ¼	1×box / 15 (l)	04

- plug with ball-chain and ring
- ø63 grid
- H. 70 × 1"¼ threaded shaft
- nickel-plated raw brass through-counter nut
- unslotted

41 l/min · 15 pcs.

SPARE PARTS / PLUG
120.811.5
For more informations see page 253




a. 29.120.5

size	packaging	category
ø63 × 1" ¼	1×box / 15 (l)	04

- plug with ball-chain and ring
- ø63 grid
- H. 70 × 1"¼ threaded shaft
- nickel-plated raw brass through-counter nut
- slotted

41 l/min · 15 pcs.

SPARE PARTS / PLUG
120.811.5
For more informations see page 253




b. 29.110.5

size	packaging	category
ø63 × 1" ¼	1×box / 15 (l)	04

- plug with triangle
- ø63 grid
- H. 70 × 1"¼ threaded shaft
- nickel-plated raw brass through-counter nut
- slotted

41 l/min · 15 pcs.

SPARE PARTS / PLUG
120.820.5
For more informations see page 253



c. 29.140.5

size	packaging	category
ø63 × 1" ¼	1×box / 15 (l)	04

- plug with ball-chain and stay
- ø63 grid
- H. 70 × 1"¼ threaded shaft
- nickel-plated raw brass through-counter nut
- slotted


41 l/min · 15 pcs.



30 + 830

Other wastes + Trotter

chrome plated brass wastes




a. 30.120.5

size	packaging	category
ø63 × 1" ¼	1×box / 15 (l)	04

- plug with ball-chain and ring
- ø63 grid
- H. 90 × 1"¼ threaded shaft
- nickel-plated raw brass through-counter nut
- slotted

42 l/min — 15 pcs.

SPARE PARTS / PLUG
120.811.5
For more informations see page 253




b. 30.140.5

size	packaging	category
ø63 × 1" ¼	1×box / 15 (l)	04

- plug with ball-chain and stay
- ø63 grid
- H. 90 × 1"¼ threaded shaft
- nickel-plated raw brass through-counter nut
- slotted

42 l/min — 15 pcs.



TROTTER


a. 830.180.5


size	packaging	category
ø63 × 1"¼	1×box / 15 (l)	04

- with rotating anti-theft plug
- H. 90 × 1"¼ threaded shaft
- nickel-plated raw brass through-counter nut
- slotted

50+ l/min — 15 pcs.

NOTES








26 + 25

S-Pipe

chrome plated brass tubular trap



a. 26.715.5

- inlet H. 75 × 1"¼
- outlet L. 170 × ø32
- c.p. brass flange ø65

size	packaging	category
1"¼ × ø32	1×box / 30 (B)	02


60 mm · 63 l/min · 30 pcs.

b. 26.711.5

- inlet H. 75 × 1"¼
- outlet L. 170 × ø32
- s/steel flange ø65

size	packaging	category
1"¼ × ø32	1×box / 30 (B)	02

60 mm · 63 l/min · 30 pcs.




a. 26.911.5

- inlet H. 120 × 1"¼
- outlet L. 170 × ø32
- s/steel flange ø65

size	packaging	category
1"¼ × ø32	1×box / 30 (C)	02

60 mm · 63 l/min · 30 pcs.



a. 26.926.5

- inlet H. 120 × 1"¼
- outlet L. 220 × ø32
- c.p. brass flange ø75

size	packaging	category
1"¼ × ø32	1×box / 30 (C)	02


60 mm · 63 l/min · 30 pcs.

b. 26.922.5

- inlet H. 120 × 1"¼
- outlet L. 220 × ø32
- s/steel flange ø75

size	packaging	category
1"¼ × ø32	1×box / 30 (C)	02

60 mm · 63 l/min · 30 pcs. · new




a. 26.952.5

- inlet H. 120 × 1"¼
- outlet L. 230 × ø32
  with aerator
- s/steel flange ø65

size	packaging	category
1"¼ × ø32	1×box / 30 (C)	02

60 mm · 63 l/min · 30 pcs.



a. 26.515.5

size	packaging	category
1"¼ × ø32	1×box / 30 (B)	02

- without inlet pipe
- inlet 1"¼
- outlet L. 170 × ø32
- c.p. brass flange ø65


60 mm · 30 pcs.

b. 26.511.5

size	packaging	category
1"¼ × ø32	1×box / 30 (B)	02

- without inlet pipe
- inlet 1"¼
- outlet L. 170 × ø32
- s/steel flange ø65

60 mm · 30 pcs.



a. 26.423.5


size	packaging	category
1"¼ × ø32	1×box / 30 (C)	02

- inlet H. 120 × 1"¼
- outlet L. 220 × ø32
- c.p. brass flange ø75
- with brass hexagonal nuts

60 mm · 63 l/min · 30 pcs.

OTHER FINISHING AVAILABLE

matt black	matt white	polished gold	brushed steel	brushed bronze
26.423.5.X	26.423.5.XD	26.423.5.3	26.423.5.Y2	26.423.5.6




a. 25.711.5

size	packaging	category
1"¼ × ø32	1×box / 30 (C)	02

- with universal waste ø63 plug with triangle
- inlet H. 75
- outlet L. 170 × ø32
- s/steel flange ø65

60 mm · 30 l/min · 30 pcs.



b. 25.911.5

size	packaging	category
ø63 × ø32	1×box / 30 (C)	02


- with universal waste ø63 plug with triangle
- inlet H. 120
- outlet L. 170 × ø32
- s/steel flange ø65

60 mm · 30 l/min · 30 pcs.


ECOLOGICAL EFFICIENCY

Production process with lower environmental impact

For more informations see page 286



19
Lux
chrome plated brass bottle trap



a. 19.215.5

- inlet H. 75 × 1"¼
- outlet L. 190 × ø32
- c.p. brass flange ø65

size	packaging	category
1"¼ × ø32	1×box / 30 (B)	01


50 mm 46 l/min 30 pcs.

b. 19.211.5

- inlet H. 75 × 1"¼
- outlet L. 190 × ø32
- s/steel flange ø65

size	packaging	category
1"¼ × ø32	1×box / 30 (B)	01

50 mm 46 l/min 30 pcs.




a. 19.411.5

- inlet H. 120 × 1"¼
- outlet L. 190 × ø32
- s/steel flange ø65

size	packaging	category
1"¼ × ø32	1×box / 30 (B)	01

50 mm 46 l/min 30 pcs.



a. 19.426.5

- inlet H. 120 × 1"¼
- outlet L. 250 × ø32
- c.p. brass flange ø75

size	packaging	category
1"¼ × ø32	1×box / 30 (C)	01


50 mm 46 l/min 30 pcs.

b. 19.422.5

- inlet H. 120 × 1"¼
- outlet L. 250 × ø32
- s/steel flange ø75

size	packaging	category
1"¼ × ø32	1×box / 30 (C)	01

50 mm 46 l/min 30 pcs.




a. 19.452.5

- inlet H. 120 × 1"¼
- outlet L. 250 × ø32
- with aerator
- s/steel flange ø65

size	packaging	category
1"¼ × ø32	1×box / 30 (C)	01

50 mm 46 l/min 30 pcs.



a. **19.200.5**

- inlet H. 75 × 1"¼
- without outlet pipe
- outlet ϕ32
- without flange

size	packaging	category
1"¼ × ø32	1×box / 30 (B)	01


50 mm 30 pcs.

b. **19.200.5.1**

- in raw nickel plated brass
- inlet H. 75 × 1"¼
- without outlet pipe
- outlet ϕ32
- without flange

size	packaging	category
1"¼ × ø32	1×box / 30 (B)	01

50 mm 30 pcs.




a. **19.912.6**

- inlet H. 120 × 1"¼
- outlet L. 190 × ϕ40
- s/steel flange ϕ75

size	packaging	category
1"¼ × ø40	1×box / 30 (B)	01

50 mm 46 l/min 30 pcs.




a. **19.700.6**

- inlet H. 75 × 1"¼
- without outlet pipe
- outlet ϕ40
- without flange

size	packaging	category
1"¼ × ø40	1×box / 30 (B)	01

50 mm 30 pcs.



a. **911.611.5**

- with space-saver inlet pipe
- inlet 285×165 × 1"¼
- outlet L. 190 × ϕ32
- c.p. brass flange ϕ65

size	packaging	category
1"¼ × ø32	1×box / 8 (B)	01

50 mm 46 l/min 8 pcs. new



20
Lux


chrome plated brass bottle trap with universal waste

a. 20.711.5

size	packaging	category
ø63 × ø32	1×box / 30 (B)	01

- with universal waste ø63 plug with triangle
- inlet H. 75
- outlet L. 190 × ø32
- s/steel flange ø65

50 mm · 36 l/min · 30 pcs.




b. 20.911.5

size	packaging	category
ø63 × ø32	1×box / 30 (B)	01

- with universal waste ø63 plug with triangle
- inlet H. 120
- outlet L. 190 × ø32
- s/steel flange ø65

50 mm · 36 l/min · 30 pcs.





c. 20.918.5

size	packaging	category
ø63 × ø32	1×box / 30 (C)	01

- with universal waste ø63 plug with triangle
- inlet H. 120
- outlet L. 250 × ø32
- s/steel flange ø75

50 mm · 36 l/min · 30 pcs.





a. **20.710.5**

size	packaging	category
ø63 × ø32	1×box / 30 (B)	01

- with universal waste ø63 plug with triangle
- inlet H. 75
- without outlet pipe
- outlet ø32
- without flange


50 mm 30 pcs.

b. **20.714.5**

size	packaging	category
ø63 × ø32	1×box / 30 (B)	01

- with universal waste ø63 plug with triangle
- inlet H. 75
- without outlet pipe
- outlet ø32
- s/steel flange ø65

50 mm 30 pcs.




a. **20.941.5**

size	packaging	category
ø63 × ø32	1×box / 30 (B)	01

- with universal waste ø63 plug with ball-chain and ring
- inlet H. 120
- outlet L. 190 × ø32
- s/steel flange ø65

50 mm 36 l/min 30 pcs.



a. **20.421.5**

size	packaging	category
ø63 × ø32	1×box / 30 (C)	01

- with universal waste ø63 plug with ball-chain and ring
- inlet H. 120 × 1"¼
- outlet L. 190 × ø32
- s/steel flange ø65


50 mm 36 l/min 30 pcs.

28 + 519

S-Pipe + Lux bidet

chrome plated brass traps for bidet





S-PIPE BIDET

a. 28.715.5

- inlet H. 75 × 1"¼
- outlet L. 170 × ø32
- c.p. brass flange ø65

size	packaging	category
1"¼ × ø32	1×box / 30 (B)	02

35 mm · 65 l/min · 30 pcs.

b. 28.711.5

- inlet H. 75 × 1"¼
- outlet L. 170 × ø32
- s/steel flange ø65

size	packaging	category
1"¼ × ø32	1×box / 30 (B)	02

35 mm · 65 l/min · 30 pcs.


ECOLOGICAL EFFICIENCY

Production process with lower environmental impact

For more informations see page 286

OTHER FINISHING AVAILABLE (with different features)

matt black	matt white	polished gold	brushed steel	brushed bronze
28.423.5.X	28.423.5.XD	28.423.5.3	28.423.5.Y2	28.423.5.6



LUX BIDET

a. 519.215.5

- inlet H. 75 × 1"¼
- outlet L. 190 × ø32
- c.p. brass flange ø65

size	packaging	category
1"¼ × ø32	1×box / 30 (B)	01

35 mm · 49 l/min · 30 pcs.

b. 519.211.5


- inlet H. 75 × 1"¼
- outlet L. 190 × ø32
- s/steel flange ø65

size	packaging	category
1"¼ × ø32	1×box / 30 (B)	01

35 mm · 49 l/min · 30 pcs.

OTHER FINISHING AVAILABLE (with different features)

matt black	matt white	polished gold	brushed steel	brushed bronze
507.423.5.X	507.423.5.XD	507.423.5.3	507.423.5.Y2	507.423.5.6



a. 519.200.5

- inlet H. 75 × 1"¼
- without outlet pipe
- outlet ø32
- without flange

size	packaging	category
1"¼ × ø32	1×box / 30 (B)	01

35 mm · 30 pcs.

b. 519.200.5.1

- in raw nickel plated brass
- inlet H. 75 × 1"¼
- without outlet pipe
- outlet ø32
- without flange

size	packaging	category
1"¼ × ø32	1×box / 30 (B)	01


35 mm · 30 pcs.



419 + 619

Lux 50/95 **+ Lux** 60/80

chrome plated brass bottle traps with bigger cup




LUX 50/95

a. **419.129.5**

- cup ø50 H. 95 with higher water seal
- inlet H. 150 × 1"¼
- outlet L. 250 × ø32
- c.p. brass flange ø80
- with wall connector
- with brass hexagonal nuts

size	packaging	category
1"¼ × ø32	1×box / 30 (C)	01

75 mm 46 l/min 30 pcs.



b. **419.200.5**

- cup ø50 H. 95 with higher water seal
- inlet H. 75 × 1"¼
- without outlet pipe
- outlet ø32
- without flange

size	packaging	category
1"¼ × ø32	1×box / 30 (B)	01


75 mm 46 l/min 30 pcs.

c. **419.700.6**

- cup ø50 H. 95 with higher water seal
- inlet H. 75 × 1"¼
- without outlet pipe
- outlet ø40
- without flange

size	packaging	category
1"¼ × ø40	1×box / 30 (B)	01

75 mm 46 l/min 30 pcs.



LUX 60/80

a. **619.912.6**

- cup ø60 H. 85 with bigger water volume
- inlet H. 120 × 1"¼
- outlet L. 190 × ø40
- s/steel flange ø75

size	packaging	category
1"¼ × ø40	1×box / 30 (C)	01

50 mm 66 l/min 30 pcs.




26 + 019 + 020

S-Pipe + Lux floor pipe

chrome plated brass traps with floor outlet pipe

S-PIPE LOOR PIPE



a. 26.791.5

- with floor pipe
- inlet H. 75 × 1"¼
- outlet H. 680 × ø32
- s/steel flange ø65

size	packaging	category
1"¼ × ø32	1×box / 20 (D)	02

60 mm · 63 l/min · 20 pcs.

ECOLOGICAL EFFICIENCY


Production process with lower environmental impact

For more informations see page 286

OTHER FINISHING AVAILABLE (with different features)

matt black	matt white	polished gold	brushed steel	brushed bronze
26.493.5.X	26.493.5.XD	26.493.5.3	26.493.5.Y2	26.493.5.6

LUX FLOOR PIPE



a. 019.701.5

- with floor pipe
- inlet H. 75 × 1"¼
- outlet 150×610 × ø32
- s/steel flange ø65

size	packaging	category
1"¼ × ø32	1×box / 20 (M)	01

50 mm · 46 l/min · 20 pcs. · new

b. 019.711.5


- with floor pipe
- inlet H. 75 × 1"¼
- outlet 220×680 × ø32
- s/steel flange ø65

size	packaging	category
1"¼ × ø32	1×box / 20 (M)	01

50 mm · 46 l/min · 20 pcs. · new

OTHER FINISHING AVAILABLE (with different features)

matt black	matt white	polished gold	brushed steel	brushed bronze
019.413.5.X	019.413.5.XD	019.413.5.3	019.413.5.Y2	019.413.5.6



a. 020.701.5

- with floor pipe
- with universal waste ø63 plug with triangle
- inlet H. 75
- outlet 150×610 × ø32
- s/steel flange ø65

size	packaging	category
ø63 × ø32	1×box / 20 (M)	01


50 mm · 36 l/min · 20 pcs.



9926 + 9919

S-Pipe + Lux drops convector pipe

chrome plated brass traps with drops convector inlet pipe



a. 9926.711.5

size	packaging	category
1"¼ × ø32	1×box / 10 (W)	02


- with drops convector pipe
- inlet H. 220 × 1"¼
- outlet L. 170 × ø32
- s/steel flange ø65

60 mm 63 l/min 10 pcs.

ECOLOGICAL EFFICIENCY

Production process with lower environmental impact

For more informations see page 286




a. 9919.215.5

size	packaging	category
1"¼ × ø32	1×box / 10 (W)	01

- with drops convector pipe
- inlet H. 220 × 1"¼
- outlet L. 190 × ø32
- s/steel flange ø65


50 mm 46 l/min 10 pcs.



522 + 128 + 390 + 90

Reduced encumbrance traps

chrome plated brass traps with reduced encumbrance




MAJOR

a. **522.423.5**

- inlet H. 120 × 1"¼
- outlet L. 250 × ϕ32
- c.p. brass flange ϕ75
- with brass hexagonal nuts

size	packaging	category
1"¼ × ø32	1×box / 30 (C)	01

25 mm 57 l/min 30 pcs.




MINI

a. **390.223.5**

- inlet H. 75 × 1"¼
- outlet L. 250 × ϕ32
- c.p. brass flange ϕ75
- with brass hexagonal nuts

size	packaging	category
1"¼ × ø32	1×box / 30 (C)	01

10 mm 36 l/min 30 pcs.




LINEAR

a. **128.223.5**

- inlet H. 75 × 1"¼
- outlet L. 250 × ϕ32
- c.p. brass flange ϕ75
- with brass hexagonal nuts

size	packaging	category
1"¼ × ø32	1×box / 30 (C)	01

25 mm 59 l/min 30 pcs.




a. **90.504.5.1**

- in raw nickel plated brass
- without inlet pipe
- inlet 1"¼
- without outlet pipe
- outlet ϕ32
- without flange
- with brass hexagonal nuts

size	packaging	category
1"¼ × ø32	1×box / 30 (B)	01


10 mm 30 pcs.



317 + 322 + 324

Europa series

chrome plated brass traps made by die casting




a. 317.711.5

- inlet H. 75 × 1"¼
- outlet L. 190 × ø32
- s/steel flange ø65

size	packaging	category
1"¼ × ø32	1×box / 30 (B)	01

50 mm · 40 l/min · 30 pcs.




a. 322.711.5

- inlet H. 75 × 1"¼
- outlet L. 190 × ø32
- s/steel flange ø65

size	packaging	category
1"¼ × ø32	1×box / 30 (B)	01

25 mm · 44 l/min · 30 pcs.




a. 324.711.5

- inlet H. 75 × 1"¼
- outlet L. 190 × ø32
- s/steel flange ø65

size	packaging	category
1"¼ × ø32	1×box / 30 (B)	01

25 mm · 47 l/min · 30 pcs.


NOTES




inlet pipe with double hemming, increased resistance



robotize internal machining



thermoplastic rubber gasket




c.p. brass pipe thickness 0,40 mm



17 + 22 + 24

Tea series

chrome plated brass traps made by shell moulding




a. 17.223.5

- inlet H. 75 × 1"¼
- outlet L. 250 × ø32
- c.p. brass flange ø75
- with brass hexagonal nuts

size	packaging	category
1"¼ × ø32	1×box / 30 (C)	01

50 mm 51 l/min 30 pcs.




a. 22.223.5

- inlet H. 75 × 1"¼
- outlet L. 250 × ø32
- c.p. brass flange ø75
- with brass hexagonal nuts

size	packaging	category
1"¼ × ø32	1×box / 30 (C)	01

25 mm 51 l/min 30 pcs.




a. 24.223.5

- inlet H. 75 × 1"¼
- outlet L. 250 × ø32
- c.p. brass flange ø75
- with brass hexagonal nuts

size	packaging	category
1"¼ × ø32	1×box / 30 (C)	01


25 mm 57 l/min 30 pcs.



517 + 922 + 924

Robot series

chrome plated brass traps made by shell moulding



a. **517**.423.5


size	packaging	category
1"¼ × ø32	1×box / 30 (C)	01

- inlet H. 120 × 1"¼
- outlet L. 250 × ø32
- c.p. brass flange ø75
- with brass hexagonal nuts

50 mm · 51 l/min · 30 pcs.

OTHER FINISHING AVAILABLE

matt black	matt white	polished gold	brushed steel	brushed bronze
517.423.5.X	**517**.423.5.XD	**517**.423.5.3	**517**.423.5.Y2	**517**.423.5.6




a. **922**.423.5

size	packaging	category
1"¼ × ø32	1×box / 30 (C)	01

- inlet H. 120 × 1"¼
- outlet L. 250 × ø32
- c.p. brass flange ø75
- with brass hexagonal nuts

25 mm · 49 l/min · 30 pcs.




a. **924**.423.5

size	packaging	category
1"¼ × ø32	1×box / 30 (C)	01


- inlet H. 120 × 1"¼
- outlet L. 250 × ø32
- c.p. brass flange ø75
- with brass hexagonal nuts

25 mm · 55 l/min · 30 pcs.

NOTES




inlet pipe with double hemming, increased resistance



robotize internal machining



thermoplastic rubber gasket




c.p. brass pipe thickness 0,40 mm



25.K

...

chrome plated brass tubular trap




a. 25.335.4.K

- with waste ø54 without plug
- inlet H. 120 × W32-16
- with wall pipe
- outlet L. 390 × ø25
- c.p. brass flange ø62

size	packaging	category
W32-16×ø25	1×box / 10 (O)	02

60 mm 34 l/min 10 pcs.




b. 25.495.4.K

- with waste ø54 without plug
- inlet H. 120 × W32-16
- with floor pipe
- outlet H. 645 × ø25
- c.p. brass flange ø62

size	packaging	category
W32-16×ø25	1×box / 10 (O)	02


60 mm 34 l/min 10 pcs.



915 + 912

Jolly + Jolly mini

chrome plated zinc alloy traps




a. **915.324.5** — JOLLY

size	packaging	category
1"¼ × ø32	1×box / 30 (C)	01

- inlet H. 120 × 1"¼ in c.p. brass
- outlet L. 250 × ø32 in c.p. brass
- s/steel flange ø75
- c.p. zinc alloy nuts

50 mm · 34 l/min · 30 pcs.




b. **915.334.5**

size	packaging	category
1"¼ × ø32	1×box / 10 (O)	01

- inlet H. 120 × 1"¼ in c.p. brass
- outlet L. 300 × ø32 in c.p. brass
- s/steel flange ø75
- c.p. zinc alloy nuts

50 mm · 34 l/min · 10 pcs.




a. **912.324.5** — JOLLY MINI

size	packaging	category
1"¼ × ø32	1×box / 30 (C)	01

- with reduced encumbrance
- inlet H. 120 × 1"¼ in c.p. brass
- outlet L. 250 × ø32 in c.p. brass
- s/steel flange ø75
- c.p. zinc alloy nuts

25 mm · 35 l/min · 30 pcs. · new



b. **912.334.5**

size	packaging	category
1"¼ × ø32	1×box / 10 (O)	01

- with reduced encumbrance
- inlet H. 120 × 1"¼ in c.p. brass
- outlet L. 300 × ø32 in c.p. brass
- s/steel flange ø75
- c.p. zinc alloy nuts

25 mm · 35 l/min · 10 pcs. · new



710.H

Toti ABS


chrome plated ABS trap

a. **710.934.5.H**

size	packaging	category
1"¼ × ø32	1×box / 10 (O)	03

- inlet H. 165 × 1"¼
- outlet L. 300 × ø32
- c.p. ABS flange ø70
- c.p. ABS nuts

50 mm 46 l/min 10 pcs.




a. **710.934.6.H**

size	packaging	category
1"¼ × ø40	1×box / 10 (O)	03

- inlet H. 165 × 1"¼
- outlet L. 300 × ø40
- c.p. ABS flange ø80
- c.p. ABS nuts

50 mm 46 l/min 10 pcs.





b. **710.939.6.H**

size	packaging	category
1"¼ × ø40	1×box / 10 (O)	03

- inlet H. 165 × 1"¼
- outlet L. 300 × ø40
- c.p. ABS flange ø80
- c.p. ABS nuts
- with wall connector

50 mm 46 l/min 10 pcs.






916.H + 914.H

Maomao ABS

chrome plated ABS trap

new



a. **916.924.5.H**

size	packaging	category
1"¼ × ø32	1×box / 30 (C)	03

- inlet H. 165 × 1"¼
- outlet L. 250 × ø32
- c.p. ABS flange ø70
- c.p. ABS nuts


50 mm · 40 l/min · 30 pcs. · new

b. **916.934.6.H**

size	packaging	category
1"¼ × ø40	1×box / 10 (O)	03

- inlet H. 165 × 1"¼
- outlet L. 300 × ø40
- c.p. ABS flange ø80
- c.p. ABS nuts

50 mm · 40 l/min · 10 pcs. · new



a. **914.939.6.H**

size	packaging	category
1"¼ × ø40	1×box / 10 (O)	03

- with higher water seal
- inlet H. 165 × 1"¼
- outlet L. 300 × ø40
- c.p. ABS flange ø80
- c.p. ABS nuts
- with wall connector

75 mm · 36 l/min · 10 pcs. · new


NOTES



Water seal 50 mm
Water volume 40 l/min
EN 274 Conform




Water seal 75 mm
Water volume 36 l/min
EN 274 Conform



26.H + 19.H

S-Pipe + Lux ABS

chrome plated ABS traps




a. **26.924.5.H** — S-PIPE ABS

- inlet H. 165 × 1"¼
- outlet L. 220 × ø32
- c.p. ABS flange ø70
- c.p. ABS nuts

size	packaging	category
1"¼ × ø32	1×box / 30 (C)	03

60 mm · 60+ l/min · 30 pcs.




a. **19.124.5.H** — LUX ABS

- inlet H. 165 × 1"¼
- outlet L. 250 × ø32
- c.p. ABS flange ø70
- c.p. ABS nuts

size	packaging	category
1"¼ × ø32	1×box / 30 (C)	03

50 mm · 58 l/min · 30 pcs.




a. **86.302.5.H**

- inlet pipe
- H. 300 mm
- 1"¼ × ø32
- c.p. ABS nut

size	packaging	category
1"¼ × ø32	10×bag	10


10 pcs. · new



322.H + 324.H + 126.H

...

chrome plated ABS traps




a. 322.924.5.H

size	packaging	category
1"¼ × ø32	1×box / 30 (C)	03

- inlet H. 165 × 1"¼
- outlet L. 250 × ø32
- c.p. ABS flange ø70
- c.p. ABS nuts

35 mm 58 l/min 30 pcs.




a. 324.924.5.H

size	packaging	category
1"¼ × ø32	1×box / 30 (C)	03

- inlet H. 165 × 1"¼
- outlet L. 250 × ø32
- c.p. ABS flange ø70
- c.p. ABS nuts

35 mm 53 l/min 30 pcs.




a. 126.013.5.H

size	packaging	category
1"¼ × ø32	1×box / 15 (B)	03

- with space-saver inlet pipe
- inlet 300×220 × 1"¼
- outlet L. 220 × ø32
- c.p. ABS flange ø70
- c.p. ABS nuts

60 mm 48 l/min 15 pcs.




710.B + 916.B + 914.B

Toti + Maomao white ABS

white ABS traps

new




TOTI ABS

a. 710.934.6.B

- inlet H. 165 × 1"¼ in white ABS
- outlet L. 300 × ø40 in white ABS
- white ABS flange ø80
- white ABS nuts

size	packaging	category
1"¼ × ø40	1×box / 10 (O)	03

50 mm · 46 l/min · 10 pcs.



MAOMAO ABS

a. 916.924.5.B

- inlet H. 165 × 1"¼ in white ABS
- outlet L. 250 × ø32 in white PP
- white ABS flange ø80
- white ABS nuts

size	packaging	category
1"¼ × ø32	1×box / 30 (C)	03


50 mm · 40 l/min · 30 pcs. · new

b. 916.934.6.B

- inlet H. 165 × 1"¼ in white ABS
- outlet L. 300 × ø40 in white ABS
- white ABS flange ø80
- white ABS nuts

size	packaging	category
1"¼ × ø40	1×box / 10 (O)	03

50 mm · 40 l/min · 10 pcs. · new




MAOMAO ABS

a. 914.939.6.B

- higher water seal
- inlet H. 165 × 1"¼ in white ABS
- outlet L. 300 × ø40 in white ABS
- white ABS flange ø80
- white ABS nuts
- with wall connector

size	packaging	category
1"¼ × ø40	1×box / 10 (O)	03


75 mm · 36 l/min · 10 pcs. · new



6322 + 6324

...

white ABS traps




a. 6322.544.5

size	packaging	category
1"¼ × ø32	1×bag / 30 (C)	03

- inlet H. 200 × 1"¼ in white PP
- outlet L. 250 × ø32 in white PP
- white PP flange ø78
- white PP nuts

35 mm 58 l/min 30 pcs.




a. 6324.544.5

size	packaging	category
1"¼ × ø32	1×bag / 30 (C)	03


- inlet H. 200 × 1"¼ in white PP
- outlet L. 250 × ø32 in white PP
- white PP flange ø78
- white PP nuts

35 mm 53 l/min 30 pcs.



NOTES


With white PP inlet pipe H. 200
- 1"¼ thread integrated to the inlet pipe
- the thread connection to the waste is integrated with the rest of the inlet pipe H. 200 mm; this makes installation easier and quicker as the entire inlet pipe can be used to fasten the under-sink siphon instead of tightening only the ring nut, which is usually positioned in a difficult-to-access position



217

...

PP bottle trap




a. **217.444.5**

- inlet H. 120 × 1"¼
- outlet L. 250 × ø32
- PP flange ø78

size	packaging	category
1"¼ × ø32	1×bag / 50 (QA)	03

60 mm · 61 l/min · 50 pcs.




b. **217.344.5**

- inlet H. 200 × 1"¼ with 1 hose connection
- outlet L. 250 × ø32
- PP flange ø78

size	packaging	category
1"¼ × ø32	1×bag / 50 (QA)	03

60 mm · 61 l/min · 50 pcs.




a. **217.400.5**

- inlet H. 120 × 1"¼
- without outlet pipe
- outlet ø32
- without flange

size	packaging	category
1"¼ × ø32	1×bag / 50 (QA)	03

60 mm · 50 pcs.




a. **217.244.5**

- inlet H. 120 × 1"¼
- outlet L. 200 × ø40
- PP flange ø78

size	packaging	category
1"¼ × ø40	1×bag / 50 (QA)	03

60 mm · 61 l/min · 50 pcs.




a. **217.144.6**

- inlet H. 120 × 1"½
- outlet L. 200 × ø40
- PP flange ø78

size	packaging	category
1"½ × ø40	1×bag / 50 (QA)	03

60 mm · 61 l/min · 50 pcs.




a. **217.200.5**

- inlet H. 120 × 1"¼
- without outlet pipe
- outlet ø40
- without flange

size	packaging	category
1"¼ × ø40	1×bag / 50 (QA)	03

60 mm · 50 pcs.




b. **217.100.6**

- inlet H. 120 × 1"½
- without outlet pipe
- outlet ø40
- without flange

size	packaging	category
1"½ × ø40	1×bag / 50 (QA)	03


60 mm · 50 pcs.



218

...

PP bottle trap with universal waste




a. 218.414.5

size	packaging	category
ø63 × ø32	1×bag / 30 (C)	03

- with universal waste ø63 plug with triangle
- inlet H. 120
- outlet L. 250 × ø32
- PP flange ø78

60 mm · 37 l/min · 30 pcs.




b. 218.444.5

size	packaging	category
ø63 × ø32	1×bag / 30 (C)	03

- with universal waste ø63 plug with ball-chain and ring
- inlet H. 120
- outlet L. 250 × ø32
- PP flange ø78

60 mm · 37 l/min · 30 pcs.




a. 218.410.5

size	packaging	category
ø63 × ø32	1×bag / 30 (C)	03

- with universal waste ø63 plug with triangle
- inlet H. 120
- without outlet pipe
- outlet ø32
- without flange

60 mm · 30 pcs.




a. 218.944.5

size	packaging	category
ø63 × ø32	1×bag / 30 (Q)	03

- with universal waste ø63 plug with ball-chain and ring
- inlet H. 120 × 1"¼
- outlet L. 250 × ø32
- PP flange ø78

60 mm · 37 l/min · 30 pcs.




a. **218.214.5**

size	packaging	category
ø63 × ø40	1×bag / 30 (C)	03

- with universal waste ϕ63 plug with triangle
- inlet H. 120
- outlet L. 200 × ϕ40
- PP flange ϕ78

60 mm · 37 l/min · 30 pcs.




b. **218.244.5**

size	packaging	category
ø63 × ø40	1×bag / 30 (C)	03

- with universal waste ϕ63 plug with ball-chain and ring
- inlet H. 120
- outlet L. 250 × ϕ40
- PP flange ϕ78

60 mm · 37 l/min · 30 pcs.



a. **218.210.5**

size	packaging	category
ø63 × ø40	1×bag / 30 (C)	03


- with universal waste ϕ63 plug with triangle
- inlet H. 120
- without outlet pipe
- outlet ϕ40
- without flange

60 mm · 30 pcs.

2517

...

PP bottle trap for bidet




a. **2517.444.5**

size	packaging	category
1”¼ × ø32	1×bag / 50 (QA)	03

- inlet H. 120 × 1”¼
- outlet L. 250 × ø32
- PP flange ø78

30 mm | 55 l/min | 50 pcs.





a. **2517.400.5**

size	packaging	category
1”¼ × ø32	1×bag / 50 (QA)	03

- inlet H. 120 × 1”¼
- without outlet pipe
- outlet ø32
- without flange

30 mm | 55 l/min | 50 pcs.






2917 + 0217

...

PP bottle trap for pedestal washbasin
PP bottle trap with floor outlet pipe



a. 2917.264.5

size	packaging	category
1"¼ × ø40	1×bag / 30 (Q)	03

- for pedestal washbasin
- inlet H. 200 × 1"¼
- outlet L. 300 × ø40
- PP flange ø78


60 mm · 53 l/min · 30 pcs.



NOTES

With white PP inlet pipe H. 200

- 1"¼ thread integrated to the inlet pipe
- the thread connection to the waste is integrated with the rest of the inlet pipe H. 200 mm; this makes installation easier and quicker as the entire inlet pipe can be used to fasten the under-sink siphon instead of tightening only the ring nut, which is usually positioned in a difficult-to-access position




a. 0217.211.6

size	packaging	category
1"¼×ø40/50	1×bag / 30 (L)	03

- with flexible floor pipe
- inlet H. 120 × 1"¼
- outlet 300×700 × ø40/50
- PP flange ø78


60 mm · 61 l/min · 50 pcs. · new



222 + 226

...

PP tubular traps



a. **222.854.6**


- inlet H. 200 × 1"¼
- outlet L. 300 × ø40 adjustable in height
- PP flange ø78

size	packaging	category
1"¼ × ø40	1×bag / 30 (A)	03

60 mm · 65 l/min · 30 pcs.

NOTES

Outlet pipe L. 300 × ø40 adjustable in height




b. **222.444.5**

- inlet H. 200 × 1"¼
- outlet L. 250 × ø32
- PP flange ø78

size	packaging	category
1"¼ × ø32	1×bag / 30 (A)	03

60 mm · 65 l/min · 30 pcs.



a. **226.854.6**


- inlet H. 200 × 1"¼
- outlet L. 300 × ø40 adjustable in height
- PP flange ø78

size	packaging	category
1"¼ × ø40	1×bag / 30 (A)	03

60 mm · 64 l/min · 30 pcs.

NOTES

Outlet pipe L. 300 × ø40 adjustable in height




b. **226.444.5**

- inlet H. 200 × 1"¼
- outlet L. 250 × ø32
- PP flange ø78

size	packaging	category
1"¼ × ø32	1×bag / 30 (A)	03


60 mm · 64 l/min · 30 pcs.



8222 + 8226

Savoia

PP trap with bigger water-flow




a. 8222.854.6

- with bigger water-flow
- inlet H. 250 × 1"¼ (ø40)
- outlet L. 300 × ø40 adjustable in height
- PP flange ø78

size	packaging	category
1"¼ × ø40	1×bag / 30 (A)	03

60 mm 55 l/min 30 pcs.




a. 8226.854.6

- with bigger water-flow
- inlet H. 250 × 1"¼ (ø40)
- outlet L. 300 × ø40 adjustable in height
- PP flange ø78


size	packaging	category
1"¼ × ø40	1×bag / 30 (A)	03

60 mm 59 l/min 30 pcs.


NOTES




integrated thread in the inlet pipe




maximum adjustability with outlet adjustable in height



rubber seals: hand-tightening




self-cleaning internal siphon without blockages



2322
Mosquito

PP trap with reduced encumbrance




a. 2322.244.6

- inlet H. 200 × 1"¼
- outlet L. 300 × ϕ40
- PP flange ϕ78

size	packaging	category
1"¼ × ø40	1×bag / 30 (C)	03

50 mm · 47 l/min · 30 pcs.




a. 2322.244.5

- inlet H. 200 × 1"¼
- outlet L. 250 × ϕ32
- PP flange ϕ78


size	packaging	category
1"¼ × ø32	1×bag / 30 (C)	03

50 mm · 47 l/min · 30 pcs. · new



2390
Chihuahua

PP trap with reduced encumbrance




a. **2390.244.6**

size	packaging	category
1"¼ × ø40	1×bag / 30 (C)	03

- inlet H. 200 × 1"¼
- outlet L. 300 × ø40
- PP flange ø78

50 mm · 42 l/min · 30 pcs.




b. **2390.344.6**

size	packaging	category
1"¼-½ × ø40	1×bag / 30 (C)	03

- inlet H. 200 × 1"½
- with reduction 1"½-1"¼
- with hose connection
- outlet L. 300 × ø40
- PP flange ø78

50 mm · 42 l/min · 30 pcs.




a. **2390.244.5**

size	packaging	category
1"¼ × ø32	1×bag / 30 (C)	03

- inlet H. 200 × 1"¼
- outlet L. 250 × ø32
- PP flange ø78

50 mm · 42 l/min · 30 pcs. · new



NOTES


With white PP inlet pipe H. 200

- 1"¼ thread integrated to the inlet pipe
- the thread connection to the waste is integrated with the rest of the inlet pipe H. 200 mm; this makes installation easier and quicker as the entire inlet pipe can be used to fasten the under-sink siphon instead of tightening only the ring nut, which is usually positioned in a difficult-to-access position

2322 + 2390

Praktik bagno

minimum encumbrance PP trap




omptea.eu


NOTES

integrated inlet thread
the thread connection to the waste is integrated with the rest of the inlet pipe H. 200 mm; this makes installation easier and quicker as the entire inlet pipe can be used to fasten the under-sink siphon instead of tightening only the ring nut, which is usually positioned in a difficult-to-access position

reduction 1" - 1"¼
thanks to the 1"¼ – 1" reduction included (including gasket), the trap is suitable for wastes (both 1" and 1"¼)

double outlet diameter ϕ32/40
the 250 mm outlet pipe has a diameter of 32 mm while the eccentric fitting, which facilitates wall connection and further reduces the size of the trap, has a diameter of 40 mm; two wall flanges are included in the package, one to be used with the ϕ32 outlet and one with the ϕ40 eccentric fitting






a. 2322.241.6

size	packaging	category
1”/1”¼ × ø40	1×box / 16 (Q)	03


- under outlet pipe encumbrance 45
- inlet H. 200 × 1”¼
- with reduction 1” × 1”¼
- outlet L. 300 × ø40
- with eccentric pipe ø40
- PP flange ø78 × ø32
- PP flange ø78 × ø40

50 mm 41 l/min 16 pcs. new




SPARE PARTS / ECCENTRIC PIPE
292.155.5
For more informations see page 246

NOTES



art 23222446




art 2322.241.6

a. 2390.241.6

size	packaging	category
1”/1”¼ × ø40	1×box / 16 (Q)	03


- under outlet pipe encumbrance 70
- inlet H. 200 × 1”¼
- with reduction 1” × 1”¼
- outlet L. 300 × ø40
- with eccentric pipe ø40
- PP flange ø78 × ø32
- PP flange ø78 × ø40

50 mm 42 l/min 16 pcs.




SPARE PARTS / ECCENTRIC PIPE
292.155.5
For more informations see page 246

NOTES



art 2390.2446



art 2390.241.6





1910 + 1950
Chrono
quick installation PP bottle trap

PATENTED

NOTES










Easy fit: trap inlet is provided with a special washer that speeds up the installation without decreasing the watertightness of the inlet pipe


Dual fit: extended trap outlet, you can connect a ø32 pipe or you can directly connect the trap to the wall, with a ø40 connection

Shape of the trap body even more compact with a minimum size of only 60 while maintaining the water seal of 50 mm, in conformity with standards



		size	packaging	category
a.	**1910**.111.5 - inlet H. 120 × 1"¼ - outlet L. 250 × ø32 - PP flange ø78	1"¼ × ø32	1×bag / 30 (C)	03
b.	**1910**.130.5 - inlet H. 120 × 1"¼ - outlet L. 300 × ø40 - outlet pipe in white ABS - PP flange ø78	1"¼ × ø40	1×bag / 30 (C)	03
c.	**1910**.100.5 - inlet H. 120 × 1"¼ - without outlet pipe - outlet ø32 - without flange	1"¼ × ø40	1×bag / 30 (Q)	03

50 mm 40 l/min 30 pcs.




a. **1950.511.5**

size	packaging	category
1"¼ × ø32	1×bag / 15 (B)	03

- with space-saver inlet pipe
- inlet 280×280 × 1"¼
- rigid connection
- outlet L. 250 × ø32
- PP flange ø78

50 mm 40 l/min 15 pcs. new



b. **1950.508.5**

size	packaging	category
1"¼ × ø32	1×bag / 15 (B)	03

- with space-saver inlet pipe
- inlet 280×280 × 1"¼
- rigid connection
- without outlet pipe
- outlet ø32
- without flange
- with anchor plate


50 mm 40 l/min 15 pcs.

c. **1950.500.5**

size	packaging	category
1"¼ × ø32	1×bag / 30 (Q)	03

- with space-saver inlet pipe
- inlet 280×280 × 1"¼
- rigid connection
- without outlet pipe
- outlet ø32
- without flange
- without anchor plate

50 mm 40 l/min 15 pcs.




a. **1950.611.5**

size	packaging	category
1"¼ × ø32	1×bag / 15 (B)	03

- with space-saver inlet pipe
- inlet 600+250 × 1"¼
- flexible connection
- outlet L. 250 × ø32
- PP flange ø78

50 mm 40 l/min 15 pcs. new



b. **1950.608.5**

size	packaging	category
1"¼ × ø32	1×bag / 15 (B)	03

- with space-saver inlet pipe
- inlet 600+250 × 1"¼
- flexible connection
- without outlet pipe
- outlet ø32
- without flange
- with anchor plate

50 mm 40 l/min 15 pcs.

c. **1950.600.5**

size	packaging	category
1"¼ × ø32	1×bag / 30 (Q)	03

- with space-saver inlet pipe
- inlet 600+250 × 1"¼
- flexible connection
- without outlet pipe
- outlet ø32
- without flange
- without anchor plate

50 mm 40 l/min 15 pcs.

1650
Squid

minimum encumbrance ABS space-saver trap

omptea.eu



NOTES

In the standard model, Squid does not have the waste included and has the following minimum dimensions:

- **wall encumbrance,** with direct connection to the wall, in total only 43 mm
- **under waste encumbrance,** only 48 mm in total from the waste to the lower limit of the horizontal inlet pipe

In the image, the trap is shown in combination with clicker waste 7532.310.5, in this case in order to calculate the total under waste encumbrance you must add 30 mm referring to the counter nut of the clicker.




a. **1650.500.5**

size	packaging	category
1"¼ × ø32	1×box / 16 (Q)	03

- inlet 280×280 × 1"¼
- rigid connection
- without overflow connection
- without outlet pipe
- outlet ø32
- without flange
- with check hole

50 mm · 36 l/min · 16 pcs. · new




b. **1650.506.5**

size	packaging	category
1"¼ × ø32	1×box / 16 (Q)	03

- inlet 280×280 × 1"¼
- rigid connection
- with extensible overflow connection
- max tube length L. 540
- chrome plated ABS grid
- for ø30 holed
- without outlet pipe
- outlet ø32
- without flange
- with check hole

50 mm · 36 l/min · 16 pcs. · new




c. **1650.503.5**

size	packaging	category
1"¼ × ø32	1×box / 16 (Q)	03

- inlet 280×280 × 1"¼
- rigid connection
- without overflow connection
- with hose connection for conditioning-drops and dryer 1"×ø10/14
- with hose connection for washing machine 1"×ø21
- without outlet pipe
- outlet ø32
- without flange
- with check hole

50 mm · 36 l/min · 16 pcs. · new



SPARE PARTS / CONNECTIONS
For more accessories and connections see the following page

1657

Squid + Tea

minimum encumbrance ABS space-saver trap with waste




omptea.eu

NOTES

The model with waste, includes in the box the item 7532.316.5 (c.p. brass click clack waste) and has the following minimum dimensions:


- **wall encumbrance,** with direct connection to the wall, in total only 43 mm
- **under waste encumbrance,** in total only 55 mm from the lower limit of the basin (or basin top) to that of the horizontal inlet pipe including ring nuts

The example image shows the total counter-wall and under-basin dimensions of the entire drain set, trap + waste.










a. **1657.500.5**

size	packaging	category
ø63 × ø32	1×box / 16 (Q)	03

- with waste Tea 7532.316.5 ø63 c.p. plug (automatic) H. 40 c.p. waste H. 55 ABS counter nut screw L. 35 and 60
- inlet 280×250 × 1"¼
- rigid connection
- without overflow connection
- without outlet pipe
- outlet ø32
- without flange
- with check hole

50 mm 29 l/min 16 pcs. new




b. **1657.506.5**

size	packaging	category
ø63 × ø32	1×box / 16 (Q)	03

- with waste Tea 7532.316.5 ø63 c.p. plug (automatic) H. 40 c.p. waste H. 55 ABS counter nut screw L. 35 and 60
- inlet 280×250 × 1"¼
- rigid connection
- with extensible overflow connection
- max tube length L. 540
- chrome plated ABS grid
- for ø30 holed
- without outlet pipe
- outlet ø32
- without flange
- with check hole

50 mm 29 l/min 15 l/min TP 16 pcs. new

ACCESSORIES



247.301.0 (pag. 273)
overflow connection L.540 max
with c.p. ABS overflow grid for holes ø30

2111.110.4 (pag. 273)
to be used individually without the condensate / dryer connection fitting or in combination with it, it precludes the connection to the overflow with additional conical gasket specific for Squid


2111.105.4 (pag. 269)
1"×ø10/14 removable condensate and dryer connect
on fitting supplied with closed inlet

2111.103.5 (pag. 169)
washing machine connection fitting 1"¼×ø21 removable and closable,
to be used in order not to preclude the connection to the overflow

2126

...

PP space-saver traps




NOTES


In the standard models, without wastes included, the space-saver traps has the following minimum dimensions:

- **wall encumbrance,** minimum 85 mm
- **under waste encumbrance,** only 48 mm in total from the waste to the lower limit of the horizontal inlet pipe

In the image, the trap is shown in combination with clicker waste 7532.310.5, in this case in order to calculate the total under waste encumbrance you must add 30 mm referring to the counter nut of the clicker.



a.




2126.054.6

size	packaging	category
1"¼ × ø40	1×bag / 15 (B)	03

- inlet 280×280 × 1"¼
- rigid connection
- outlet L. 300 × ø40
- PP flange ø78

50 mm 44 l/min 15 pcs.

b.




2126.054.5


size	packaging	category
1"¼ × ø32	1×bag / 15 (B)	03

- inlet 280×280 × 1"¼
- rigid connection
- outlet L. 250 × ø32
- PP flange ø78

50 mm 41 l/min 15 pcs.



a.




2126.554.6

size	packaging	category
1"¼ × ø40	1×bag / 15 (B)	03

- inlet 600+250 × 1"¼
- flexible connection
- outlet L. 300 × ø40
- PP flange ø78


50 mm 44 l/min 15 pcs.



2122

Mosquito 2


PP trap for double washbasin



		size	packaging	category
a.	**2122.054.6**	1"¼ × ø40	1×bag / 15 (Q)	03

- connection 540×280 × 1"¼
- inlet H. 200 × 1"¼
- outlet L. 300 × ϕ40
- PP flange ϕ78


50 mm 47 l/min 15 pcs. new



1652
Squid 2

new

ABS space-saver trap for double washbasin





a. 1652.500.5

- connection 540×280 × 1"¼
- inlet H. 200 × 1"¼
- without overflow connection
- without outlet pipe
- outlet ø32
- without flange

size	packaging	category
1"¼ × ø32	1×box / 10 (A)	03

50 mm · 36 l/min · 10 pcs. · new





NOTES

With white PP inlet pipe H. 200
- 1"¼ thread integrated to the inlet pipe
- to ease the installation also in those case of restricted accessibility like bidet installation

Sink

Pic nic -

Punnet -

other PP wastes -

other brass wastes -

brass stand pipe wastes -

Orchid - new

Praktik -

Eurotrap -

other PP bottle traps -

other brass bottle traps -






02



133
Pic nic

PP basket waste for ø90 sink holed



a. 133.505.6

- s/steel basket grid ø80
- s/steel plate ø115
- without overflow
- screw L. 30

size	packaging	category
ø115 × 1"½	1×bag / 15 (l)	05


51 l/min — 15 pcs.

b. 133.555.6

- s/steel basket grid ø80
- s/steel plate ø115
- without overflow
- screw L. 65

size	packaging	category
ø115 × 1"½	1×bag / 15 (l)	05

51 l/min — 15 pcs.




a. 133.535.6

- s/steel basket grid ø80 (automatic)
- s/steel plate ø115
- without overflow
- screw L. 30

size	packaging	category
ø115 × 1"½	1×bag / 15 (l)	05

51 l/min — 15 pcs.




a. 133.605.6

- s/steel basket grid ø80
- s/steel plate ø115
- rectangular overflow 60×35
- without overflow grid
- flexible connection L.max 300
- screw L. 30

size	packaging	category
ø115 × 1"½	1×bag / 10 (l)	05

51 l/min — TP 15 l/min — 10 pcs.




a. 133.635.6

- s/steel basket grid ø80 (automatic)
- s/steel plate ø115
- rectangular overflow 60×35
- without overflow grid
- flexible connection L.max 300
- screw L. 30

size	packaging	category
ø115 × 1"½	1×bag / 10 (l)	05

51 l/min — TP 15 l/min — 10 pcs.




a. **133.705.6**

size	packaging	category
ø115 × 1"½	1×bag / 10 (l)	05

- s/steel basket grid ø80
- s/steel plate ø115
- rectangular overflow 60×35
- without overflow grid
- rigid connection 200×130
- screw L. 30

51 l/min 15 l/min 10 pcs.



a. **133.405.6**

size	packaging	category
ø115 × 1"½	1×bag / 10 (l)	05

- s/steel basket grid ø80
- s/steel plate ø115
- round overflow for ø30 holed
- c.p. ABS overflow grid ø37
- flexible connection L.max 300
- screw L. 30


51 l/min 15 l/min 10 pcs.

b. **133.455.6**

size	packaging	category
ø115 × 1"½	1×bag / 10 (l)	05

- s/steel basket grid ø80
- s/steel plate ø115
- round overflow for ø30 holed
- c.p. ABS overflow grid ø37
- flexible connection L.max 300
- screw L. 65

51 l/min 15 l/min 10 pcs.



a. **133.305.6**

size	packaging	category
ø115 × 1"½	1×bag / 10 (l)	05

- s/steel basket grid ø80
- s/steel plate ø115
- round overflow for ø30 holed
- c.p. ABS overflow grid ø37
- rigid connection 160×110
- screw L. 30

51 l/min 15 l/min 10 pcs.

SPARE PARTS / BASKET GRID

137.070.0


For more informations see page 261

132

Punnet

PP basket waste for ø60 sink holed






a. 132.505.6

size	packaging	category
ø70 × 1"½	1×bag / 15 (l)	05

- s/steel basket grid ø50
- s/steel plate ø70
- without overflow
- screw L. 30

42 l/min — 15 pcs.




a. 132.605.6

size	packaging	category
ø70 × 1"½	1×bag / 10 (l)	05

- s/steel basket grid ø50
- s/steel plate ø70
- rectangular overflow 60×35
- without overflow grid
- flexible connection L.max 300
- screw L. 30

42 l/min — TP 15 l/min — 10 pcs.



a. 132.405.6

size	packaging	category
ø70 × 1"½	1×bag / 10 (l)	05

- s/steel basket grid ø50
- s/steel plate ø70
- round overflow for ø30 holed
- c.p. ABS overflow grid ø37
- flexible connection L.max 300
- screw L. 30


42 l/min — TP 15 l/min — 10 pcs. — new



232

...

PP wastes for ø60 sink holed




a. 232.540.6

- plug with ball-chain and stay (ø45,5)
- s/steel plate ø70
- without overflow
- PP valve bottom H.50 × 1"½
- screw L. 35

size	packaging	category
ø70 × 1"½	1×bag / 30 (T)	05

54 l/min — 30 pcs.

SPARE PARTS / PLUG
120.112.6
For more informations see page 253




b. 232.530.6

- plug with handle (ø45,5)
- s/steel plate ø70
- without overflow
- PP valve bottom H.50 × 1"½
- screw L. 35

size	packaging	category
ø70 × 1"½	1×bag / 30 (T)	05

54 l/min — 30 pcs.

SPARE PARTS / PLUG
120.170.6
For more informations see page 253




a. 232.840.6

- plug with ball-chain and stay (ø45,5)
- s/steel plate ø70
- rectangular overflow 60×35
- without overflow grid
- flexible connection L.max 300
- PP valve bottom H.50 × 1"½
- screw L. 35

size	packaging	category
ø70 × 1" ½	1×bag / 30 (W)	05

54 l/min — TP 15 l/min — 30 pcs.

SPARE PARTS / PLUG
120.112.6
For more informations see page 253



a. 232.833.6

- plug with handle (ø45,5)
- s/steel plate ø70
- round overflow for ø30 holed
- c.p. ABS overflow grid ø37
- flexible connection L.max 300
- PP valve bottom H.50 × 1"½
- screw L. 35

size	packaging	category
ø70 × 1"½	1×bag / 30 (W)	05

54 l/min — TP 15 l/min — 30 pcs.


SPARE PARTS / PLUG
120.170.6
For more informations see page 253



234

...

PP wastes for ø60 sink holed




a. 234.540.6

size	packaging	category
ø70 × 1"½	1×bag / 30 (T)	05

- plug with ball-chain and stay (ø50,5)
- s/steel plate ø70
- without overflow
- PP valve bottom H.50 × 1"½
- screw L. 35

54 l/min — 30 pcs.




a. 234.640.6

size	packaging	category
ø70 × 1" ½	1×bag / 30 (B)	05

- plug with ball-chain and stay (ø50,5)
- s/steel plate ø70
- rectangular overflow 60×35
- without overflow grid
- rigid connection 200×130
- PP valve bottom H.50 × 1"½
- screw L. 35

54 l/min — TP 17 l/min — 30 pcs.



b. 234.641.6

size	packaging	category
ø70 × 1"½	1×bag / 30 (B)	05

- plug with ball-chain and stay (ø50,5)
- s/steel plate ø70
- rectangular overflow 60×35
- s/steel overflow grid 63×37
- rigid connection 200×130
- PP valve bottom H.50 × 1"½
- screw L. 35


54 l/min — TP 17 l/min — 30 pcs.

232 + 234

...

PP wastes for ø60 sink holed






a. 232.545.6

- plug with ball-chain and stay (ø45,5)
- s/steel plate ø70
- without overflow
- PP valve bottom H.30 × 1"½
- screw L. 35

size	packaging	category
ø70 × 1"½	10×bag / 60 (T)	05

66 l/min — 30 pcs.

SPARE PARTS / PLUG 120.112.6




b. 232.535.6

- plug with handle (ø45,5)
- s/steel plate ø70
- without overflow
- PP valve bottom H.30 × 1"½
- screw L. 35

size	packaging	category
ø70 × 1"½	10×bag / 60 (T)	05

66 l/min — 30 pcs.

SPARE PARTS / PLUG 120.170.6



a. 234.625.5

- plug with ball-chain and ring (ø50,5)
- s/steel plate ø80
- PP valve bottom H.35 × 1"¼
- screw L. 75

size	packaging	category
ø80 × 1" ¼	10×bag / 60 (T)	05

48 l/min — 60 pcs.


b. 234.625.6

- plug with ball-chain and ring (ø50,5)
- s/steel plate ø80
- PP valve bottom H.35 × 1"½
- screw L. 75

size	packaging	category
ø80 × 1"½	10×bag / 60 (T)	05

59 l/min — 60 pcs.

SPARE PARTS / PLUG 120.112.0



a. 234.635.5

- plug with handle (ø50,5)
- s/steel plate ø80
- PP valve bottom H.35 × 1"¼
- screw L. 75

size	packaging	category
ø80 × 1"¼	10×bag / 60 (T)	05

48 l/min — 60 pcs.


b. 234.635.6

- plug with handle (ø50,5)
- s/steel plate ø80
- PP valve bottom H.35 × 1"½
- screw L. 75

size	packaging	category
ø80 × 1"½	10×bag / 60 (T)	05

59 l/min — 60 pcs.

SPARE PARTS / PLUG 120.170.7



a. **34.625.5**

- plug with ball-chain and ring (ø50,5)
- s/steel plate ø80
- brass valve bottom H.20 × 1"¼
- screw L. 75

size	packaging	category
ø80 × 1" ¼	10×box / 50 (T)	04

54 l/min — 50 pcs.


b. **34.625.6**

- plug with ball-chain and ring (ø50,5)
- s/steel plate ø80
- brass valve bottom H.20 × 1"½
- screw L. 75

size	packaging	category
ø80 × 1"½	10×box / 50 (T)	04

62 l/min — 50 pcs.

SPARE PARTS / PLUG 120.112.0



a. **34.635.5**

- plug with handle (ø50,5)
- s/steel plate ø80
- brass valve bottom H.20 × 1"¼
- screw L. 75

size	packaging	category
ø80 × 1"¼	10×box / 50 (T)	04

54 l/min — 50 pcs.


b. **34.635.6**

- plug with handle (ø50,5)
- s/steel plate ø80
- brass valve bottom H.20 × 1"½
- screw L. 75

size	packaging	category
ø80 × 1"½	10×box / 50 (T)	04

62 l/min — 50 pcs.

SPARE PARTS / PLUG 120.170.7



a. **34.615.5**

- plug with triangle (ø50,5)
- s/steel plate ø80
- brass valve bottom H.20 × 1"¼
- screw L. 75

size	packaging	category
ø80 × 1"¼	10×box / 50 (T)	04

54 l/min — 50 pcs.


b. **34.615.6**

- plug with triangle (ø50,5)
- s/steel plate ø80
- brass valve bottom H.20 × 1"½
- screw L. 75

size	packaging	category
ø80 × 1"½	10×box / 50 (T)	04

62 l/min — 50 pcs.

SPARE PARTS / PLUG 120.120.7



a. **34.645.5**

- plug with ball-chain and stay (ø50,5)
- s/steel plate ø80
- brass valve bottom H.20 × 1"¼
- screw L. 75

size	packaging	category
ø80 × 1"¼	10×box / 50 (T)	04

54 l/min — 50 pcs.

b. **34.645.6**

- plug with ball-chain and stay (ø50,5)
- s/steel plate ø80
- brass valve bottom H.20 × 1"½
- screw L. 75


size	packaging	category
ø80 × 1"½	10×box / 50 (T)	04

62 l/min — 50 pcs.


140 + 139

...

chrome plated brass stand pipe waste for ø60 sink holed



		size	packaging	category
a.	**140.416.6** - c.p. brass stand pipe H. 140 - H. 40 × 1"½ threaded shaft - raw brass through-counter nut - unslotted	H.140 × 1"½ 59 l/min	5×box / 50 (Q) 50 pcs.	15
b.	**140.436.6** - c.p. brass stand pipe H. 175 - H. 40 × 1"½ threaded shaft - raw brass through-counter nut - unslotted	H.175 × 1"½ 59 l/min	5×box / 50 (Q) 50 pcs.	15
c.	**140.456.6** - c.p. brass stand pipe H. 235 - H. 40 × 1"½ threaded shaft - raw brass through-counter nut - unslotted	H.235 × 1"½ 59 l/min	5×box / 40 (A) 50 pcs.	15
d.	**140.466.6** - c.p. brass stand pipe H. 270 - H. 40 × 1"½ threaded shaft - raw brass through-counter nut - unslotted	H.270 × 1"½ 59 l/min	5×box / 40 (A) 50 pcs.	15



		size	packaging	category
a.	**139.436.6** - c.p. brass stand pipe H. 175 - for waste	H.175 80 pcs.	8×bag / 80 (C)	08
b.	**139.456.6** - c.p. brass stand pipe H. 235 - for waste	H.235 80 pcs.	8×bag / 80 (C)	08
c.	**139.466.6** - c.p. brass stand pipe H. 270 - for waste	H.270 80 pcs.	8×bag / 80 (C)	08

1750

Orchid 1

minimum encumbrance PP space-saver trap
for single sink



new

NOTES

- **wall encumbrance,** maximum 65 mm
- **under waste encumbrance,** 70 mm in total from the waste to the lower limit of the horizontal inlet pipe (waste encumbrance excluded)




a. **1750.501.6**

- inlet 250×250 × 1"½
- 1 hose connection
- without outlet pipe
- outlet ø40
- without flange
- with check hole

size	packaging	category
1"½ × ø40	1×box / 10 (A)	03

50 mm · 64 l/min · 10 pcs. · new





1752
Orchid 2

minimum encumbrance PP space-saver trap for double sink

new

NOTES

- **wall encumbrance,** maximum 65 mm
- **under waste encumbrance,** 70 mm in total from the waste to the lower limit of the horizontal inlet pipe (waste encumbrance excluded)





a. **1752.501.6**

size	packaging	category
1"½ × ø40	1×box / 10 (Q)	03

- inlet 180×250 × 1"½
- 1 hose connection
- without outlet pipe
- outlet ø40
- without flange
- with check hole

50 mm · 64 l/min · 10 pcs. · new






2011
Praktik 1

reduced encumbrance PP trap for single sink

NOTES

- **wall encumbrance,** minimum 90 mm (wall flange included)
- **under waste encumbrance,** 70 mm in total from the waste to the lower limit of the horizontal inlet pipe (waste encumbrance excluded)





a. **2011.454.6**


size	packaging	category
1"½ × ø40	1×box / 10 (A)	03

- inlet 250×250 × 1"½
- 2 hose connections
- outlet L. 250 × ϕ40
- PP flange ϕ78

60 mm · 56 l/min · 10 pcs.

SPARE PARTS / BRASS FITTINGS

Series **101**
To connect to the old lead pipes, it is possible to combine the raw brass fittings
For more informations see page 247



2012
Praktik 2

reduced encumbrance PP trap for double sink

NOTES

- **wall encumbrance,** minimum 90 mm (wall flange included)
- **under waste encumbrance,** 70 mm in total from the waste to the lower limit of the horizontal inlet pipe (waste encumbrance excluded)




a. **2012.454.6**

- inlet 250×250 × 1"½
- 2 hose connections
- outlet L. 250 × ø40
- PP flange ø78


size	packaging	category
1"½ × ø40	1×box / 10 (Q)	03

60 mm · 67 l/min · 10 pcs.




SPARE PARTS / BRASS FITTINGS

Series **101**
To connect to the old lead pipes, it is possible to combine the raw brass fittings
For more informations see page 247



226
Eurotrap 1

PP trap for single sink




a. **226.754.6**

size	packaging	category
1"½ × ø40	1×bag / 30 (Q)	03

- inlet H. 170 × 1"½
- 2 hose connections
- outlet L. 300 × ø40
- PP flange ø78

60 mm · 65 l/min · 30 pcs.




b. **226.454.6**

size	packaging	category
1"½ × ø40	1×bag / 30 (Q)	03

- inlet H. 200 × 1"½
- without hose connections
- outlet L. 300 × ø40
- PP flange ø78

60 mm · 65 l/min · 30 pcs. · new




a. **226.747.8**

size	packaging	category
1"½ × ø40/50	1×bag / 25 (Q)	03

- inlet H. 170 × 1"½
- 2 hose connections
- flexible outlet L. 550 × ø40/50
- without flange

60 mm · 65 l/min · 25 pcs.



a. **226.708.8**


size	packaging	category
1"½ × ø40/50	1×bag / 30 (Q)	03

- inlet H. 170 × 1"½
- 2 hose connections
- universal outlet L. 230 × ø40/50
- without flange

60 mm · 65 l/min · 30 pcs.


SPARE PARTS / BRASS FITTINGS

Series **101**
To connect to the old lead pipes, it is possible to combine the raw brass fittings
For more informations see page 247



228
Eurotrap 2

PP trap for double sink




a. **228.654.6**

size	packaging	category
1"½ × ø40	1×bag / 15 (Q)	03

- connect. L. 580 × 1"½
- inlet H. 170 × 1"½
- 2 hose connections
- outlet L. 300 × ø40
- PP flange ø78

60 mm · 67 l/min · 15 pcs. · new



b. **228.254.6**

size	packaging	category
1"½ × ø40	1×bag / 15 (Q)	03

- connect. L. 580 × 1"½
- inlet H. 200 × 1"½
- without hose connections
- outlet L. 300 × ø40
- PP flange ø78

60 mm · 67 l/min · 15 pcs. · new


SPARE PARTS / BRASS FITTINGS

Series **101**
To connect to the old lead pipes, it is possible to combine the raw brass fittings
For more informations see page 247

NOTES







227
Eurotrap 2


PP trap for double sink

a. **227.754.6**

size	packaging	category
1"½ × ø40	1×bag / 15 (C)	03

- inlet 200×280 × 1"½
- 1 hose connection
- outlet L. 300 × ø40
- PP flange ø78

60 mm 67 l/min 15 pcs.




b. **227.708.8**

size	packaging	category
1"½ × ø40/50	1×bag / 15 (C)	03


- inlet 200×280 × 1"½
- 1 hose connection
- universal outlet L. 230 × ø40/50
- without flange

60 mm 67 l/min 15 pcs.



SPARE PARTS / BRASS FITTINGS


Series **101**
To connect to the old lead pipes, it is possible to combine the raw brass fittings
For more informations see page 247



3215 + 3216

...

PP bottle traps for single and double sink



a. **3215.744.6**

- for single sink
- inlet H. 170 × 1"½
- 2 hose connections
- outlet L. 200 × ø40
- PP flange ø78

size	packaging	category
1"½ × ø40	1×bag / 30 (C)	03


60 mm · 55 l/min · 30 pcs.

b. **3215.804.6**

- for single sink
- inlet H. 170 × 1"½
- 2 hose connections
- without outlet pipe
- outlet ø40
- without flange

size	packaging	category
1"½ × ø40	1×bag / 60 (A)	03

60 mm · 55 l/min · 60 pcs.



a. **3216.744.6**


- for double sink
- connect. L. 580 × 1"½
- inlet H. 170 × 1"½
- 2 hose connections
- outlet L. 200 × ø40
- PP flange ø78

size	packaging	category
1"½ × ø40	1×bag / 15 (Q)	03

60 mm · 62 l/min · 15 pcs.

SPARE PARTS / BRASS FITTINGS

Series **101**
To connect to the old lead pipes, it is possible to combine the raw brass fittings
For more informations see page 247




a. **214.654.6**

- PP set for double sink
- max length 580
- inlet 1"½
- outlet 1"½

size	packaging	category
1"½ × 1"½	1×bag / 30 (A)	10

new

20 pcs.




b. **2414.234.6**

- PP set for double sink
- max length 270
- inlet 1"½
- outlet 1"½

size	packaging	category
1"½ × 1"½	1×bag / 30 (B)	10

30 pcs.



c. **2414.334.6**

- PP set for double sink
- telescopic arm, max length 270
- with hose connection
- inlet 1"½
- outlet 1"½

size	packaging	category
1"½ × 1"½	1×bag / 30 (B)	10


30 pcs.



19

Lux sink

chrome plated brass bottle trap for single sink




a. **19.212.6**

- inlet H. 75 × 1"½
- outlet L. 190 × ϕ40
- s/steel flange ϕ75

size	packaging	category
1"½ × ø40	1×box / 30 (B)	01

50 mm 58 l/min 30 pcs.




b. **19.422.6**

- inlet H. 120 × 1"½
- outlet L. 250 × ϕ40
- s/steel flange ϕ75

size	packaging	category
1"½ × ø40	1×box / 30 (C)	01

50 mm 58 l/min 30 pcs.




a. **19.200.6**

- inlet H. 75 × 1"½
- without outlet pipe
- outlet ϕ40
- without flange

size	packaging	category
1"½ × ø40	1×box / 30 (B)	01

50 mm 58 l/min 30 pcs.



b. **19.200.6.1**

- in raw nickel plated brass
- inlet H. 75 × 1"½
- without outlet pipe
- outlet ϕ40
- without flange

size	packaging	category
1"½ × ø40	1×box / 30 (B)	01


50 mm 58 l/min 30 pcs.



149

...

mat raw brass bottle trap for single sink




a. 149.405.6.4

size	packaging	category
1"½ × ø40	1×box / 30 (T)	01

- in mat raw brass
- inlet H. 80 × 1"½
- without outlet pipe
- outlet ø40
- without flange

40 mm 38 l/min 30 pcs.



a. 149.505.6.4

size	packaging	category
1"½ × ø40	1×box / 30 (B)	01

- in mat raw brass
- without inlet pipe
- inlet 1"½
- without outlet pipe
- outlet ø40
- without flange
- with brass hexagonal nuts

40 mm 38 l/min 30 pcs.

Shower tray

Vega -
Vega evo -
Aloha -
Altair -
Auva mini -
Auva slick - new
Concita - new
Albireo -
Wei -
Vega mini + Naos -
Gienah -
Sadr P -
Sadr S -
other brass and plastic wastes -





for the sanitary ware image, special thanks to
technova


03



5261 + 5258

Vega

PP trapped waste for ø90 holed tray




a. 5261.076.6

size	packaging	category
ø118 × 1"½	1×box / 16 (B)	06

- c.p. ABS grid ø118
- PP flange ø115
- lateral outlet 1"½
- room under shower tray 87

50 mm · 27 l/min · 16 pcs.




b. 5261.078.8

size	packaging	category
ø118 × ø50	1×box / 12 (B)	06

- c.p. ABS grid ø118
- PP flange ø115
- lateral outlet 1"½
- PP 45° bended outlet ø40/50
- room under shower tray 87

50 mm · 27 l/min · 12 pcs.

SPARE PARTS / GRID
119.522.0
For more informations see page 262




a. 5261.086.6

size	packaging	category
ø118 × 1"½	1×box / 16 (B)	06

- c.p. metal grid ø118
- PP flange ø115
- lateral outlet 1"½
- room under shower tray 87

50 mm · 27 l/min · 16 pcs.

SPARE PARTS / GRID
119.512.0
For more informations see page 262



a. 5258.076.6

size	packaging	category
ø118 × 1"½	1×bag / 20 (B)	06

- c.p. ABS grid ø118
- PP flange ø115
- vertical outlet 1"½
- room under shower tray 107

50 mm · 41 l/min · 20 pcs.

SPARE PARTS / GRID
119.522.0
For more informations see page 262

5661 + 5641


Vega evo

PP trapped waste for ø90 holed tray





a single gasket suitable for both acrylic and ceramic shower trays




a. 5661.076.6

size	packaging	category
ø118 × 1"½	1×box / 16 (B)	06

- c.p. ABS grid ø118
- s/steel AISI316 flange ø108
- lateral outlet 1"½
- room under shower tray 70

50 mm · 26 l/min · 16 pcs.

SPARE PARTS / GRID
119.523.0
For more informations see page 262



a. 5641.076.6

size	packaging	category
⧄120 × 1"½	1×box / 16 (B)	06

- c.p. ABS grid ⧄120
- s/steel AISI316 flange ø108
- lateral outlet 1"½
- room under shower tray 70

50 mm · 26 l/min · 16 pcs. · new

SPARE PARTS / GRID
119.527.0
For more informations see page 262

NOTES


minimum encumbrance
Vega evo is the conform to standard waste with lower room under shower tray



5261.076.6



5661.076.6



a. 5661.006.6

size	packaging	category
ø108 × 1"½	1×box / 16 (B)	06

- without grid
- s/steel AISI316 flange ø108
- gasket for acrylic shower tray
- lateral outlet 1"½
- room under shower tray 70

50 mm · 26 l/min · 16 pcs. · new

b. 5661.106.6

size	packaging	category
ø108 × 1"½	1×box / 16 (B)	06

- without grid
- s/steel AISI316 flange ø108
- gasket for ceramic shower tray
- lateral outlet 1"½
- room under shower tray 70


50 mm · 26 l/min · 16 pcs. · new



6261 + 6241

Aloha

PP trapped waste for ø90 holed tray




a. 6261.076.6

size	packaging	category
ø118 × 1"½	1×box / 16 (B)	06

- c.p. ABS grid ø118
- POM flange ø115
- lateral outlet 1"½
- room under shower tray 70

35 mm · 25 l/min · 16 pcs.



b. 6261.078.8

size	packaging	category
ø118 × ø50	1×box / 12 (B)	06

- c.p. ABS grid ø118
- POM flange ø115
- lateral outlet 1"½
- PP 45° bended outlet ø40/50
- room under shower tray 70

35 mm · 25 l/min · 12 pcs.

SPARE PARTS / GRID

119.522.0


For more informations see page 262

NOTES





a single gasket suitable for both acrylic and ceramic shower trays



a. 6241.078.8

size	packaging	category
⍁120 × ø50	1×box / 12 (B)	06


- c.p. ABS grid ⍁120
- s/steel AISI316 flange ø108
- lateral outlet 1"½
- PP 45° bended outlet ø40/50
- room under shower tray 70

35 mm | 25 l/min | 12 pcs. | new

SPARE PARTS / GRID

119.527.0

For more informations see page 262



a. 6261.086.6

size	packaging	category
ø118 × 1"½	1×box / 16 (B)	06

- c.p. metal grid ø118
- POM flange ø115
- lateral outlet 1"½
- room under shower tray 70

35 mm | 25 l/min | 16 pcs.

OTHER FINISHING AVAILABLE

matt black	matt white	polished gold	brushed steel	brushed bronze
6261.086.6.X	6261.086.6.XD	6261.086.6.3	6261.086.6.Y2	-

SPARE PARTS / GRID

119.512.0

For more informations see page 262


NOTES





6561
Altair

PP trapped waste for ø90 holed tray




a. 6561.086.6

size	packaging	category
ø110 × 1"½	1×box / 16 (B)	06

- c.p. metal grid ø110
- model Diana
- s/steel AISI316 flange ø108
- lateral outlet 1"½
- room under shower tray 70

35 mm | 22 l/min | 16 pcs.




b. 6561.286.6

size	packaging	category
ø110 × 1"½	1×box / 16 (B)	06

- c.p. metal grid ø110
- model Squares
- s/steel AISI316 flange ø108
- lateral outlet 1"½
- room under shower tray 70

35 mm | 19 l/min | 16 pcs.




c. 6561.386.6

size	packaging	category
ø110 × 1"½	1×box / 16 (B)	06

- c.p. metal grid ø110
- model Grated
- s/steel AISI316 flange ø108
- lateral outlet 1"½
- room under shower tray 70

35 mm | 19 l/min | 16 pcs.

NOTES






a single gasket suitable for both acrylic and ceramic shower trays

a. 6561.006.6

size	packaging	category
ø108 × 1"½	1×box / 16 (B)	06

- without grid
- s/steel AISI316 flange ø108
- gasket for acrylic shower tray
- lateral outlet 1"½
- room under shower tray 70

35 mm · 22 l/min · 16 pcs. · new




b. 6561.106.6

size	packaging	category
ø108 × 1"½	1×box / 16 (B)	06

- without grid
- s/steel AISI316 flange ø108
- gasket for ceramic shower tray
- lateral outlet 1"½
- room under shower tray 70

35 mm · 22 l/min · 16 pcs.



6621


Auva mini

PP trapped waste for ø90 holed tray, reduced encumbrance





a single gasket suitable for both acrylic and ceramic shower trays




a. 6621.076.6

size	packaging	category
ø118 × 1"½	1×box / 16 (B)	06

- c.p. ABS grid ø118
- POM flange ø115
- lateral outlet 1"½
- room under shower tray 60

25 mm · 25 l/min · 16 pcs.



b. 6621.078.8

size	packaging	category
ø118 × ø50	1×box / 12 (B)	06

- c.p. ABS grid ø118
- POM flange ø115
- lateral outlet 1"½
- PP 45° bended outlet ø40/50
- room under shower tray 60

25 mm · 25 l/min · 12 pcs. · new

SPARE PARTS / GRID

119.522.0

For more informations see page 262

NOTES

Water seal	Water volume
35 mm	25 l/min



6261.076.6

Water seal	Water volume
25 mm	25 l/min



6621.076.6

6621

Auva slick


new

PP trapped waste for ø90 holed tray, reduced encumbrance with slick lateral outlet





a single gasket suitable for both acrylic and ceramic shower trays



a. 6621.071.6

size	packaging	category
ø118 × ø40	1×box / 16 (B)	06


- c.p. ABS grid ø118
- POM flange ø115
- slick lateral outlet ø40
- room under shower tray 60

25 mm · 27 l/min · 16 pcs. · new

SPARE PARTS / GRID

119.522.0

For more informations see page 262



a. 6621.001.6

size	packaging	category
ø108 × ø40	1×box / 16 (B)	06

- without grid
- s/steel AISI316 flange ø108
- gasket for acrylic shower tray
- slick lateral outlet ø40
- room under shower tray 60

25 mm · 27 l/min · 16 pcs. · new

b. 6621.101.6

size	packaging	category
ø108 × ø40	1×box / 16 (B)	06

- without grid
- s/steel AISI316 flange ø108
- gasket for ceramic shower tray
- slick lateral outlet ø40
- room under shower tray 60

25 mm · 27 l/min · 16 pcs. · new

NOTES

Water seal	Water volume
35 mm	25 l/min



6261.076.6

Water seal	Water volume
25 mm	27 l/min




6621.071.6

6721

Concita

PP trapped waste for ø90 holed tray, minimum encumbrance and slick lateral outlet





a. 6721.071.6

- c.p. ABS grid ø118
- POM flange ø115
- slick lateral outlet ø40
- room under shower tray 50

size	packaging	category
ø118 × 1"½	1×box / 16 (B)	06

25 mm · 22 l/min · 16 pcs. · new

SPARE PARTS / GRID

119.522.0


For more informations see page 262

NOTES

Minimal space requirement


Concita is the lowest-profile shower waste among the Tea range items for shower trays

	Water seal	Water volume
6261.076.6	35 mm	25 l/min
6721.071.6	22 mm	22 l/min





a single gasket suitable for both acrylic and ceramic shower trays




a. 6721.001.6

size	packaging	category
ø108 × ø40	1×box / 16 (B)	06

- without grid
- s/steel AISI316 flange ø108
- gasket for acrylic shower tray
- slick lateral outlet ø40
- room under shower tray 50

25 mm · 22 l/min · 16 pcs. · new



b. 6721.101.6

size	packaging	category
ø108 × ø40	1×box / 16 (B)	06

- without grid
- s/steel AISI316 flange ø108
- gasket for ceramic shower tray
- slick lateral outlet ø40
- room under shower tray 50

25 mm · 22 l/min · 16 pcs. · new



6461

Albireo

PP trapped waste for ø50/60 holed tray, reduced encumbrance


WARNING
Compatibility check required for shower trays with a ø50 mm hole

a. 6461.066.6

size	packaging	category
ø80 × 1"½	1×box / 16 (B)	06

- c.p. brass grid ø45
- c.p. brass flange ø80
- lateral outlet 1"½
- room under shower tray 70

35 mm · 46 l/min · 16 pcs.




b. 6461.068.8

size	packaging	category
ø80 × ø50	1×box / 12 (B)	06

- c.p. brass grid ø45
- c.p. brass flange ø80
- lateral outlet 1"½
- PP 45° bended outlet ø40/50
- room under shower tray 70

35 mm · 46 l/min · 12 pcs.




SPARE PARTS / GRID
119.511.0
For more informations see page 262

a. 6461.096.6

size	packaging	category
ø85 × 1"½	1×box / 16 (B)	06

- c.p. ABS grid ø85
- POM flange ø80
- lateral outlet 1"½
- room under shower tray 70

35 mm · 44 l/min · 16 pcs.




b. 6461.098.8

size	packaging	category
ø85 × ø50	1×box / 12 (B)	06

- c.p. ABS grid ø85
- POM flange ø80
- lateral outlet 1"½
- PP 45° bended outlet ø40/50
- room under shower tray 70

35 mm · 44 l/min · 12 pcs.



SPARE PARTS / GRID
119.525.0
For more informations see page 262

661

Wei

PP trapped waste for ø60 holed tray,
EN274 conform



WARNING


Compatibility check required
for shower trays with a ø50 mm hole

a. 661.066.6

size	packaging	category
ø80 × 1"½	1×bag / 30 (B)	06

- c.p. brass grid ø45
- c.p. brass flange ø80
- lateral outlet 1"½
- room under shower tray 85

50 mm · 41 l/min · 30 pcs.



SPARE PARTS / GRID


119.511.0
For more informations see page 262

a. 661.096.6

size	packaging	category
ø85 × 1"½	1×bag / 30 (B)	06

- c.p. ABS grid ø85
- POM flange ø80
- lateral outlet 1"½
- room under shower tray 85

50 mm · 39 l/min · 30 pcs.



SPARE PARTS / GRID

119.525.0
For more informations see page 262




461 + 261

Vega mini + Naos

PP trapped waste for ø60 holed tray,
EN274 conform

WARNING
Compatibility check required
for shower trays with a ø50 mm hole

VEGA MINI



a. 461.096.6


size	packaging	category
ø85 × 1"½	1×bag / 30 (B)	06

- c.p. ABS grid ø85
- PP flange ø80
- lateral outlet 1"½
- room under shower tray 85

50 mm · 39 l/min · 30 pcs.

SPARE PARTS / GRID
119.525.0
For more informations see page 262

NAOS



a. 261.066.6

size	packaging	category
ø80 × 1"½	1×bag / 30 (B)	06

- c.p. brass grid ø45
- c.p. brass flange ø80
- lateral outlet 1"½
- room under shower tray 85

50 mm · 41 l/min · 30 pcs.

SPARE PARTS / GRID
119.410.0
For more informations see page 262

257

Gienah

PP waste + trap set for ø60 holed tray



WARNING


Compatibility check required
for shower trays with a ø50 mm hole

a. 257.066.6

size	packaging	category
ø80 × 1"½	1×bag / 30 (B)	06

- c.p. brass grid ø45
- c.p. brass flange ø80
- lateral outlet 1"½
- room under shower tray 120
- adjustable outlet

50 mm · 35 l/min · 30 pcs.




b. 257.069.8

size	packaging	category
ø80 × ø50	1×bag / 30 (C)	06

- c.p. brass grid ø45
- c.p. brass flange ø80
- PEHD lateral outlet ø40/50
- room under shower tray 120
- adjustable outlet

50 mm · 38 l/min · 30 pcs.



SPARE PARTS / GRID

119.410.0
For more informations see page 262

254

Sadr P

PP waste + trap set for ø60 holed tray



WARNING


Compatibility check required
for shower trays with a ø50 mm hole

a. **254.016.6**

size	packaging	category
ø80 × 1"½	1×bag / 30 (B)	06

- s/steel plate ø80
- lateral outlet 1"½
- room under shower tray 100
- adjustable outlet

40 mm 32 l/min 30 pcs.




b. **254.066.6**

size	packaging	category
ø80 × 1"½	1×bag / 30 (B)	06

- c.p. brass plate ø80
- lateral outlet 1"½
- room under shower tray 100
- adjustable outlet

40 mm 32 l/min 30 pcs.




a. **254.019.8**

size	packaging	category
ø80 × ø50	1×bag / 30 (C)	06

- s/steel plate ø80
- lateral outlet 1"½
- PEHD lateral outlet ø40/50
- room under shower tray 100
- adjustable outlet

40 mm 32 l/min 30 pcs.




b. **254.069.8**

size	packaging	category
ø80 × ø50	1×bag / 30 (C)	06

- c.p. brass plate ø80
- lateral outlet 1"½
- PEHD lateral outlet ø40/50
- room under shower tray 100
- adjustable outlet

40 mm 32 l/min 30 pcs.



256
Sadr S

PP waste + trap set for ø60 holed tray




WARNING
Compatibility check required
for shower trays with a ø50 mm hole

a. **256.016.6**

size	packaging	category
ø80 × 1"½	1×bag / 30 (B)	06

- s/steel plate ø80
- lateral outlet 1"½
- room under shower tray 120
- adjustable outlet

50 mm · 32 l/min · 30 pcs.




b. **256.066.6**

size	packaging	category
ø80 × 1"½	1×bag / 30 (B)	06

- c.p. brass plate ø80
- lateral outlet 1"½
- room under shower tray 120
- adjustable outlet

50 mm · 32 l/min · 30 pcs.




a. **256.019.8**

size	packaging	category
ø80 × ø50	1×bag / 30 (C)	06

- s/steel plate ø80
- lateral outlet 1"½
- PEHD lateral outlet ø40/50
- room under shower tray 120
- adjustable outlet

50 mm · 32 l/min · 30 pcs.




b. **256.069.8**

size	packaging	category
ø80 × ø50	1×bag / 30 (C)	06


- c.p. brass plate ø80
- lateral outlet 1"½
- PEHD lateral outlet ø40/50
- room under shower tray 120
- adjustable outlet

50 mm · 32 l/min · 30 pcs.



brass and plastic wastes

for ø60 holed tray



a. 61.067.5

size	packaging	category
ø80 × ø32	1×box / 15 (T)	15

Brass trapped waste
- c.p. brass grid ø45
- c.p. brass flange ø80
- lateral outlet 1"¼
- with tailpiece ø32 brass
- room under shower tray 80

40 mm 30 l/min 15 pcs.


b. 61.065.5

size	packaging	category
ø80 × 1"¼	1×box / 15 (T)	15

- c.p. brass grid ø45
- c.p. brass flange ø80
- lateral outlet 1"¼
- without nut nor tailpiece
- room under shower tray 80

40 mm 30 l/min 15 pcs.

SPARE PARTS / GRID 119.510.0



a. 361.069.6

size	packaging	category
ø80 × ø40	1×box / 15 (T)	15

Brass trapped waste
- c.p. brass grid ø55
- c.p. brass flange ø80
- outlet ø40
- room under shower tray 80

50 mm 15 l/min 15 pcs.


b. 361.066.6

size	packaging	category
ø80 × 1"½	1×box / 15 (T)	15

- c.p. brass grid ø55
- c.p. brass flange ø80
- lateral outlet 1"½
- with nut
- room under shower tray 80

50 mm 15 l/min 15 pcs.

SPARE PARTS / GRID 119.910.0




a. 245.096.6

size	packaging	category
ø90 × 1"½	1×bag / 30 (W)	06

ABS trapped waste
- s/steel coated ABS grid ø90
- ABS flange ø80
- lateral outlet 1"½
- room under shower tray 80

50 mm 29 l/min 30 pcs.




b. 245.016.6

size	packaging	category
ø80 × 1"½	1×bag / 30 (W)	06

- s/steel grid ø80
- ABS flange ø80
- lateral outlet 1"½
- room under shower tray 80

50 mm 24 l/min 30 pcs.




a. 58.065.5

size	packaging	category
ø80 × 1"¼	2×box / 30 (T)	15

C.p. brass trapped waste
- c.p. brass grid ø65
- c.p. brass flange ø80
- vertical outlet 1"¼

10 mm 10 l/min 30 pcs.

SPARE PARTS / GRID 119.310.0



a. **55.165.5**

size	packaging	category
ø80 × 1"¼	10×box / 50 (T)	15

Brass grated waste
- c.p. brass grid ø80
- outlet 1"¼
- screw L. 75


40 l/min · 60 pcs.

b. **55.165.6**

size	packaging	category
ø80 × 1"½	10×box / 50 (T)	15

- c.p. brass grid ø80
- outlet 1"½
- screw L. 75

44 l/min · 60 pcs.



a. **55.665.5**

size	packaging	category
ø80 × 1"¼	10×box / 50 (T)	15

Brass grated waste
- s/steel grid ø80
- outlet 1"¼
- screw L. 75


40 l/min · 60 pcs.

b. **55.665.6**

size	packaging	category
ø80 × 1"½	10×box / 50 (T)	15

- s/steel grid ø80
- outlet 1"½
- screw L. 75

44 l/min · 60 pcs.




a. **255.665.6**

size	packaging	category
ø80 × 1"½	1×bag / 60 (W)	06

PP grated waste
- s/steel grid ø80
- outlet 1"½
- screw L. 75

49 l/min · 60 pcs.




a. **255.670.5**

size	packaging	category
ø70 × 1"¼	1×bag / 30 (W)	06

PP grated waste
- s/steel grid ø70
- lateral outlet 1"¼
- screw L. 35

24 l/min · 30 pcs.



a. **2152.451.6**

size	packaging	category
ø70 × ø50	1×bag / 30 (Q)	06

PP stand pipe waste + trap
- c.p. brass stand pipe H. 120
- s/steel plate ø70
- adjustable outlet
- with PP 45° bended outlet ø40/50

50 mm · 48 l/min · 30 pcs.

b. **2142.400.6**

size	packaging	category
ø70 × 1"½	1×bag / 60 (B)	06

- c.p. brass stand pipe H. 120
- s/steel plate ø70
- without trap

48 l/min · 60 pcs.

Bathtub

Clicker vasca brass -

Clicker vasca -

other brass pop-up wastes -

Leonessa brass -

Leonessa -

Leonessa hotellerie -

chrome plated brass waste - new
for sight installations

other PP wastes -

other brass wastes and traps -

plastic traps -





for the sanitary ware image, special thanks to
technova



8334 + 8568

Clicker vasca brass

brass automatic wastes for bathtub



a. 8334.060.6


size	packaging	category
ø70 × 1"½	1×box / 15 (T)	15

- without overflow
- ø70 c.p. brass plug
- H. 45 waste
- H. 40 × 1"½ counter nut en nickel-plated raw brass
- screw L. 75
- suitable also for bathtub with integrated overflow

49 l/min 15 pcs.

OTHER FINISHING AVAILABLE

matt black	matt white	polished gold	brushed steel	brushed bronze
8334.060.6.X	8334.060.6.XD	8334.060.6.3	-	8334.060.6.6



a. 8568.060.6

size	packaging	category
ø70 × 1"½	1×box / 15 (I)	15


- without overflow
- ø70 c.p. brass plug
- H. 35 × 1"½ threaded shaft
- nickel-plated raw brass through-counter nut

50 l/min 15 pcs.

SPARE PARTS / PLUG

137.039.0

For more informations see page 263



a. 8568.160.6

size	packaging	category
ø70 × 1"½	1×box / 20 (Q)	15

- with overflow
- copper flexible connect. L. 600
- ø70 c.p. brass plug
- c.p. brass overflow cover
- outlet 1"½

50 l/min 35 l/min 20 pcs.

b. 8568.170.6

size	packaging	category
ø70 × 1"½	1×box / 20 (Q)	15

- with overflow
- copper flexible connect. L. 820
- ø70 c.p. brass plug
- c.p. brass overflow cover
- outlet 1"½

50 l/min 35 l/min 20 pcs.

SPARE PARTS / PLUG


137.039.0

For more informations see page 263



2868 + 2870
Clicker vasca

PP automatic waste for bathtub



a. 2868.660.6


size	packaging	category
ø70 × 1"½	1×box / 15 (Q)	09

- flexible connection L. 700
- ø70 c.p. brass plug
- c.p. brass overflow cover
- outlet 1"½

52 l/min 31 l/min 15 pcs.

OTHER FINISHING AVAILABLE

matt black	matt white	polished gold	brushed steel	brushed bronze
2868.660.6.X	2868.660.6.XD	-	-	-




a. 2868.960.6

size	packaging	category
ø70 × 1"½	1×box / 15 (Q)	09

- rigid connection 190×450
- ø70 c.p. brass plug
- c.p. brass overflow cover
- outlet 1"½

52 l/min 31 l/min 15 pcs.




a. 2870.963.8

size	packaging	category
ø70 × ø50	1×box / 10 (C)	09

- rigid connection 190×450
- ø70 c.p. brass plug
- c.p. brass overflow cover
- outlet 1"½
- with adjustable trap
- PP 45° bended outlet ø40/50

50 mm 56 l/min 31 l/min 15 pcs.



SPARE PARTS / PLUG

137.039.0

For more informations see page 263



399

...


brass pop-up waste for bathtub

a. **399.360.6**

size	packaging	category
ø70 × 1"½	1×box / 10 (K)	15

- copper flexible connect. L. 550
- ø45 c.p. brass plug
- c.p. metal handle
- s/steel cable
- outlet 1"½

63 l/min 30 l/min 10 pcs.




b. **399.370.6**

size	packaging	category
ø70 × 1"½	1×box / 10 (K)	15

- copper flexible connect. L. 680
- ø45 c.p. brass plug
- c.p. metal handle
- s/steel cable
- outlet 1"½

63 l/min 30 l/min 10 pcs.



SPARE PARTS

PLUG	137.063.0
HANDLE	137.043.0

595
Leonessa brass
brass pop-up waste for bathtub






a. **595.160.6**

size	packaging	category
ø70 × 1"½	1×box / 10 (S)	15

- copper flexible connect. L. 550
- ø45 c.p. brass plug
- c.p. metal handle
- s/steel cable L. 550
- outlet 1"½

60 l/min 39 l/min 10 pcs.




b. **595.170.6**

size	packaging	category
ø70 × 1"½	1×box / 10 (S)	15

- copper flexible connect. L. 680
- ø45 c.p. brass plug
- c.p. metal handle
- s/steel cable L. 650
- outlet 1"½

60 l/min 39 l/min 10 pcs.



SPARE PARTS


PLUG	137.061.0
HANDLE	137.044.0

a. **595.180.6**

size	packaging	category
ø70 × 1"½	1×box / 5 (B)	15

- with water distribution to the overflow
- copper flexible connect. L. 660
- ø45 c.p. brass plug
- c.p. ABS handle
- s/steel cable L. 650
- outlet 1"½

60 l/min 42 l/min 10 pcs.




SPARE PARTS

PLUG	137.061.0
HANDLE	137.047.0



295
Leonessa

PP pop-up waste for bathtub



a. 295.660.6

size	packaging	category
ø70 × 1"½	1×box / 10 (Q)	09

- flexible connection L. 580
- ø45 c.p. brass plug
- c.p. metal handle
- s/steel cable L. 550
- outlet 1"½

62 l/min 36 l/min 10 pcs.

b. 295.670.6

size	packaging	category
ø70 × 1"½	1×box / 10 (Q)	09

- flexible connection L. 680
- ø45 c.p. brass plug
- c.p. metal handle
- s/steel cable L. 650
- outlet 1"½


62 l/min 36 l/min 10 pcs.

c. 295.620.6

size	packaging	category
ø70 × 1"½	1×box / 10 (Q)	09

- flexible connection L. 980
- ø45 c.p. brass plug
- c.p. metal handle
- s/steel cable L. 980
- outlet 1"½

62 l/min 36 l/min 10 pcs.



a. 295.160.6


size	packaging	category
ø70 × 1"½	1×box / 10 (Q)	09

- rigid connection 190×450
- ø45 c.p. brass plug
- c.p. metal handle
- s/steel cable L. 550
- outlet 1"½

62 l/min 36 l/min 10 pcs.

SPARE PARTS

PLUG	137.066.0
HANDLE	137.044.0



a. 295.360.6

size	packaging	category
ø70 × 1"½	1×box / 10 (Q)	09

- flexible connection L. 580
- ø45 c.p. brass plug
- c.p. ABS handle
- s/steel cable L. 550
- outlet 1"½

62 l/min 36 l/min 10 pcs.

SPARE PARTS

PLUG	137.066.0
HANDLE	137.051.0

301 + 491
Leonessa
PP pop-up waste with trap for bathtub






a. **301.161.8**

size	packaging	category
ø70 × ø50	1×box / 10 (Q)	09

- rigid connection 190×450
- ø45 c.p. brass plug
- c.p. metal handle
- s/steel cable L. 550
- with adjustable trap (pre-assembled)
- PP 45° bended outlet ø40/50

50 mm · 55 l/min · 36 l/min · 10 pcs.



SPARE PARTS


PLUG	137.066.0
HANDLE	137.044.0


a. **491.061.8**

size	packaging	category
ø70 × ø50	1×box / 10 (Q)	09

- with water distribution to the overflow
- rigid connection 190×450
- ø45 c.p. brass plug
- c.p. ABS handle
- s/steel cable L. 750
- with adjustable trap (pre-assembled)
- PP 45° bended outlet ø40/50

50 mm · 51 l/min · 42 l/min · 5 pcs.





SPARE PARTS

PLUG	137.066.0
HANDLE	137.047.0


8295 + 8301 + 8491

Leonessa hotellerie

PP pop-up waste for bathtub with bigger covering plug







a. 8295.660.6


size	packaging	category
ø70 × 1"½	1×box / 10 (Q)	09

- flexible connection L. 580
- ø70 c.p. brass plug
- c.p. metal handle
- s/steel cable
- outlet 1"½

62 l/min · TP 36 l/min · 10 pcs. · new

SPARE PARTS

PLUG	137.052.0
HANDLE	137.044.0




a. 8301.161.8

size	packaging	category
ø70 × ø50	1×box / 10 (Q)	09


- rigid connection 190×450
- ø70 c.p. brass plug
- c.p. metal handle
- s/steel cable
- with adjustable trap (pre-assembled)
- PP 45° bended outlet ø40/50

50 mm · 55 l/min · TP 36 l/min · 10 pcs. · new



SPARE PARTS

PLUG	137.052.0
HANDLE	137.044.0




a. 8491.061.8

size	packaging	category
ø70 × ø50	1×box / 10 (Q)	09

- with water distribution to the overflow
- rigid connection 190×450
- ø70 c.p. brass plug
- c.p. ABS handle
- s/steel cable
- with adjustable trap (pre-assembled)
- PP 45° bended outlet ø40/50

50 mm · 51 l/min · TP 42 l/min · 5 pcs.



SPARE PARTS


PLUG	137.052.0
HANDLE	137.047.0

891

...

chrome plated brass waste for bathtub
for sight installations





a.	891.160.6.K	size	packaging	category
	- rigid connection 210×450 - plug with ballchain L. 450 (ø45 in c.p. brass) - c.p. brass overflow grid - with adjustable trap - outlet ø40	ø70 × ø40	1×box / 8 (A)	15

22 mm | 45 l/min | TP 22 l/min | 10 pcs. | new

OTHER FINISHING AVAILABLE

matt black	matt white	polished gold	brushed steel	brushed bronze
-	-	891.160.6.3	-	891.160.6.6



312 + 289 + 298
other PP wastes


wastes for bathtub with ballchain plug


a. 312.601.8

size	packaging	category
ø70 × ø50	1×box / 10 (C)	09

- rigid connection 190×450
- plug with ballchain L. 450 (ø45,5)
- s/steel overflow grid
- with adjustable trap (pre-assembled)
- PP 45° bended outlet ø40/50

50 mm · 59 l/min · TP 36 l/min · 10 pcs.






SPARE PARTS / PLUG
120.113.6
For more informations see page 263

a. 298.820.6

size	packaging	category
ø70 × 1"½	1×bag / 30 (C)	09

- flexible connection L. 600
- plug with ballchain L. 450 (ø45,5)
- s/steel overflow grid
- outlet 1"½

48 l/min · TP 22 l/min · 30 pcs.




SPARE PARTS / PLUG
120.113.6
For more informations see page 263

a. 289.820.6

size	packaging	category
ø70 × ø50	1×bag / 30 (C)	09

- flexible connection L. 600
- plug with ballchain L. 450 (ø45,5)
- s/steel overflow grid
- with adjustable trap without tailpiece
- outlet 1"½

50 mm · 59 l/min · TP 36 l/min · 10 pcs.




SPARE PARTS / PLUG
120.113.6
For more informations see page 263



98 + 88

other brass wastes and traps

wastes for bathtub with ballchain plug and traps



a. 98.820.6

size: ø70 × 1"½ | packaging: 1×box / 30 (C) | category: 15

Brass waste for bathtub
- PP flexible connection L. 600
- plug with ballchain L. 450 (ø45,5)
- s/steel overflow grid
- outlet 1"½

53 l/min 22 l/min 10 pcs.

b. 98.820.5

size: ø70 × 1"½ | packaging: 1×box / 30 (C) | category: 15


- PP flexible connection L. 600
- plug with ballchain L. 450 (ø45,5)
- s/steel overflow grid
- outlet 1"¼

53 l/min 22 l/min 10 pcs.

SPARE PARTS / PLUG

120.113.6

For more informations see page 263




a. 88.405.6.0

size: 1"½ × ø40 | packaging: 3×box / 36 (B) | category: 02

Raw brass trap for bathtub
- inlet 1"½ (brass nut)
- outlet 1"½ (brass nut)
- with brass tailpiece ø40 L. 50
- encumbrance H. 85

50 mm 64 l/min 15 pcs.




b. 88.409.6.0

size: 1"½ × 1"½ | packaging: 1×bag / 15 (T) | category: 02

- inlet 1"½ (brass nut)
- outlet 1"½ (brass nut)
- without tailpiece
- encumbrance H. 85

50 mm 64 l/min 15 pcs.




a. 88.405.5.0

size: 1"¼ × ø32 | packaging: 5×box / 60 (B) | category: 02

- inlet 1"¼ (brass nut)
- outlet 1"¼ (brass nut)
- with brass tailpiece ø32 L. 50
- encumbrance H. 75

30 mm 64 l/min 15 pcs.

290 + 3290
reduced encumbrance traps
for bathtub, in PP and PEHD




a. 290.007.6

- in PP
- inlet 1"½ (PP nut)
- outlet 1"½ (PP nut)
  adjustable
- encumbrance H. 65

size	packaging	category
1"½ × 1"½	1×bag / 30 (B)	03

50 mm · 52 l/min · 30 pcs.




b. 290.000.8

- in PP
- inlet 1"½ (PP nut)
- outlet ø40/50 in PEHD
  adjustable
- encumbrance H. 65

size	packaging	category
1"½ × ø50	1×bag / 30 (B)	03

40 mm · 65 l/min · 30 pcs.

PEHD outlet to be soldered with PE pipes




a. 290.407.6

- in PP
- inlet 1"½ (brass nut)
- outlet 1"½ (PP nut)
  adjustable
- encumbrance H. 65

size	packaging	category
1"½ × 1"½	1×bag / 30 (B)	03

40 mm · 52 l/min · 30 pcs.

Brass nut is recommended with brass wastes



b. 290.400.8


- in PP
- inlet 1"½ (brass nut)
- outlet ø40/50 in PEHD
  adjustable
- encumbrance H. 65

size	packaging	category
1"½ × ø50	1×bag / 30 (B)	03

40 mm · 65 l/min · 30 pcs.

PEHD outlet to be soldered with PE pipes

Brass nut is recommended with brass wastes




a. 3290.007.6

- in PEHD
- inlet 1"½ (PEHD nut)
- outlet 1"½ (PEHD nut)
  adjustable
- encumbrance H. 35

size	packaging	category
1"½ × 1"½	1×bag / 30 (B)	03

35 mm · 56 l/min · 30 pcs.




b. 3290.000.8

- in PEHD
- inlet 1"½ (PEHD nut)
- outlet ø40/50 in PEHD
  adjustable
- encumbrance H. 35

size	packaging	category
1"½ × ø50	1×bag / 30 (B)	03

35 mm · 56 l/min · 30 pcs.

293
traps
for bathtub, in PP




a. 293.007.6

- in PP
- inlet 1"½ (PP nut)
- outlet 1"½ (PP nut) adjustable
- encumbrance H. 80

size	packaging	category
1"½ × 1"½	1×bag / 30 (B)	03

50 mm 52 l/min 30 pcs.




a. 293.000.8

- in PP
- inlet 1"½ (PP nut)
- outlet ø40/50 in PEHD adjustable
- encumbrance H. 80

size	packaging	category
1"½ × ø50	1×bag / 30 (B)	03

50 mm 64 l/min 30 pcs.

PEHD outlet to be soldered with PE pipes




a. 293.407.6

- in PP
- inlet 1"½ (brass nut)
- outlet 1"½ (PP nut) adjustable
- encumbrance H. 80

size	packaging	category
1"½ × 1"½	1×bag / 30 (B)	03

50 mm 52 l/min 30 pcs.

Brass nut is recommended with brass wastes



a. 293.400.8


- in PP
- inlet 1"½ (brass nut)
- outlet ø40/50 in PEHD adjustable
- encumbrance H. 80

size	packaging	category
1"½ × ø50	1×bag / 30 (B)	03

50 mm 64 l/min 30 pcs.

PEHD outlet to be soldered with PE pipes

Brass nut is recommended with brass wastes




a. 293.907.6

- in PP
- with higher inlet pipe
- inlet 1"½ (brass nut)
- outlet 1"½ (PP nut) adjustable
- encumbrance H. 115

size	packaging	category
1"½ × 1"½	1×bag / 15 (T)	03

50 mm 52 l/min 15 pcs.

Brass nut is recommended with brass wastes



a. 293.900.8

- in PP
- with higher inlet pipe
- inlet 1"½ (brass nut)
- outlet ø40/50 in PEHD adjustable
- encumbrance H. 115

size	packaging	category
1"½ × ø50	1×bag / 15 (T)	03


50 mm 64 l/min 15 pcs.

PEHD outlet to be soldered with PE pipes

Brass nut is recommended with brass wastes


Floor drain

Deflow -
Sumisura -
Esseflow -
Nanoflow -
Renova -
Nanoflow unseen - new
Esseflow unseen - new
Renova unseen - new
Emyflow - new
Miniflow -
Basicflow -
Renova eko - new
Intramura - new
Odessa - new
Tirana unseen - new
Tirana evo - new
No limits V -
Tirana -
Kuala Lumpur + Manila -
Kalamáta - new
brass trapped floor drains -
plastic trapped floor drains -
Minnie -
4-In -






973 + 972
Deflow
channel and floor drain for built-in shower




with higher water capacity


- higher water capacity, more than 60 lt/min
- AISI316 stainless steel tileable cover
- thin bed system perimetric waterproofing
- removable trap for cleaning
- adjustable supports to ease the installation
- dry-spot: drainage point for the water filtered through the flooring
- ABS Jointed lateral outlet DN50
- tiling thickness 15 mm
- room under floor H. 90 mm


35 mm 60 l/min 1 pcs.





Deflow	973	measure	packaging	category
	- tiling thickness	15 mm		
	- room under floor	90 mm		
	- ABS lateral outlet	DN50		
	- water trap			
	973.101.8	L. 300	1×box	14
	973.801.8	L. 600	1×box	14
	973.901.8	L. 700	1×box	14
	973.201.8	L. 800	1×box	14
	973.401.8	L. 1000	1×box	14





Deflow 972


	measure	packaging	category
- tiling thickness	15 mm		
- room under floor	90 mm		
- ABS lateral outlet	DN50		
- water trap			
972.101.8	300×300	1×box	14

Tiling thickness inside cover 10 mm

NOTES / COMMON FEATURES

1. dry-spot: drainage point for the water filtered through the flooring
2. standard package complete with grid, siphoning and perimetric waterproofing
3. all grids/covers are made in stainless steel AISI 316
4. adjusting supports to ease the installation

983
Sumisura
channel for built-in shower




adjustable length and modular

- adjustable from 430 minimum to 1200 mm maximum length
- AISI316 s/steel grid adjustable in height for tiles thickness 7÷22 mm
- thin bed system perimetric waterproofing
- removable trap for cleaning
- sliding supports to ease the installation useful with any length
- supplied with the cutting template for the channel and grid
- special joints allow to assemble more channels to extend the drain length or increase the drainage capacity
- dry-spot, drainage point for the water filtered through the flooring
- ABS lateral outlet DN50
- tiling thickness 7÷22 mm
- room under floor H. 80 mm

35 mm 36 l/min 1 pcs.

omptea.eu



Sumisura **983**

	measure	packaging	category

- tiling thickness 7÷22 mm
- room under floor 80 mm
- ABS lateral outlet DN50
- water trap

983.201.8	L. 430÷800	1×box	14
983.401.8	L. 430÷1200	1×box	14


PVD SELECTION

length	gun metal	gold	copper
430÷800	**983**.201.8.N	**983**.201.8.3	**983**.201.8.Q
430÷1.200	**983**.401.8.N	**983**.401.8.3	**983**.401.8.Q

NOTES / COMMON FEATURES

1. dry-spot: drainage point for the water filtered through the flooring
2. standard package complete with grid, siphoning and perimetric waterproofing
3. all grids/covers are made in stainless steel AISI 316
4. adjusting supports to ease the installation






987	measure	packaging	category
Sumisura length adjustment accessories:			
987.000.0		1×bag	10
- linear joint			
987.004.0		1×bag	10
- angular joint			
987.001.0		1×bag	08
- c.p. brass junction useful to keep separate grids in linear joint, for a easier maintenance removing single grid a time - to combine with 987.000.0			

983

Sumisura dry trap

channel for built-in shower




adjustable length and modular, with dry trap

- adjustable from 430 minimum to 1200 mm maximum length
- AISI316 s/steel grid adjustable in height for tiles thickness 7÷22 mm
- thin bed system perimetric waterproofing
- removable dry trap for cleaning
- sliding supports to ease the installation useful with any length
- supplied with the cutting template for the channel and grid
- special joints allow to assemble more channels to extend the drain length or increase the drainage capacity
- dry-spot, drainage point for the water filtered through the flooring
- ABS lateral outlet DN50
- tiling thickness 7÷22 mm
- room under floor H. 80 mm

36 l/min 1 pcs.

omptea.eu



Sumisura dry trap **983**

	measure	packaging	category	
- tiling thickness 7÷22 mm - room under floor 80 mm - ABS lateral outlet DN50 - dry trap				
983.271.8	L. 430÷800	1×box	14	new
983.471.8	L. 430÷1200	1×box	14	new

PVD SELECTION

length	gun metal	gold	copper
430÷800	**983**.271.8.N	**983**.271.8.3	**983**.271.8.Q
430÷1.200	**983**.471.8.N	**983**.471.8.3	**983**.471.8.Q


NOTES / COMMON FEATURES

1. dry-spot: drainage point for the water filtered through the flooring
2. standard package complete with grid, siphoning and perimetric waterproofing
3. all grids/covers are made in stainless steel AISI 316
4. adjusting supports to ease the installation

982

Sumisura vertical outlet

channel for built-in shower




adjustable length and modular, with vertical outlet

- adjustable from 430 minimum to 1200 mm maximum length
- AISI316 s/steel grid adjustable in height for tiles thickness 7÷22 mm
- thin bed system perimetric waterproofing
- removable s/steel catching-hair grid
- sliding supports to ease the installation useful with any length
- supplied with the cutting template for the channel and grid
- special joints allow to assemble more channels to extend the drain length or increase the drainage capacity
- dry-spot, drainage point for the water filtered through the flooring
- ABS vertical outlet ϕ46 + adaptors ϕ50/54
- tiling thickness 7÷22 mm
- room under floor H. 50 mm (supports excluded)

36 l/min 1 pcs.

omptea.eu



Sumisura V.O. **982** measure packaging category

- tiling thickness 7÷22 mm
- room under floor 50 mm
- ABS vertical outlet ϕ46/50/54
- no trap

982.401.8	L. 430÷1200	1×box	14


PVD SELECTION

length	gun metal	gold	copper
430÷1.200	**982**.401.8.N	**982**.401.8.3	**982**.401.8.Q

NOTES / COMMON FEATURES

1. dry-spot: drainage point for the water filtered through the flooring
2. standard package complete with grid, and perimetric waterproofing
3. all grids/covers are made in stainless steel AISI 316
4. adjusting supports to ease the installation


6963
Esseflow
channel for built-in shower




with structure in s/steel AISI 316

- AISI316 stainless steel tileable cover
- cover adjustable in height for tiles thickness from 10 to 20 mm
- thin bed system perimetric waterproofing
- removable trap for cleaning
- adjustable supports to ease the installation
- dry-spot: drainage point for the water filtered through the flooring
- ABS lateral outlet DN50
- tiling thickness 10÷20 mm
- room under floor H. 80 mm


35 mm 46 l/min 1 pcs.





Esseflow	6963	measure	packaging	category
	- tiling thickness 10÷20 mm - room under floor 80 mm - ABS lateral outlet DN50 - water trap			
	6963.101.8	L. 300	1×box	14
	6963.901.8	L. 700	1×box	14
	6963.201.8	L. 800	1×box	14
	6963.301.8	L. 900	1×box	14
	6963.401.8	L. 1000	1×box	14





PVD SELECTION


length	gun metal	gold	copper
300	**6963**.101.8.N	**6963**.101.8.3	**6963**.101.8.Q
700	**6963**.901.8.N	**6963**.901.8.3	**6963**.901.8.Q
800	**6963**.201.8.N	**6963**.201.8.3	**6963**.201.8.Q
900	**6963**.301.8.N	**6963**.301.8.3	**6963**.301.8.Q
1.000	**6963**.401.8.N	**6963**.401.8.3	**6963**.401.8.Q

Tiling thickness inside cover 14 mm

NOTES / COMMON FEATURES

1. dry-spot: drainage point for the water filtered through the flooring
2. standard package complete with grid, siphoning and perimetric waterproofing
3. all grids/covers are made in stainless steel AISI 316
4. adjusting supports to ease the installation


953
Nanoflow
channel for built-in shower




entry-level with tileable cover

- AISI316 stainless steel tileable cover
- cover adjustable in height for tiles thickness from 15 to 25 mm
- thin bed system perimetric waterproofing
- removable trap for cleaning
- adjustable supports to ease the installation
- dry-spot: drainage point for the water filtered through the flooring
- ABS lateral outlet DN50
- tiling thickness 15÷25 mm
- room under floor H. 75 mm
- ideal also for flush-to-wall installation

35 mm 40 l/min 1 pcs.





Nanoflow	953	measure	packaging	category
	- tiling thickness 15÷25 mm - room under floor 75 mm - ABS lateral outlet DN50 - water trap			
	953.101.8	L. 300	1×box	14
	953.701.8	L. 500	1×box	14
	953.801.8	L. 600	1×box	14
	953.901.8	L. 700	1×box	14
	953.201.8	L. 800	1×box	14
	953.301.8	L. 900	1×box	14




PVD SELECTION

length	gun metal	gold	copper
300	**953**.101.8.N	**953**.101.8.3	**953**.101.8.Q
500	**953**.701.8.N	**953**.701.8.3	**953**.701.8.Q
600	**953**.801.8.N	**953**.801.8.3	**953**.801.8.Q
700	**953**.901.8.N	**953**.901.8.3	**953**.901.8.Q
800	**953**.201.8.N	**953**.201.8.3	**953**.201.8.Q
900	**953**.301.8.N	**953**.301.8.3	**953**.301.8.Q

Tiling thickness inside cover 14 mm

NOTES / COMMON FEATURES


1. dry-spot: drainage point for the water filtered through the flooring
2. standard package complete with grid, siphoning and perimetric waterproofing
3. all grids/covers are made in stainless steel AISI 316
4. adjusting supports to ease the installation



953

Nanoflow dry trap


channel for built-in shower




entry-level with tileable cover and dry trap

- AISI316 stainless steel tileable cover
- cover adjustable in height for tiles thickness from 15 to 25 mm
- thin bed system perimetric waterproofing
- removable dry trap for cleaning
- adjustable supports to ease the installation
- dry-spot: drainage point for the water filtered through the flooring
- ABS lateral outlet DN50
- tiling thickness 15÷25 mm
- room under floor H. 75 mm
- ideal also for flush-to-wall installation

40 l/min 1 pcs.





Nanoflow dry trap **953**

- tiling thickness 15÷25 mm
- room under floor 75 mm
- ABS lateral outlet DN50
- dry trap


	measure	packaging	category	
953.171.8	L. 300	1×box	14	new
953.771.8	L. 500	1×box	14	new
953.871.8	L. 600	1×box	14	new
953.971.8	L. 700	1×box	14	new
953.271.8	L. 800	1×box	14	new
953.371.8	L. 900	1×box	14	new



PVD SELECTION

length	gun metal	gold	copper
300	**953**.171.8.N	**953**.171.8.3	**953**.171.8.Q
500	**953**.771.8.N	**953**.771.8.3	**953**.771.8.Q
600	**953**.871.8.N	**953**.871.8.3	**953**.871.8.Q
700	**953**.971.8.N	**953**.971.8.3	**953**.971.8.Q
800	**953**.271.8.N	**953**.271.8.3	**953**.271.8.Q
900	**953**.371.8.N	**953**.371.8.3	**953**.371.8.Q

Tiling thickness inside cover 14 mm




NOTES / COMMON FEATURES

1. dry-spot: drainage point for the water filtered through the flooring
2. standard package complete with grid, siphoning and perimetric waterproofing
3. all grids/covers are made in stainless steel AISI 316
4. adjusting supports to ease the installation

953.05

Nanoflow mosaic


channel for built-in shower




entry-level with tileable cover for minimum tiles thickness 8 mm

- AISI316 stainless steel tileable cover
- cover adjustable in height for tiles thickness from minimum 8 mm
- thin bed system perimetric waterproofing
- removable trap for cleaning
- adjustable supports to ease the installation
- dry-spot: drainage point for the water filtered through the flooring
- ABS lateral outlet DN50
- tiling thickness 8÷17 mm
- room under floor H. 75 mm
- ideal also for flush-to-wall installation


35 mm 40 l/min 1 pcs.





Nanoflow mosaic	**953.05**	measure	packaging	category
	- tiling thickness 8÷17 mm - room under floor 75 mm - ABS lateral outlet DN50 - water trap			
	953.801.8.05	L. 600	1×box	14
	953.901.8.05	L. 700	1×box	14
	953.201.8.05	L. 800	1×box	14
	953.301.8.05	L. 900	1×box	14 new





Tiling thickness inside cover 8 mm


NOTES / COMMON FEATURES

1. dry-spot: drainage point for the water filtered through the flooring
2. standard package complete with grid, siphoning and perimetric waterproofing
3. all grids/covers are made in stainless steel AISI 316
4. adjusting supports to ease the installation

952

Nanoflow vertical outlet

channel for built-in shower




entry-level with tileable cover, with vertical outlet

- AISI316 stainless steel tileable cover
- cover adjustable in height for tiles thickness from 15 to 25 mm
- thin bed system perimetric waterproofing
- removable s/steel catching-hair grid
- adjustable supports to ease the installation
- dry-spot: drainage point for the water filtered through the flooring
- ABS vertical outlet ϕ46 + adaptors ϕ50/54
- tiling thickness 15÷25 mm
- room under floor H. 45 mm (supports excluded)
- ideal also for flush-to-wall installation


40 l/min 1 pcs.





Nanoflow v.o.	952	measure	packaging	category	
	- tiling thickness 15÷25 mm - room under floor 45 mm - ABS vertical outlet ϕ46/50/54 - no trap				
	952.101.8	L. 300	1×box	14	new
	952.701.8	L. 500	1×box	14	new
	952.801.8	L. 600	1×box	14	new
	952.901.8	L. 700	1×box	14	new
	952.201.8	L. 800	1×box	14	new
	952.301.8	L. 900	1×box	14	new





PVD SELECTION


length	gun metal	gold	copper
300	**952**.101.8.N	**952**.101.8.3	**952**.101.8.Q
500	**952**.701.8.N	**952**.701.8.3	**952**.701.8.Q
600	**952**.801.8.N	**952**.801.8.3	**952**.801.8.Q
700	**952**.901.8.N	**952**.901.8.3	**952**.901.8.Q
800	**952**.201.8.N	**952**.201.8.3	**952**.201.8.Q
900	**952**.301.8.N	**952**.301.8.3	**952**.301.8.Q

Tiling thickness inside cover 14 mm

NOTES / COMMON FEATURES

1. dry-spot: drainage point for the water filtered through the flooring
2. standard package complete with grid, and perimetric waterproofing
3. all grids/covers are made in stainless steel AISI 316
4. adjusting supports to ease the installation


5953
Renova
channel for built-in shower



minimum encumbrance under floor, only 60 mm

- AISI316 stainless steel tileable cover
- cover adjustable in height for tiles thickness from 12 to 22 mm
- thin bed system perimetric waterproofing
- removable trap for cleaning
- adjustable supports to ease the installation
- dry-spot: drainage point for the water filtered through the flooring
- ABS trap with two additional DN40 ABS exits
- ABS DN50 jointed outlet
- tiling thickness 12÷22 mm
- room under floor H. 60 mm
- suitable for renovations

35 mm 33 l/min 1 pcs.



Renova	5953	measure	packaging	category
	- tiling thickness 12÷22 mm - room under floor 60 mm - ABS lateral outlet DN40/50 - water trap			
	5953.801.8.05	L. 600	1×box	14
	5953.901.8.05	L. 700	1×box	14
	5953.201.8.05	L. 800	1×box	14
	5953.301.8.05	L. 900	1×box	14
	5953.401.8.05	L. 1000	1×box	14


new



PVD SELECTION

length	gun metal	gold	copper
600	**5953**.801.8.N5	**5953**.801.8.35	**5953**.801.8.Q5
700	**5953**.901.8.N5	**5953**.901.8.35	**5953**.901.8.Q5
800	**5953**.201.8.N5	**5953**.201.8.35	**5953**.201.8.Q5
900	**5953**.301.8.N5	**5953**.301.8.35	**5953**.301.8.Q5
1.000	**5953**.401.8.N5	**5953**.401.8.35	**5953**.401.8.Q5

Tiling thickness inside cover 8 mm




NOTES / COMMON FEATURES

1. dry-spot: drainage point for the water filtered through the flooring
2. standard package complete with grid, siphoning and perimetric waterproofing
3. all grids/covers are made in stainless steel AISI 316
4. adjusting supports to ease the installation

5953

Renova dry trap


channel for built-in shower



minimum encumbrance under floor, with dry trap

- AISI316 stainless steel tileable cover
- cover adjustable in height for tiles thickness from 12 to 22 mm
- thin bed system perimetric waterproofing
- removable dry trap for cleaning
- adjustable supports to ease the installation
- dry-spot: drainage point for the water filtered through the flooring
- ABS trap with two additional DN40 ABS exits
- ABS DN50 jointed outlet
- tiling thickness 12÷22 mm
- room under floor H. 60 mm
- suitable for renovations


33 l/min 1 pcs.



Renova dry trap	**5953**	measure	packaging	category	
	- tiling thickness 12÷22 mm - room under floor 60 mm - ABS lateral outlet DN40/50 - dry trap				
	**5953**.871.8.05	L. 600	1×box	14	new
	**5953**.971.8.05	L. 700	1×box	14	new
	**5953**.271.8.05	L. 800	1×box	14	new
	**5953**.371.8.05	L. 900	1×box	14	new
	**5953**.471.8.05	L. 1000	1×box	14	new



frame with rounded profile



PVD SELECTION

length	gun metal	gold	copper
600	**5953**.871.8.N5	**5953**.871.8.35	**5953**.871.8.Q5
700	**5953**.971.8.N5	**5953**.971.8.35	**5953**.971.8.Q5
800	**5953**.271.8.N5	**5953**.271.8.35	**5953**.271.8.Q5
900	**5953**.371.8.N5	**5953**.371.8.35	**5953**.371.8.Q5
1.000	**5953**.471.8.N5	**5953**.471.8.35	**5953**.471.8.Q5

Tiling thickness inside cover 8 mm


NOTES / COMMON FEATURES

1. dry-spot: drainage point for the water filtered through the flooring
2. standard package complete with grid, siphoning and perimetric waterproofing
3. all grids/covers are made in stainless steel AISI 316
4. adjusting supports to ease the installation

953

Nanoflow unseen

channel for built-in shower





completely invisible, all the visible parts of the drain have been removed

- AISI316 stainless steel support for central tile
- thin bed system perimetric waterproofing
- removable trap for cleaning (available also with dry trap)
- adjustable supports to ease the installation
- ABS lateral outlet DN50
- room under floor H. 75 mm
- it's specially developed for application in vinyl flooring

35 mm 40 l/min 1 pcs.

omptea.eu





Nanoflow unseen

953	measure	packaging	category	
- tiling thickness no limits - room under floor 75 mm - ABS lateral outlet DN50 - water trap				
953.105.8	L. 300	1×box	14	new
953.705.8	L. 500	1×box	14	new
953.805.8	L. 600	1×box	14	new
953.905.8	L. 700	1×box	14	new
953.205.8	L. 800	1×box	14	new
953.305.8	L. 900	1×box	14	new



ideal for VINYL FLOORING

COMPLETELY INVISIBLE


The grid has no edges to contain the tile and the traditional profile to delimit the water drainage slot has been replaced by a temporary template to be eliminated once the installation has been completed: in this way all the visible parts of the drain have been removed and the result is a shower channels model in which only the water flow slot remains visible.

Nanoflow unseen / dry trap

953

- tiling thickness no limits
- room under floor 75 mm
- ABS lateral outlet DN50
- dry trap

	measure	packaging	category	
953.175.8	L. 300	1×box	14	new
953.775.8	L. 500	1×box	14	new
953.875.8	L. 600	1×box	14	new
953.975.8	L. 700	1×box	14	new
953.275.8	L. 800	1×box	14	new
953.375.8	L. 900	1×box	14	new




NOTES / COMMON FEATURES

1. standard package complete with grid, siphoning and perimetric waterproofing
2. all grids/covers are made in stainless steel AISI 316
3. adjusting supports to ease the installation

952

Nanoflow unseen v.o.

channel for built-in shower





completely invisible, with vertical outlet

- AISI316 stainless steel support for central tile
- thin bed system perimetric waterproofing
- removable s/steel catching-hair grid
- adjustable supports to ease the installation
- ABS vertical outlet ϕ46 + adaptors ϕ50/54
- room under floor H. 45 mm (supports excluded)
- it's specially developed for application in vinyl flooring

40 l/min 1 pcs.

omptea.eu





Nanoflow unseen / v.o.

952	measure	packaging	category	
- tiling thickness no limits - room under floor 45 mm - ABS vertical outlet ϕ46/50/54 - no trap				
952.105.8	L. 300	1×box	14	new
952.705.8	L. 500	1×box	14	new
952.805.8	L. 600	1×box	14	new
952.905.8	L. 700	1×box	14	new
952.205.8	L. 800	1×box	14	new
952.305.8	L. 900	1×box	14	new


NOTES

The grid has no edges to contain the tile and the traditional profile to delimit the water drainage slot has been replaced by a temporary template to be eliminated once the installation has been completed: in this way all the visible parts of the drain have been removed and the result is a shower channels model in which only the water flow slot remains visible.

6963

Esseflow unseen

channel for built-in shower





completely invisible, with structure in s/steel AISI 316

- AISI316 stainless steel support for central tile
- thin bed system perimetric waterproofing
- removable trap for cleaning
- adjustable supports to ease the installation
- ABS lateral outlet DN50
- room under floor H. 80 mm
- it's specially developed for application in vinyl flooring

35 mm 46 l/min 1 pcs.

omptea.eu





Esseflow unseen

6963	measure	packaging	category	
- tiling thickness no limits - room under floor 80 mm - ABS lateral outlet DN50 - water trap				
6963.105.8	L. 300	1×box	14	new
6963.905.8	L. 700	1×box	14	new
6963.205.8	L. 800	1×box	14	new
6963.305.8	L. 900	1×box	14	new


NOTES / COMMON FEATURES

1. standard package complete with grid, siphoning and perimetric waterproofing
2. all grids/covers are made in stainless steel AISI 316
3. adjusting supports to ease the installation

5953

Renova unseen

channel for built-in shower




completely invisible, with minimum encumbrance

- AISI316 stainless steel support for central tile
- thin bed system perimetric waterproofing
- removable trap for cleaning (available also with dry trap)
- adjustable supports to ease the installation
- ABS trap with two additional DN40 ABS exits
- ABS DN50 jointed outlet
- room under floor H. 60 mm
- it's specially developed for application in vinyl flooring

35 mm 33 l/min 1 pcs.

omptea.eu



Renova unseen	**5953**	measure	packaging	category	
	- tiling thickness no limits - room under floor 60 mm - ABS lateral outlet DN40/50 - water trap				
	5953.805.8	L. 600	1×box	14	new
	5953.905.8	L. 700	1×box	14	new
	5953.205.8	L. 800	1×box	14	new
	5953.305.8	L. 900	1×box	14	new



ideal for VINYL FLOORING

COMPLETELY INVISIBLE


The grid has no edges to contain the tile and the traditional profile to delimit the water drainage slot has been replaced by a temporary template to be eliminated once the installation has been completed: in this way all the visible parts of the drain have been removed and the result is a shower channels model in which only the water flow slot remains visible.

Renova unseen / dry trap

5953

- tiling thickness no limits
- room under floor 60 mm
- ABS lateral outlet DN40/50
- dry trap


	measure	packaging	category	
5953.875.8	L. 600	1×box	14	new
5953.975.8	L. 700	1×box	14	new
5953.275.8	L. 800	1×box	14	new
5953.375.8	L. 900	1×box	14	new



NOTES / COMMON FEATURES

1. standard package complete with grid, siphoning and perimetric waterproofing
2. all grids/covers are made in stainless steel AISI 316
3. adjusting supports to ease the installation

5963
Emyflow
channel for built-in shower




easy to clean and maintain

- easy to clean and maintain as it consists of a single surface
- AISI 316 steel grid and exposed surface
- direct access to the extractable trap
- thin bed system perimetric waterproofing
- adjustable supports to ease the installation
- ABS trap with two additional DN40 ABS exits
- ABS DN50 jointed outlet
- tiling thickness 15÷30 mm
- room under floor H. 60 mm

35 mm 32 l/min 1 pcs.

omptea.eu



Emyflow	5963	measure	packaging	category	
	- tiling thickness 15÷30 mm - room under floor 65 mm - ABS lateral outlet DN40/50 - water trap				
LINE	5963.504.8	L. 400	1×box	14	new
	5963.804.8	L. 600	1×box	14	new
	5963.204.8	L. 800	1×box	14	new
	5963.404.8	L. 1000	1×box	14	new
FRAME	5963.503.8	L. 400	1×box	14	new
	5963.803.8	L. 600	1×box	14	new
	5963.203.8	L. 800	1×box	14	new
	5963.403.8	L. 1000	1×box	14	new



EASY TO CLEAN

With only one visible, continuous and unobstructed surface, Emyflow is the shower channel particularly easy to clean and maintain as it offers also a large and direct access to the trap from the central removable grid.

PVD SELECTION / LINE model

length	gun metal	gold	copper
400	**5963**.504.8.N	**5963**.504.8.3	**5963**.504.8.Q
600	**5963**.804.8.N	**5963**.804.8.3	**5963**.804.8.Q
800	**5963**.204.8.N	**5963**.204.8.3	**5963**.204.8.Q
1.000	**5963**.404.8.N	**5963**.404.8.3	**5963**.404.8.Q

NOTES / ADJUSTABLE LENGTH

Adjustable from 1000 maximum to 800 mm minimum length
Only for the 1000 mm size channel


NOTES / COMMON FEATURES

1. standard package complete with grid, siphoning and perimetric waterproofing
2. all grids/covers are made in stainless steel AISI 316
3. adjusting supports to ease the installation

5963

Emyflow dry trap

channel for built-in shower





easy to clean and maintain, with dry trap



- easy to clean and maintain as it consists of a single surface
- AISI 316 steel grid and exposed surface
- direct access to the extractable dry trap
- thin bed system perimetric waterproofing
- adjustable supports to ease the installation
- ABS trap with two additional DN40 ABS exits
- ABS DN50 jointed outlet
- tiling thickness 15÷30 mm
- room under floor H. 60 mm

32 l/min 1 pcs.

omptea.eu





Emyflow dry trap	**5963**	measure	packaging	category	
	- tiling thickness 15÷30 mm - room under floor 65 mm - ABS lateral outlet DN40/50 - dry trap				
 LINE	**5963**.574.8	L. 400	1×box	14	new
	**5963**.874.8	L. 600	1×box	14	new
	**5963**.274.8	L. 800	1×box	14	new
	**5963**.474.8	L. 1000	1×box	14	new
 FRAME	**5963**.573.8	L. 400	1×box	14	new
	**5963**.873.8	L. 600	1×box	14	new
	**5963**.273.8	L. 800	1×box	14	new
	**5963**.473.8	L. 1000	1×box	14	new



EASY TO CLEAN

With only one visible, continuous and unobstructed surface, Emyflow is the shower channel particularly easy to clean and maintain as it offers also a large and direct access to the trap from the central removable grid.

PVD SELECTION / LINE model

length	gun metal	gold	copper
400	**5963**.574.8.N	**5963**.574.8.3	**5963**.574.8.Q
600	**5963**.874.8.N	**5963**.874.8.3	**5963**.874.8.Q
800	**5963**.274.8.N	**5963**.274.8.3	**5963**.274.8.Q
1.000	**5963**.474.8.N	**5963**.474.8.3	**5963**.474.8.Q

NOTES / ADJUSTABLE LENGTH

Adjustable from 1000 maximum to 800 mm minimum length
Only for the 1000 mm size channel


NOTES / COMMON FEATURES

1. standard package complete with grid, siphoning and perimetric waterproofing
2. all grids/covers are made in stainless steel AISI 316
3. adjusting supports to ease the installation

5962

Emyflow vertical outlet

channel for built-in shower




easy to clean and maintain, with vertical outlet


easy to clean and maintain as it consists of a single surface



- AISI 316 steel grid and exposed surface
- removable s/steel catching-hair grid
- thin bed system perimetric waterproofing
- adjustable supports to ease the installation
- ABS vertical outlet ϕ46 + adaptors ϕ50/54
- tiling thickness 15÷30 mm
- room under floor H. 50 mm (supports excluded)

32 l/min 1 pcs.

omptea.eu





Emyflow V.O.	5962	measure	packaging	category	
	- tiling thickness 15÷30 mm - room under floor 50 mm - ABS vertical outlet ϕ46/50/54 - no trap				
 LINE	5962.504.8	L. 400	1×box	14	new
	5962.804.8	L. 600	1×box	14	new
	5962.204.8	L. 800	1×box	14	new
	5962.404.8	L. 1000	1×box	14	new
 FRAME	5962.503.8	L. 400	1×box	14	new
	5962.803.8	L. 600	1×box	14	new
	5962.203.8	L. 800	1×box	14	new
	5962.403.8	L. 1000	1×box	14	new



EASY TO CLEAN

With only one visible, continuous and unobstructed surface, Emyflow is the shower channel particularly easy to clean and maintain as it offers also a large and direct access to the trap from the central removable grid.

PVD SELECTION / LINE model

length	gun metal	gold	copper
400	**5962**.504.8.N	**5962**.504.8.3	**5962**.504.8.Q
600	**5962**.804.8.N	**5962**.804.8.3	**5962**.804.8.Q
800	**5962**.204.8.N	**5962**.204.8.3	**5962**.204.8.Q
1.000	**5962**.404.8.N	**5962**.404.8.3	**5962**.404.8.Q


NOTES / ADJUSTABLE LENGTH

Adjustable from 1000 maximum to 800 mm minimum length
Only for the 1000 mm size channel

NOTES / COMMON FEATURES

1. standard package complete with grid, and perimetric waterproofing
2. all grids/covers are made in stainless steel AISI 316
3. adjusting supports to ease the installation


963 + 971
Miniflow
channel and floor drain for built-in shower




single size, linear or square shaped

- AISI 316 stainless steel linear grid (art. 963.106.8) or squared in chrome plated metal (art. 971.101.8)
- thin bed system perimetric waterproofing
- removable trap for cleaning
- ABS lateral outlet DN50
- tiling thickness 18÷44 mm (linear model 963.106.8) or 12÷55 mm (squared model art. 971.101.8)
- room under floor H. 64 mm (linear model 963.106.8) or H. 72 mm (squared model art. 971.101.8)
- also available with grid covering plastic frame


35 mm 39 l/min 1 pcs.




Miniflow 963		measure	packaging	category
- tiling thickness 18÷44 mm - room under floor 64 mm - ABS lateral outlet DN50 - water trap				
SQUARES	963.106.8	L. 700	1×box	14
SQUARES C	963.106.8.C	L. 700	1×box	14



35 mm 36 l/min 1 pcs.




Miniflow Q	971	measure	packaging	category
	- tiling thickness 12÷55 mm - room under floor 72 mm - ABS lateral outlet DN50 - water trap			
SQUARES	971.101.8	110×110	1×box / 4 (B)	14
O KEY	971.104.8.C	110×110	1×box / 4 (B)	14



standard grid grid covering plastic frame


943
Basicflow
channel for built-in shower



entry-level with grated cover

- AISI 316 stainless steel grid
- thin bed system perimetric waterproofing
- removable trap for cleaning
- dry-spot, drainage point for the water filtered through the flooring
- ABS lateral outlet DN50
- tiling thickness 13 mm (15 mm with covering grid)
- room under floor H. 70 mm
- also available with grid covering plastic frame

35 mm 39 l/min 1 pcs.




Basicflow std

943	measure	packaging	category
- tiling thickness 13 mm - room under floor 70 mm - ABS lateral outlet DN50 - water trap			
943.506.8	L. 400	1×box	14
943.706.8	L. 500	1×box	14
943.806.8	L. 600	1×box	14
943.906.8	L. 700	1×box	14
943.206.8	L. 800	1×box	14
943.306.8	L. 900	1×box	14

NOTES / COMMON FEATURES

1. dry-spot: drainage point for the water filtered through the flooring
2. standard package complete with grid, siphoning and perimetric waterproofing
3. all grids/covers are made in stainless steel AISI 316
4. adjusting supports to ease the installation






Basicflow line

943	measure	packaging	category

- tiling thickness 15 mm
- room under floor 70 mm
- ABS lateral outlet DN50
- water trap

943.504.8.C	L. 400	1×box	14
943.704.8.C	L. 500	1×box	14
943.804.8.C	L. 600	1×box	14
943.904.8.C	L. 700	1×box	14
943.204.8.C	L. 800	1×box	14
943.304.8.C	L. 900	1×box	14




standard grid

grid covering plastic frame

943

Basicflow dry trap


channel for built-in shower



entry-level with grated cover and dry trap

- AISI 316 stainless steel grid
- thin bed system perimetric waterproofing
- removable dry trap for cleaning
- dry-spot, drainage point for the water filtered through the flooring
- ABS lateral outlet DN50
- tiling thickness 13 mm (15 mm with covering grid)
- room under floor H. 70 mm
- also available with grid covering plastic frame

39 l/min 1 pcs.




Basicflow std / dry trap

943	measure	packaging	category	
- tiling thickness 13 mm - room under floor 70 mm - ABS lateral outlet DN50 - dry trap				
943.576.8	L. 400	1×box	14	new
943.776.8	L. 500	1×box	14	new
943.876.8	L. 600	1×box	14	new
943.976.8	L. 700	1×box	14	new
943.276.8	L. 800	1×box	14	new
943.376.8	L. 900	1×box	14	new

NOTES / COMMON FEATURES

1. dry-spot: drainage point for the water filtered through the flooring
2. standard package complete with grid, siphoning and perimetric waterproofing
3. all grids/covers are made in stainless steel AISI 316
4. adjusting supports to ease the installation






Basicflow line / dry trap

943

- tiling thickness 15 mm
- room under floor 70 mm
- ABS lateral outlet DN50
- dry trap

	measure	packaging	category	
943.574.8.C	L. 400	1×box	14	new
943.774.8.C	L. 500	1×box	14	new
943.874.8.C	L. 600	1×box	14	new
943.974.8.C	L. 700	1×box	14	new
943.274.8.C	L. 800	1×box	14	new
943.374.8.C	L. 900	1×box	14	new




standard grid — grid covering plastic frame

943

Basicflow tileable


channel for built-in shower



entry-level with only tileable cover

- AISI 316 stainless steel only tileable grid
- thin bed system perimetric waterproofing
- removable trap for cleaning (available also with dry trap)
- dry-spot, drainage point for the water filtered through the flooring
- ABS lateral outlet DN50
- tiling thickness 13 mm
- room under floor H. 70 mm

35 mm 39 l/min 1 pcs.



Basicflow tileable


943	measure	packaging	category	
- tiling thickness 13 mm - room under floor 70 mm - ABS lateral outlet DN50 - water trap				
943.503.8	L. 400	1×box	14	new
943.703.8	L. 500	1×box	14	new
943.803.8	L. 600	1×box	14	new
943.903.8	L. 700	1×box	14	new
943.203.8	L. 800	1×box	14	new
943.303.8	L. 900	1×box	14	new



Basicflow tileable / dry trap

- tiling thickness 13 mm
- room under floor 70 mm
- ABS lateral outlet DN50
- dry trap

943	measure	packaging	category	
943.573.8	L. 400	1×box	14	new
943.773.8	L. 500	1×box	14	new
943.873.8	L. 600	1×box	14	new
943.973.8	L. 700	1×box	14	new
943.273.8	L. 800	1×box	14	new
943.373.8	L. 900	1×box	14	new



Tiling thickness inside cover 8 mm


NOTES / COMMON FEATURES

1. dry-spot: drainage point for the water filtered through the flooring
2. standard package complete with grid, siphoning and perimetric waterproofing
3. all grids/covers are made in stainless steel AISI 316
4. adjusting supports to ease the installation

942

Basicflow vertical outlet


channel for built-in shower



entry-level with vertical outlet

- AISI 316 stainless steel grid (available also tileable)
- thin bed system perimetric waterproofing
- removable s/steel catching-hair grid
- dry-spot, drainage point for the water filtered through the flooring
- ABS vertical outlet ϕ46 + adaptors ϕ50/54
- tiling thickness 13 mm
- room under floor H. 40 mm (supports excluded)


39 l/min 1 pcs.



Basicflow v.o.

942	measure	packaging	category	
- tiling thickness 13 mm - room under floor 40 mm - ABS vertical outlet ϕ46/50/54 - no trap				
942.506.8	L. 400	1×box	14	new
942.706.8	L. 500	1×box	14	new
942.806.8	L. 600	1×box	14	new
942.906.8	L. 700	1×box	14	new
942.206.8	L. 800	1×box	14	new
942.306.8	L. 900	1×box	14	new





Basicflow v.o. / tileable

942	measure	packaging	category	

- tiling thickness 13 mm
- room under floor 40 mm
- ABS vertical outlet ø46/50/54
- no trap

942.503.8	L. 400	1×box	14	new
942.703.8	L. 500	1×box	14	new
942.803.8	L. 600	1×box	14	new
942.903.8	L. 700	1×box	14	new
942.203.8	L. 800	1×box	14	new
942.303.8	L. 900	1×box	14	new

Tiling thickness inside cover 8 mm


NOTES / COMMON FEATURES

1. dry-spot: drainage point for the water filtered through the flooring
2. standard package complete with grid, and perimetric waterproofing
3. all grids/covers are made in stainless steel AISI 316
4. adjusting supports to ease the installation

4943

Renova eko


channel for built-in shower



minimum encumbrance entry-level


- AISI 316 stainless steel grid (available also tileable)
- thin bed system perimetric waterproofing
- removable trap for cleaning
- dry-spot, drainage point for the water filtered through the flooring
- ABS trap with two additional DN40 ABS exits
- ABS DN50 jointed outlet
- tiling thickness 13 mm
- room under floor H. 54 mm

35 mm 39 l/min 1 pcs.



Renova eko	4943	measure	packaging	category	
	- tiling thickness 13 mm - room under floor 54 mm - ABS lateral outlet DN40/50 - water trap				
	4943.506.8	L. 400	1×box	14	new
	4943.706.8	L. 500	1×box	14	new
	4943.806.8	L. 600	1×box	14	new
	4943.906.8	L. 700	1×box	14	new
	4943.206.8	L. 800	1×box	14	new
	4943.306.8	L. 900	1×box	14	new





Renova eko tileble

4943	measure	packaging	category	

- tiling thickness 13 mm
- room under floor 54 mm
- ABS lateral outlet DN40/50
- water trap

4943.503.8	L. 400	1×box	14	new
4943.703.8	L. 500	1×box	14	new
4943.803.8	L. 600	1×box	14	new
4943.903.8	L. 700	1×box	14	new
4943.203.8	L. 800	1×box	14	new
4943.303.8	L. 900	1×box	14	new

Tiling thickness inside cover 8 mm


NOTES / COMMON FEATURES

1. dry-spot: drainage point for the water filtered through the flooring
2. standard package complete with grid, siphoning and perimetric waterproofing
3. all grids/covers are made in stainless steel AISI 316
4. adjusting supports to ease the installation

4943

Renova eko dry trap


channel for built-in shower



minimum encumbrance entry-level, with dry trap

- AISI 316 stainless steel grid (available also tileable)
- thin bed system perimetric waterproofing
- removable dry trap for cleaning
- dry-spot, drainage point for the water filtered through the flooring
- ABS trap with two additional DN40 ABS exits
- ABS DN50 jointed outlet
- tiling thickness 13 mm
- room under floor H. 54 mm


39 l/min 1 pcs.



Renova eko / dry trap

4943	measure	packaging	category	
- tiling thickness 13 mm - room under floor 54 mm - ABS lateral outlet DN40/50 - dry trap				
4943.576.8	L. 400	1×box	14	new
4943.776.8	L. 500	1×box	14	new
4943.876.8	L. 600	1×box	14	new
4943.976.8	L. 700	1×box	14	new
4943.276.8	L. 800	1×box	14	new
4943.376.8	L. 900	1×box	14	new





Renova eko tileble / dry trap

4943	measure	packaging	category	

- tiling thickness 13 mm
- room under floor 54 mm
- ABS lateral outlet DN40/50
- dry trap

4943.573.8	L. 400	1×box	14	new
4943.773.8	L. 500	1×box	14	new
4943.873.8	L. 600	1×box	14	new
4943.973.8	L. 700	1×box	14	new
4943.273.8	L. 800	1×box	14	new
4943.373.8	L. 900	1×box	14	new


Tiling thickness inside cover 8 mm

NOTES / COMMON FEATURES

1. dry-spot: drainage point for the water filtered through the flooring
2. standard package complete with grid, siphoning and perimetric waterproofing
3. all grids/covers are made in stainless steel AISI 316
4. adjusting supports to ease the installation

975
Intramura


set for built-in shower



for wall drain

- AISI 316 stainless steel cover adjustable for tiles thickness 5÷30 mm
- also available with only tileable version
- thin bed system perimetric waterproofing
- removable trap for cleaning
- adjustable supports to ease the installation
- dry-spot, drainage point for the water filtered through the flooring
- ABS trap with two additional DN40 ABS exits
- ABS DN50 jointed outlet
- tiling thickness 10÷30 mm
- room under floor H. 55 mm


35 mm | 27 l/min | 1 pcs.



Intramura	975	measure	packaging	category	
	- tiling thickness 10÷30 mm - room under floor 55 mm - ABS lateral outlet DN40/50 - water trap				
std	975.101.8	L. 300	1×box	14	new
tileable	975.102.8	L. 300	1×box	14	new

PVD SELECTION


model	gun metal	gold	copper
std	975.101.8.N	975.101.8.3	975.101.8.Q



2465
Odessa

new


trapped floor drain for built-in shower



with water seal level conform

- water seal conform, 50 mm
- s/steel AISI316 cover and frame adjustable in height
- tillable cover 130×130 mm and orientable frame 150×150 mm
- thin bed system perimetric waterproofing
- removable trap for cleaning
- dry-spot, drainage point for the water filtered through the flooring
- ABS lateral outlet DN50
- tiling thickness 20÷40 mm
- room under floor H. 80 mm

50 mm | 29 l/min | 10 pcs. | EN 1253 Conform




Odessa	2465	measure	packaging	category
	- tiling thickness 20÷40 mm - room under floor 80 mm - ABS lateral outlet DN50 - water trap			
	2465.602.8	150×150	1×box / 4 (B)	13



2665

Tirana unseen

trapped floor drain for built-in shower





completely invisible, all the visible parts of the drain have been removed

- AISI316 stainless steel support for central tile
- thin bed system perimetric waterproofing
- removable trap for cleaning (available also with dry trap)
- ABS lateral outlet DN50
- room under floor H. 70 mm
- it's specially developed for application in vinyl flooring

omptea.eu

30 mm 31 l/min 10 pcs.





Tirana unseen	2665	measure	packaging	category
	- tiling thickness - - room under floor 70 mm - ABS lateral outlet DN50 - water trap			
	2665.608.8	150×150	1×box / 10 (C)	13




ideal for VINYL FLOORING

COMPLETELY INVISIBLE

The grid has no edges to contain the tile and there is not the traditional profile to delimit the water drainage slot: in this way all the visible parts of the drain have been removed and the result is a shower channels model in which only the water flow slot remains visible.

Tirana unseen


2665	measure	packaging	category
- tiling thickness -			
- room under floor 70 mm			
- ABS lateral outlet DN50			
- dry trap			
2665.708.8	150×150	1×box / 10 (C)	13



2755

Tirana evo

trapped floor drain for built-in shower




with reduced room under floor

- s/steel AISI316 grid and frame adjustable in height
- thin bed system perimetric waterproofing
- removable trap for cleaning (available also with dry trap)
- EPS base for the trap housing and the soundproofing
- protection lid for construction site
- dry-spot, drainage point for the water filtered through the flooring
- ABS lateral outlet DN50
- tiling thickness 15÷30 mm (grated) or 25÷40 mm (tileable)
- room under floor H. 60 mm

30 mm 27 l/min 10 pcs.
grated

30 mm 31 l/min 10 pcs.
tileable



Tirana evo	2755	measure	packaging	category	
	- tiling thickness 15÷30 mm - room under floor 60 mm - ABS lateral outlet DN50 - water trap				
standard	2755.401.8	120×120	1×box / 10 (C)	13	new
design	2755.405.8	120×120	1×box / 10 (C)	13	new
square	2755.406.8	120×120	1×box / 10 (C)	13	new


	2755	measure	packaging	category	
	- tiling thickness 25÷40 mm - room under floor 60 mm - ABS lateral outlet DN50 - water trap				
tileable	2755.402.8	115×115	1×box / 10 (C)	13	new
	2755.602.8	150×150	1×box / 10 (C)	13	new




Tirana evo / dry trap

2755	measure	packaging	category	
- tiling thickness 15÷30 mm - room under floor 60 mm - ABS lateral outlet DN50 - dry trap				
standard 2755.501.8	120×120	1×box / 10 (C)	13	new
design 2755.505.8	120×120	1×box / 10 (C)	13	new
square 2755.506.8	120×120	1×box / 10 (C)	13	new

2755	measure	packaging	category	
- tiling thickness 25÷40 mm - room under floor 60 mm - ABS lateral outlet DN50 - dry trap				
2755.502.8	115×115	1×box / 10 (C)	13	new
2755.702.8	150×150	1×box / 10 (C)	13	new



575
No limits V
floor drain



for concealed bathtub


- reinforced Clicker device to work with water column of max 450 mm
- the installation of overflow is easy and functional due to the possibility to cut the exceeding plastic protrusion, without compromising the final aesthetics
- AISI 316 stainless steel grid 100×100 mm
- perimetric waterproofing sheet delivered in PVC and in tech fabric for thin bed sealing system
- flexible overflow connection L. 1300 mm
- removable trap for cleaning
- ABS lateral outlet DN50
- tiling thickness 40÷90 mm
- room under floor H. 110 mm

50 mm 54 l/min 1 pcs.

No limits V	575	measure	packaging	category
	- tiling thickness 40÷90 mm - room under floor 110 mm - ABS lateral outlet DN50 - water trap			
without overflow	575.511.8	100×100	1×box / 4 (B)	14
with overflow	575.611.8	100×100	1×box	14

NOTES / WATERPROOFING

The standard package provides both the usual PVC sheet and technical fabric for the thin bed waterproofing Deflow Tech 500 × 500 mm






NOTES

The standard package provides both the usual PVC sheet and technical fabric for the thin bed waterproofing Deflow Tech 500 × 500 mm. This way you can choose which waterproofing system is to be installed being aware that the vertical walls cannot be waterproofed with the PVC sheet.


In the drawing you find an installation example with thin bed waterproofing:
- to install the drain it is necessary to realize a screed of minimum 40 mm
- for the walls, once the sheet has been fixed, proceed as focused in the drawing aside





2665 + 2662
Tirana
ABS trapped floor drain, with c.p. brass grid

- grid and orientable frame in c.p. brass, adjustable in height 15÷30 mm
- anti-infiltrations flange useful for thin bed waterproofing
- without waterproofing sheet
- removable trap for cleaning
- dry-spot, drainage point for the water filtered through the flooring
- tiling thickness 15÷30 mm
- room under floor H. 60 mm



a. 2665.291.8

size	packaging	category
⧄100 × ø50	1×box / 10 (C)	13

- grid Standard c.p. brass
- frame ⧄100 c.p. brass
- outlet DN50 lateral ABS
- with water trap (removable)
- without waterproofing sheet

30 mm 27 l/min 10 pcs.

b. 2665.491.8

size	packaging	category
⧄120 × ø50	1×box / 10 (C)	13

- grid Standard c.p. brass
- frame ⧄120 c.p. brass
- outlet DN50 lateral ABS
- with water trap (removable)
- without waterproofing sheet


30 mm 27 l/min 10 pcs.

c. 2665.691.8

size	packaging	category
⧄150 × ø50	1×box / 10 (C)	13

- grid Standard c.p. brass
- frame ⧄150 c.p. brass
- outlet DN50 lateral ABS
- with water trap (removable)
- without waterproofing sheet

30 mm 27 l/min 10 pcs.



a. 2665.295.8

size	packaging	category
⧄100 × ø50	1×box / 10 (C)	13

- grid Design c.p. brass
- frame ⧄100 c.p. brass
- outlet DN50 lateral ABS
- with water trap (removable)
- without waterproofing sheet

30 mm 24 l/min 10 pcs.

b. 2665.495.8

size	packaging	category
⧄120 × ø50	1×box / 10 (C)	13

- grid Design c.p. brass
- frame ⧄120 c.p. brass
- outlet DN50 lateral ABS
- with water trap (removable)
- without waterproofing sheet

30 mm 24 l/min 10 pcs.


c. 2665.695.8

size	packaging	category
⧄150 × ø50	1×box / 10 (C)	13

- grid Design c.p. brass
- frame ⧄150 c.p. brass
- outlet DN50 lateral ABS
- with water trap (removable)
- without waterproofing sheet

30 mm 24 l/min 10 pcs.





a. 2662.291.8

size	packaging	category
⧄100 × ø50	1×box / 10 (C)	13

- grid Standard c.p. brass
- frame ⧄100 c.p. brass
- outlet ø46 vertical ABS
  adaptor ø50/54 ABS
- with water trap (removable)
- without waterproofing sheet

30 mm 20 l/min 10 pcs.

b. 2662.491.8

size	packaging	category
⧄120 × ø50	1×box / 10 (C)	13

- grid Standard c.p. brass
- frame ⧄120 c.p. brass
- outlet ø46 vertical ABS
  adaptor ø50/54 ABS
- with water trap (removable)
- without waterproofing sheet


30 mm 20 l/min 10 pcs.

c. 2662.691.8

size	packaging	category
⧄150 × ø50	1×box / 10 (C)	13

- grid Standard c.p. brass
- frame ⧄150 c.p. brass
- outlet ø46 vertical ABS
  adaptor ø50/54 ABS
- with water trap (removable)
- without waterproofing sheet

30 mm 20 l/min 10 pcs.



a. 2662.295.8

size	packaging	category
⧄100 × ø50	1×box / 10 (C)	13

- grid Design c.p. brass
- frame ⧄100 c.p. brass
- outlet ø46 vertical ABS
  adaptor ø50/54 ABS
- with water trap (removable)
- without waterproofing sheet

30 mm 24 l/min 10 pcs.

b. 2662.495.8

size	packaging	category
⧄120 × ø50	1×box / 10 (C)	13

- grid Design c.p. brass
- frame ⧄120 c.p. brass
- outlet ø46 vertical ABS
  adaptor ø50/54 ABS
- with water trap (removable)
- without waterproofing sheet

30 mm 24 l/min 10 pcs.

c. 2662.695.8

size	packaging	category
⧄150 × ø50	1×box / 10 (C)	13


- grid Design c.p. brass
- frame ⧄150 c.p. brass
- outlet ø46 vertical ABS
  adaptor ø50/54 ABS
- with water trap (removable)
- without waterproofing sheet

30 mm 24 l/min 10 pcs.


2665 + 2662

Tirana dry trap

ABS trapped floor drain, with c.p. brass grid and dry trap



- grid and orientable frame in c.p. brass, adjustable in height 15÷30 mm
- anti-infiltrations flange useful for thin bed waterproofing
- without waterproofing sheet
- removable dry trap for cleaning
- dry-spot, drainage point for the water filtered through the flooring
- tiling thickness 15÷30 mm
- room under floor H. 60 mm



a. **2665.391.8**

size	packaging	category
⧄100 × ø50	1×box / 10 (C)	13

- grid Standard c.p. brass
- frame ⧄100 c.p. brass
- outlet DN50 lateral ABS
- with dry trap (removable)
- without waterproofing sheet

27 l/min 10 pcs.

b. **2665.591.8**

size	packaging	category
⧄120 × ø50	1×box / 10 (C)	13

- grid Standard c.p. brass
- frame ⧄120 c.p. brass
- outlet DN50 lateral ABS
- with dry trap (removable)
- without waterproofing sheet


27 l/min 10 pcs.


c. **2665.791.8**

size	packaging	category
⧄150 × ø50	1×box / 10 (C)	13

- grid Standard c.p. brass
- frame ⧄150 c.p. brass
- outlet DN50 lateral ABS
- with dry trap (removable)
- without waterproofing sheet

27 l/min 10 pcs.





a. **2662.391.8**

	size	packaging	category
	⧄100 × ø50	1×box / 10 (C)	13

- grid Standard c.p. brass
- frame ⧄100 c.p. brass
- outlet ø46 vertical ABS
  adaptor ø50/54 ABS
- with dry trap (removable)
- without waterproofing sheet

20 l/min 10 pcs.

b. **2662.591.8**

	size	packaging	category
	⧄120 × ø50	1×box / 10 (C)	13

- grid Standard c.p. brass
- frame ⧄120 c.p. brass
- outlet ø46 vertical ABS
  adaptor ø50/54 ABS
- with dry trap (removable)
- without waterproofing sheet

20 l/min 10 pcs.


c. **2662.791.8**


	size	packaging	category
	⧄150 × ø50	1×box / 10 (C)	13

- grid Standard c.p. brass
- frame ⧄150 c.p. brass
- outlet ø46 vertical ABS
  adaptor ø50/54 ABS
- with dry trap (removable)
- without waterproofing sheet

20 l/min 10 pcs.

NOTES






2665 + 2662

Tirana tileable + tileable/dry-trap

ABS trapped floor drain, with s/steel AISI 316 tileable cover



- tileable cover and orientable frame in s/steel AISI 316, adjustable in height 25÷40 mm
- anti-infiltrations flange useful for thin bed waterproofing
- without waterproofing sheet
- removable trap for cleaning (available also with dry trap)
- dry-spot, drainage point for the water filtered through the flooring
- tiling thickness 25÷40 mm
- room under floor H. 60 mm



a. **2665.492.8**

size	packaging	category
⧄115 × ø50	1×box / 10 (C)	13

- cover ⧄100 AISI 316 reversible tileable
- frame ⧄115 AISI 316
- outlet DN50 lateral ABS
- with water trap (removable)
- without waterproofing sheet

30 mm · 31 l/min · 10 pcs.


PVD: 2665.492.8.N · 2665.492.8.3 · 2665.492.8.Q

b. **2665.692.8**

size	packaging	category
⧄150 × ø50	1×box / 10 (C)	13

- cover ⧄132 AISI 316 reversible tileable
- frame ⧄150 AISI 316
- outlet DN50 lateral ABS
- with water trap (removable)
- without waterproofing sheet

30 mm · 31 l/min · 10 pcs. · new



a. **2665.592.8**

size	packaging	category
⧄115 × ø50	1×box / 10 (C)	13

- cover ⧄100 AISI 316 reversible tileable
- frame ⧄115 AISI 316
- outlet DN50 lateral ABS
- with dry trap (removable)
- without waterproofing sheet

31 l/min · 10 pcs. · new


PVD: 2665.592.8.N · 2665.592.8.3 · 2665.592.8.Q


b. **2665.792.8**

size	packaging	category
⧄150 × ø50	1×box / 10 (C)	13

- cover ⧄132 AISI 316 reversible tileable
- frame ⧄150 AISI 316
- outlet DN50 lateral ABS
- with dry trap (removable)
- without waterproofing sheet

31 l/min · 10 pcs. · new





a. 2662.492.8

size	packaging	category
⧄115 × ø50	1×box / 10 (C)	13

- cover ⧄100 AISI 316 reversible tileable
- frame ⧄115 AISI 316
- outlet ø46 vertical ABS adaptor ø50/54 ABS
- with water trap (removable)
- without waterproofing sheet

30 mm · 20 l/min · 10 pcs.


PVD: 2662.492.8.N · 2662.492.8.3 · 2662.492.8.Q

b. 2662.692.8

size	packaging	category
⧄150 × ø50	1×box / 10 (C)	13

- cover ⧄132 AISI 316 reversible tileable
- frame ⧄150 AISI 316
- outlet ø46 vertical ABS adaptor ø50/54 ABS
- with water trap (removable)
- without waterproofing sheet

30 mm · 20 l/min · 10 pcs. · new



a. 2662.592.8

size	packaging	category
⧄115 × ø50	1×box / 10 (C)	13

- cover ⧄100 AISI 316 reversible tileable
- frame ⧄115 AISI 316
- outlet ø46 vertical ABS adaptor ø50/54 ABS
- with dry trap (removable)
- without waterproofing sheet

20 l/min · 10 pcs. · new


PVD: 2662.592.8.N · 2662.592.8.3 · 2662.592.8.Q

b. 2662.792.8

size	packaging	category
⧄150 × ø50	1×box / 10 (C)	13

- cover ⧄132 AISI 316 reversible tileable
- frame ⧄150 AISI 316
- outlet ø46 vertical ABS adaptor ø50/54 ABS
- with dry trap (removable)
- without waterproofing sheet

20 l/min · 10 pcs. · new




2655 + 2652

Tirana steel + steel/dry-trap

ABS trapped floor drain, with s/steel AISI 316 grid

- grid and orientable frame in s/steel AISI 316, adjustable in height 15÷30 mm
- anti-infiltrations flange useful for thin bed waterproofing
- without waterproofing sheet
- removable trap for cleaning (available also with dry trap)
- dry-spot, drainage point for the water filtered through the flooring
- tiling thickness 15÷30 mm
- room under floor H. 60 mm



a. 2655.491.8

size	packaging	category
⧄120 × ø50	1×box / 10 (C)	13

- grid Standard AISI 316
- frame ⧄120 AISI 316
- outlet DN50 lateral ABS
- with water trap (removable)
- without waterproofing sheet

30 mm · 27 l/min · 10 pcs.

PVD: 2655.491.8.N · 2655.491.8.3 · 2655.491.8.Q

b. 2655.495.8

size	packaging	category
⧄120 × ø50	1×box / 10 (C)	13

- grid Design AISI 316
- frame ⧄120 AISI 316
- outlet DN50 lateral ABS
- with water trap (removable)
- without waterproofing sheet


30 mm · 27 l/min · 10 pcs.

c. 2655.496.8

size	packaging	category
⧄120 × ø50	1×box / 10 (C)	13

- grid Square AISI 316
- frame ⧄120 AISI 316
- outlet DN50 lateral ABS
- with water trap (removable)
- without waterproofing sheet

30 mm · 27 l/min · 10 pcs.



a. 2655.591.8

size	packaging	category
⧄120 × ø50	1×box / 10 (C)	13

- grid Standard AISI 316
- frame ⧄120 AISI 316
- outlet DN50 lateral ABS
- with dry trap (removable)
- without waterproofing sheet

27 l/min · 10 pcs.

PVD: 2655.591.8.N · 2655.591.8.3 · 2655.591.8.Q

b. 2655.595.8

size	packaging	category
⧄120 × ø50	1×box / 10 (C)	13

- grid Design AISI 316
- frame ⧄120 AISI 316
- outlet DN50 lateral ABS
- with dry trap (removable)
- without waterproofing sheet

27 l/min · 10 pcs.


c. 2655.596.8

size	packaging	category
⧄120 × ø50	1×box / 10 (C)	13

- grid Square AISI 316
- frame ⧄120 AISI 316
- outlet DN50 lateral ABS
- with dry trap (removable)
- without waterproofing sheet

27 l/min · 10 pcs.





a. 2652.491.8

size	packaging	category
⧄120 × ø50	1×box / 10 (C)	13

- grid Standard AISI 316
- frame ⧄120 AISI 316
- outlet ø46 vertical ABS
  adaptor ø50/54 ABS
- with water trap (removable)
- without waterproofing sheet

30 mm 20 l/min 10 pcs.

PVD: 2652.491.8.N | 2652.491.8.3 | 2652.491.8.Q

b. 2652.495.8

size	packaging	category
⧄120 × ø50	1×box / 10 (C)	13

- grid Design AISI 316
- frame ⧄120 AISI 316
- outlet ø46 vertical ABS
  adaptor ø50/54 ABS
- with water trap (removable)
- without waterproofing sheet


30 mm 20 l/min 10 pcs.

c. 2652.496.8

size	packaging	category
⧄120 × ø50	1×box / 10 (C)	13

- grid Square AISI 316
- frame ⧄120 AISI 316
- outlet ø46 vertical ABS
  adaptor ø50/54 ABS
- with water trap (removable)
- without waterproofing sheet

30 mm 20 l/min 10 pcs.



a. 2652.591.8

size	packaging	category
⧄120 × ø50	1×box / 10 (C)	13

- grid Standard AISI 316
- frame ⧄120 AISI 316
- outlet ø46 vertical ABS
  adaptor ø50/54 ABS
- with dry trap (removable)
- without waterproofing sheet

20 l/min 10 pcs.

PVD: 2652.591.8.N | 2652.591.8.3 | 2652.591.8.Q

b. 2652.595.8

size	packaging	category
⧄120 × ø50	1×box / 10 (C)	13

- grid Design AISI 316
- frame ⧄120 AISI 316
- outlet ø46 vertical ABS
  adaptor ø50/54 ABS
- with dry trap (removable)
- without waterproofing sheet

20 l/min 10 pcs.

c. 2652.596.8

size	packaging	category
⧄120 × ø50	1×box / 10 (C)	13

- grid Square AISI 316
- frame ⧄120 AISI 316
- outlet ø46 vertical ABS
  adaptor ø50/54 ABS
- with dry trap (removable)
- without waterproofing sheet

20 l/min 10 pcs.


2565

Kuala Lumpur

ABS trapped floor drain, with c.p. brass grid



- grid and orientable frame in c.p. brass
- no waterproofing predisposition
- removable trap for cleaning
- ABS jointed lateral outlet DN50
- room under floor H. 85 mm



a. 2565.201.8

size	packaging	category
⧄100 × ø50	1×box / 16 (B)	13

- grid Standard c.p. brass
- frame ⧄100 c.p. brass
- outlet DN50 lateral ABS
- with water trap (removable)
- no waterproofing predisposition

35 mm 23 l/min 16 pcs.

b. 2565.401.8

size	packaging	category
⧄120 × ø50	1×box / 16 (B)	13

- grid Standard c.p. brass
- frame ⧄120 c.p. brass
- outlet DN50 lateral ABS
- with water trap (removable)
- no waterproofing predisposition


35 mm 23 l/min 16 pcs.

c. 2565.901.8

size	packaging	category
⧄150 × ø50	1×box / 12 (B)	13

- grid Standard c.p. brass
- frame ⧄150 c.p. brass
- outlet DN50 lateral ABS
- with water trap (removable)
- no waterproofing predisposition

35 mm 23 l/min 12 pcs.



a. 2565.251.8

size	packaging	category
⧄100 × ø50	1×box / 16 (B)	13

- grid Design c.p. brass
- frame ⧄100 c.p. brass
- outlet DN50 lateral ABS
- with water trap (removable)
- no waterproofing predisposition

35 mm 23 l/min 16 pcs.

b. 2565.451.8

size	packaging	category
⧄120 × ø50	1×box / 16 (B)	13

- grid Design c.p. brass
- frame ⧄120 c.p. brass
- outlet DN50 lateral ABS
- with water trap (removable)
- no waterproofing predisposition

35 mm 23 l/min 16 pcs.

c. 2565.951.8

size	packaging	category
⧄150 × ø50	1×box / 12 (B)	13

- grid Design c.p. brass
- frame ⧄150 c.p. brass
- outlet DN50 lateral ABS
- with water trap (removable)
- no waterproofing predisposition


35 mm 23 l/min 12 pcs.

2562
Manila

ABS trapped floor drain, with c.p. brass grid



- grid and orientable frame in c.p. brass
- no waterproofing predisposition
- removable trap for cleaning
- ABS vertical outlet DN50
- room under floor H. 54 mm



a. 2562.201.8

size	packaging	category
⧄100 × ø50	1×box / 16 (B)	13

- grid Standard c.p. brass
- frame ⧄100 c.p. brass
- outlet DN50 vertical ABS
- with water trap (removable)
- no waterproofing predisposition

35 mm 23 l/min 16 pcs.

b. 2562.401.8

size	packaging	category
⧄120 × ø50	1×box / 16 (B)	13

- grid Standard c.p. brass
- frame ⧄120 c.p. brass
- outlet DN50 vertical ABS
- with water trap (removable)
- no waterproofing predisposition


35 mm 23 l/min 16 pcs.

c. 2562.901.8

size	packaging	category
⧄150 × ø50	1×box / 12 (B)	13

- grid Standard c.p. brass
- frame ⧄150 c.p. brass
- outlet DN50 vertical ABS
- with water trap (removable)
- no waterproofing predisposition

35 mm 23 l/min 12 pcs.



a. 2562.251.8

size	packaging	category
⧄100 × ø50	1×box / 16 (B)	13

- grid Design c.p. brass
- frame ⧄100 c.p. brass
- outlet DN50 vertical ABS
- with water trap (removable)
- no waterproofing predisposition

35 mm 23 l/min 16 pcs.

b. 2562.451.8

size	packaging	category
⧄120 × ø50	1×box / 16 (B)	13

- grid Design c.p. brass
- frame ⧄120 c.p. brass
- outlet DN50 vertical ABS
- with water trap (removable)
- no waterproofing predisposition

35 mm 23 l/min 16 pcs.

c. 2562.951.8

size	packaging	category
⧄150 × ø50	1×box / 12 (B)	13

- grid Design c.p. brass
- frame ⧄150 c.p. brass
- outlet DN50 vertical ABS
- with water trap (removable)
- no waterproofing predisposition


35 mm 23 l/min 12 pcs.

Dry trap not compatible


2555

Kuala Lumpur steel

ABS trapped floor drain, with s/steel AISI 316 grid



- grid and orientable frame in s/steel AISI 316
- no waterproofing predisposition
- removable trap for cleaning
- ABS jointed lateral outlet DN50
- room under floor H. 85 mm




a. 2555.401.8

size	packaging	category
⧄120 × ø50	1×box / 16 (B)	13

- grid Standard AISI 316
- frame ⧄120 AISI 316
- outlet DN50 lateral ABS
- with water trap (removable)
- no waterproofing predisposition

35 mm 23 l/min 16 pcs.




b. 2555.451.8

size	packaging	category
⧄120 × ø50	1×box / 16 (B)	13

- grid Design AISI 316
- frame ⧄120 AISI 316
- outlet DN50 lateral ABS
- with water trap (removable)
- no waterproofing predisposition

35 mm 23 l/min 16 pcs.



c. 2555.461.8

size	packaging	category
⧄120 × ø50	1×box / 16 (B)	13

- grid Square AISI 316
- frame ⧄120 AISI 316
- outlet DN50 lateral ABS
- with water trap (removable)
- no waterproofing predisposition

35 mm 23 l/min 16 pcs.

2552

Manila steel

ABS trapped floor drain, with s/steel AISI 316 grid




- grid and orientable frame in s/steel AISI 316
- no waterproofing predisposition
- removable trap for cleaning
- ABS vertical outlet DN50
- room under floor H. 54 mm

a. **2552.401.8**

size	packaging	category
⧄120 × ø50	1×box / 16 (B)	13

- grid Standard AISI 316
- frame ⧄120 AISI 316
- outlet DN50 vertical ABS
- with water trap (removable)
- no waterproofing predisposition

35 mm 23 l/min 16 pcs.




b. **2552.451.8**

size	packaging	category
⧄120 × ø50	1×box / 16 (B)	13

- grid Design AISI 316
- frame ⧄120 AISI 316
- outlet DN50 vertical ABS
- with water trap (removable)
- no waterproofing predisposition

35 mm 23 l/min 16 pcs.




c. **2552.461.8**

size	packaging	category
⧄120 × ø50	1×box / 16 (B)	13

- grid Square AISI 316
- frame ⧄120 AISI 316
- outlet DN50 vertical ABS
- with water trap (removable)
- no waterproofing predisposition

35 mm 23 l/min 16 pcs.




Dry trap not compatible


2565 + 2555

Kuala Lumpur dry-trap

ABS trapped floor drain, with dry trap



- grid and orientable frame in c.p. brass or s/steel AISI 316
- no waterproofing predisposition
- removable dry trap for cleaning
- ABS jointed lateral outlet DN50
- room under floor H. 85 mm



a. 2565.206.8

size	packaging	category
⧄100 × ø50	1×box / 16 (B)	13

- grid Standard c.p. brass
- frame ⧄100 c.p. brass
- outlet DN50 lateral ABS
- with dry trap (removable)
- no waterproofing predisposition

23 l/min 16 pcs.

b. 2565.406.8

size	packaging	category
⧄120 × ø50	1×box / 16 (B)	13

- grid Standard c.p. brass
- frame ⧄120 c.p. brass
- outlet DN50 lateral ABS
- with dry trap (removable)
- no waterproofing predisposition


23 l/min 16 pcs.

c. 2565.906.8

size	packaging	category
⧄150 × ø50	1×box / 12 (B)	13

- grid Standard c.p. brass
- frame ⧄150 c.p. brass
- outlet DN50 lateral ABS
- with dry trap (removable)
- no waterproofing predisposition

23 l/min 12 pcs.



a. 2555.406.8

size	packaging	category
⧄120 × ø50	1×box / 16 (B)	13

- grid Standard AISI 316
- frame ⧄120 AISI 316
- outlet DN50 lateral ABS
- with dry trap (removable)
- no waterproofing predisposition

23 l/min 16 pcs.

b. 2555.456.8

size	packaging	category
⧄120 × ø50	1×box / 16 (B)	13

- grid Design AISI 316
- frame ⧄120 AISI 316
- outlet DN50 lateral ABS
- with dry trap (removable)
- no waterproofing predisposition

23 l/min 16 pcs.

c. 2555.466.8

size	packaging	category
⧄120 × ø50	1×box / 16 (B)	13

- grid Square AISI 316
- frame ⧄120 AISI 316
- outlet DN50 lateral ABS
- with dry trap (removable)
- no waterproofing predisposition

23 l/min 16 pcs.

9977


Kalamáta grated

ABS floor drain, with s/steel AISI 316 grid



- universal gasket in EPDM to fit different pipes diameters, from ø100 to ø110 mm
- grid and orientable frame in s/steel AISI 316
- no waterproofing predisposition
- dry-spot, drainage point for the water filtered through the flooring
- height adjustment from 15 to 30 mm

omptea.eu




a. 9977.491.9.S

- without trap
- universal gasket to fit pipes from ø100 to ø110 mm
- grid Standard AISI 316
- frame ⧄120 AISI 316

size	packaging	category
⧄120	1×box / 16 (B)	13

16 pcs.

PVD: 9977.491.9.SN | 9977.491.9.S3 | 9977.491.9.SQ




a. 9977.591.9.S

- with dry trap (removable)
- universal gasket to fit pipes from ø100 to ø110 mm
- grid Standard AISI 316
- frame ⧄120 AISI 316

size	packaging	category
⧄120	1×box / 16 (B)	13

16 pcs.

PVD: 9977.591.9.SN | 9977.591.9.S3 | 9977.591.9.SQ



a. 9977.411.9.S

- with water trap (removable)
- universal gasket to fit pipes from ø100 to ø110 mm
- grid Standard AISI 316
- frame ⧄120 AISI 316

size	packaging	category
⧄120	1×box / 16 (B)	13


30 mm 16 pcs.

PVD: 9977.411.9.SN | 9977.411.9.S3 | 9977.411.9.SQ

9977


Kalamáta tileable

ABS floor drain, with s/steel AISI 316 tileable cover



- universal gasket in EPDM to fit different pipes diameters, from ø100 to ø110 mm
- tileable cover and orientable frame in s/steel AISI 316
- no waterproofing predisposition
- dry-spot, drainage point for the water filtered through the flooring
- height adjustment from 25 to 40 mm

omptea.eu



a. 9977.492.9

size	packaging	category
⧄115	1×box / 16 (B)	13

- without trap
- universal gasket to fit pipes from ø100 to ø110 mm
- cover ⧄100 AISI 316 reversible tileable
- frame ⧄115 AISI 316

10 pcs. new


PVD 9977.492.9.N | 9977.492.9.3 | 9977.492.9.Q

b. 9977.692.9

size	packaging	category
⧄150	1×box / 12 (B)	13

- without trap
- universal gasket to fit pipes from ø100 to ø110 mm
- cover ⧄132 AISI 316 reversible tileable
- frame ⧄150 AISI 316

10 pcs. new



a. 9977.592.9

size	packaging	category
⧄115	1×box / 16 (B)	13

- with dry trap (removable)
- universal gasket to fit pipes from ø100 to ø110 mm
- cover ⧄100 AISI 316 reversible tileable
- frame ⧄115 AISI 316

10 pcs. new


PVD 9977.592.9.N | 9977.592.9.3 | 9977.592.9.Q

b. 9977.792.9

size	packaging	category
⧄150	1×box / 12 (B)	13

- with dry trap (removable)
- universal gasket to fit pipes from ø100 to ø110 mm
- cover ⧄132 AISI 316 reversible tileable
- frame ⧄150 AISI 316

10 pcs. new



a. 9977.412.9

size	packaging	category
⧄115	1×box / 16 (B)	13

- with water trap (removable)
- universal gasket to fit pipes from ø100 to ø110 mm
- cover ⧄100 AISI 316 reversible tileable
- frame ⧄115 AISI 316

30 mm 10 pcs. new


PVD 9977.412.9.N | 9977.412.9.3 | 9977.412.9.Q

b. 9977.612.9

size	packaging	category
⧄150	1×box / 12 (B)	13

- with water trap (removable)
- universal gasket to fit pipes from ø100 to ø110 mm
- cover ⧄132 AISI 316 reversible tileable
- frame ⧄150 AISI 316

30 mm 10 pcs. new




9977

Kalamáta unseen

ABS floor drain, completely invisible

- universal gasket in EPDM to fit different pipes diameters, from ø100 to ø110 mm
- AISI316 stainless steel support for central tile
- anti-infiltrations flange useful for thin bed waterproofing
- without waterproofing sheet
- height adjustment from 25 to 40 mm
- it's specially developed for application in vinyl flooring

omptea.eu




a. 9977.698.9

size	packaging	category
⧄135	1×box / 10 (C)	13

- without trap
- universal gasket to fit pipes from ø100 to ø110 mm
- support for central tile ⧄135 s/steel AISI 316
- tiles borderline ⧄150
- without waterproofing sheet

10 pcs.




b. 9977.798.9

size	packaging	category
⧄135	1×box / 10 (C)	13

- with dry trap (removable)
- universal gasket to fit pipes from ø100 to ø110 mm
- support for central tile ⧄135 s/steel AISI 316
- tiles borderline ⧄150
- without waterproofing sheet

10 pcs.



c. 9977.618.9

size	packaging	category
⧄135	1×box / 10 (C)	13

- with water trap (removable)
- universal gasket to fit pipes from ø100 to ø110 mm
- support for central tile ⧄135 s/steel AISI 316
- tiles borderline ⧄150
- without waterproofing sheet


30 mm 10 pcs.

65 + 62

...

brass trapped floor drain, with c.p. brass grid





a. 65.200.6


	size	packaging	category
- grid ø90 c.p. brass - frame ⧄100 c.p. brass - outlet ø40 lateral brass - with water trap	⧄100 × ø40	1×box / 15 (T) 10 mm 17 l/min 15 pcs.	15

b. 65.400.6

	size	packaging	category
- grid ø90 c.p. brass - frame ⧄120 c.p. brass - outlet ø40 lateral brass - with water trap	⧄120 × ø40	1×box / 15 (T) 10 mm 17 l/min 15 pcs.	15


c. 65.900.6

	size	packaging	category
- grid ø90 c.p. brass - frame ⧄150 c.p. brass - outlet ø40 lateral brass - with water trap	⧄150 × ø40	1×box / 16 (B)	15



a. 65.300.6

	size	packaging	category
- grid ø90 c.p. brass - without frame - outlet ø40 lateral brass - with water trap	ø90 × ø40	1×box / 15 (T) 10 mm 17 l/min 15 pcs.	15



a. 62.405.5


	size	packaging	category
- grid ø90 c.p. brass - frame ⧄100 c.p. brass - outlet 1"¼ vertical brass - with water trap	⧄100 × 1"¼	2×box / 30 (T) 10 mm 17 l/min 15 pcs.	15

b. 62.605.5

	size	packaging	category
- grid ø90 c.p. brass - frame ⧄120 c.p. brass - outlet 1"¼ vertical brass - with water trap	⧄120 × ø40	1×box / 15 (T) 10 mm 17 l/min 30 pcs.	15

c. 62.905.5

	size	packaging	category
- grid ø90 c.p. brass - frame ⧄150 c.p. brass - outlet 1"¼ vertical brass - with water trap	⧄150 × ø40	1×box / 16 (B) 10 mm 17 l/min 16 pcs.	15



a. 62.305.5


	size	packaging	category
- grid ø90 c.p. brass - without frame - outlet 1"¼ vertical brass - with water trap	ø90 × 1"¼	2×box / 30 (T) 10 mm 17 l/min 30 pcs.	15



263 + 265 + 267 + 271

...

plastic trapped floor drain




a. 263.201.8

size	packaging	category
⧄105 × ø50	1×box / 10 (Q)	13

- in ABS
- grid ⧄105 s/steel
- outlet DN50 vertical ABS
- with water trap (removable)
- waterproofing predisposition
- without waterproofing sheet
- tiling thickness 25÷50
- room under floor H. 60

30 mm 32 l/min 10 pcs.




b. 265.201.8

size	packaging	category
⧄105 × ø50	1×box / 10 (B)	13

- grid ⧄105 s/steel
- outlet DN50 lateral ABS
- with water trap (removable)
- waterproofing predisposition
- without waterproofing sheet
- tiling thickness 25÷50
- room under floor H. 60

30 mm 32 l/min 10 pcs.




c. 267.201.8

size	packaging	category
⧄105 × ø50	1×box / 10 (B)	13

- grid ⧄105 s/steel
- outlet DN50 lateral ABS
- with ø50 additional inlet
- with water trap (removable)
- waterproofing predisposition
- without waterproofing sheet
- tiling thickness 25÷50
- room under floor H. 60

30 mm 32 l/min 10 pcs.




a. 271.303.6

size	packaging	category
ø90 × ø40	1×bag / 30 (B)	13

- in PEHD
- grid ø90 c.p. brass
- without frame
- outlet ø40 lateral PEHD
- with water trap (removable)
- no waterproofing predisposition
- room under floor H. 110

40 mm 31 l/min 30 pcs.



b. 271.403.6

size	packaging	category
ø90 × ø40	1×bag / 30 (A)	13

- grid ø90 c.p. brass
- frame ⧄120 c.p. brass
- outlet ø40 lateral PEHD
- with water trap (removable)
- no waterproofing predisposition
- room under floor H. 110


40 mm 31 l/min 30 pcs.



274 + 275

...

PEHD floor drain





a. 274.003.8

size	packaging	category
ø100 × ø50	1×bag / 10 (B)	13

- H. 130
- in PEHD
- 3 inlets ø40
- outlet ø50
- no trap
- with protection lid

10 pcs.






b. 275.003.8

size	packaging	category
ø100 × ø50	1×bag / 10 (C)	13

- H. 200
- in PEHD
- 3 inlets ø40
- outlet ø50
- no trap
- with protection lid

10 pcs.




SPARE PARTS / FLOOR DRAIN PLUG
177.601.0
For more informations see page 268



274 + 275

...

PP floor drain





a. 274.002.8

size	packaging	category
ø100 × ø50	1×bag / 10 (B)	13

- H. 150
- in PP
- 3 inlets ø40
- outlet ø50
- with removable trap
- with protection lid

50 mm 10 pcs.






b. 275.002.8

size	packaging	category
ø100 × ø50	1×bag / 10 (C)	13

- H. 170
- in PP
- 3 inlets ø40
- outlet ø50
- no trap
- with protection lid

10 pcs.



SPARE PARTS / FLOOR DRAIN PLUG


177.601.0

For more informations see page 268

266 + 262
Minnie

PEHD trap for cellars and terraces





a. 266.277.8

size	packaging	category
⧄100 × ø50	1×bag / 10 (Q)	13

- s/steel grid ⧄100
- anti-infiltrations flange useful for PVC sheet waterproofing
- without waterproofing sheet
- with PP trap
- outlet ø40/50 PEHD
- tiling thickness 20÷60
- room under floor H. 100

40 mm · 65 l/min · 10 pcs.


b. 262.277.6

size	packaging	category
⧄100 × 1"½	1×bag / 10 (B)	13

- s/steel grid ⧄100
- anti-infiltrations flange useful for PVC sheet waterproofing
- without waterproofing sheet
- without trap
- outlet 1"½
- tiling thickness 20÷60

10 pcs.

SPARE PARTS / TAILPIECES
250.318.6 / 251.353.6
For more informations see page 249



a. 266.226.6

size	packaging	category
⧄100 × 1"½	1×box / 4 (B)	13

- s/steel grid ⧄100
- anti-infiltrations flange useful for PVC sheet waterproofing
- waterproof. sheet 1200×1200
- with PP trap
- outlet 1"½
- tiling thickness 40÷60
- room under floor H. 100

40 mm · 65 l/min · 4 pcs.

b. 266.246.6

size	packaging	category
⧄100 × 1"½	1×box	13

- s/steel grid ⧄100
- anti-infiltrations flange useful for PVC sheet waterproofing
- waterproof. sheet 1500×1800
- with PP trap
- outlet 1"½
- tiling thickness 40÷60
- room under floor H. 100

40 mm · 65 l/min · 1 pcs.

c. 266.236.6

size	packaging	category
⧄100 × 1"½	1×box	13

- s/steel grid ⧄100
- anti-infiltrations flange useful for PVC sheet waterproofing
- waterproof. sheet 1800×2000
- with PP trap
- outlet 1"½
- tiling thickness 40÷60
- room under floor H. 100

40 mm · 65 l/min · 1 pcs.

SPARE PARTS / WATERPROOFING KIT
177.501.0 / 177.521.0
For more informations see page 268



276
4-In


PEHD floor drain for cellars and terraces

a. 276.273.8

size	packaging	category
⧄100 × ø50	1×bag / 10 (Q)	13

- s/steel grid ⧄100
- anti-infiltrations flange useful for PVC sheet waterproofing
- without waterproofing sheet
- H. 130
- in PEHD
- 3 inlets ø40
- outlet ø50

50 mm 34 l/min 10 pcs.




b. 276.973.8

size	packaging	category
⧄140 × ø50	1×bag / 10 (Q)	13

- s/steel grid ⧄140
- anti-infiltrations flange useful for PVC sheet waterproofing
- without waterproofing sheet
- H. 130
- in PEHD
- 3 inlets ø40
- outlet ø50

50 mm 34 l/min 10 pcs.



NOTES / TILING THICKNESS

The quoted minimum size refers to the product installed without a waterproofed slab. The minimum useful height, when the product is combined with waterproofing kits needs to be 40 mm

SPARE PARTS / WATERPROOFING KIT

177.501.0 / 177.521.0

For more informations see page 268

In-wall

Calimero -

Dolby -

Dexa 1 -

Dexa 2 - new

Escundido + Escundido box -

Split -

recessed housing for conditioning -

complementary for conditioning -

washing machine valve + accessories -



for the sanitary ware image, special thanks to
technova





2112
Calimero


PEHD in-wall trap for washing machine

a. **2112.150.8**

size	packaging	category
1” × ø50	1×bag / 30 (Q)	11

- white PP hose connection
- s/steel plate 110×160
- PEHD outlet ø40/50
- inspectionable
- with protection

50 mm · 34 l/min · 30 pcs.




b. **2112.350.8**

size	packaging	category
1” × ø50	1×bag / 30 (Q)	11

- c.p. PP hose connection
- s/steel plate 110×160
- PEHD outlet ø40/50
- inspectionable
- with protection

50 mm · 34 l/min · 30 pcs.




c. **2112.110.8**


size	packaging	category
1” × ø50	1×bag / 30 (Q)	11

- white PP hose connection
- white ABS plate 110×160
- PEHD outlet ø40/50
- inspectionable
- with protection

50 mm · 34 l/min · 30 pcs.



PEHD outlet to be soldered with PE pipes



6107
Dolby


PP in-wall trap for washing machine and dishwasher

a. **6107.501.4**

size	packaging	category
½" × ø50	1×box / 10 (C)	11

- white PP hose connection
- s/steel plate 160×110
- with metal connection for tap G½"
- with angle valve DIN EN 1717
- with anchor plate
- PP outlet ø40/50
- with testing plug and protection

50 mm 34 l/min 10 pcs.




b. **6107.201.4**

size	packaging	category
½" × ø50	1×box / 10 (C)	11

- white PP hose connection
- s/steel plate 160×110
- with metal connection for tap G½"
- without angle valve
- with anchor plate
- PP outlet ø40/50
- with testing plug and protection

50 mm 34 l/min 10 pcs.





2107
Dexa 1


PP in-wall trap for washing machine

a. **2107.112.8**

size	packaging	category
1” × ø50	1×bag / 30 (Q)	11

- white PP hose connection
- white ABS plate 110×160
- PP outlet ø40/50
- with protection

50 mm | 34 l/min | 30 pcs.




b. **2107.192.8**

size	packaging	category
1” × ø50	1×bag / 30 (Q)	11

- white PP hose connection
- s/steel flange ø80
- PP outlet ø40/50
- with protection

50 mm | 34 l/min | 30 pcs.






2207

Dexa 2

PP in-wall trap for washing machine and dryer or conditioning

new



a. 2207.512.6

- white PP plate 130×85
- sealable white PP hose connection for washing machine 1"×ϕ21
- sealable white PP hose connection for dryer or conditioning-drops 1"×ϕ10/14
- without recessed housing
- PP outlet ϕ40
- with protection

size	packaging	category
1" × ø40	1×bag / 30 (Q)	11


50 mm · 34 l/min · 30 pcs. · new

SPARE PARTS / CONNECTIONS

Other models of hose connection for washing machine and dryer available
For more informations see page 269

NOTES






6060 + 6100

Escundido + Escundido box

PP in-wall trap and drainage pipe for washbasin




a. **6060.216.0**

ESCUNDIDO

- without inlet pipe
- with 2 metal connections for tap G½"
- without angle valves
- with anchor plate
- PP outlet ø40/50
- removable trap for cleaning
- with testing plugs and protection

size	packaging	category
1½" × ø50	1×box / 10 (C)	11

50 mm 42 l/min 10 pcs.




b. **6060.000.0**

- without inlet pipe
- without connections for tap
- without angle valves
- without anchor plate
- PP outlet ø40/50
- removable trap for cleaning
- with protection

size	packaging	category
1½" × ø50	1×bag / 10 (T)	11

50 mm 42 l/min 10 pcs.




a. **6100.215.6**

ESCUNDIDO BOX

- without inlet pipe
- with joint ø32÷ø40
- with 2 metal connections for tap G½"
- without angle valves
- c.p. ABS plate 150×110
- with anchor plate
- PP outlet ø40/50
- with sound-dampened fixing bracket
- with testing plugs and protection

size	packaging	category
ø32 × ø50	1×box / 10 (C)	11

12 pcs.



b. **6253.002.6**


- without inlet pipe
- with joint ø26÷32
- with joint ø38÷40
- without connections for tap
- without angle valves
- without anchor plate
- PP outlet ø40/50
- with protection


size	packaging	category
ø26 × ø50	1×bag / 10 (T)	11

10 pcs.

NOTES / SIPHONING

Drainage pipes has no siphoning and they must be combined with traditional traps in brass or plastic





a. **137.031.5**

size	packaging	category
1"¼ × ø40	1×bag / 30 (C)	11

- PP inlet pipe for Escundido
- inlet H. 250 × 1"¼
- outlet L. 250 × ø40
- with joint ø32÷40
- PP flange ø78


10 pcs.

b. **137.031.6**

size	packaging	category
1"½ × ø40	1×bag / 30 (C)	11

- PP inlet pipe for Escundido
- inlet H. 200 × 1"½
- outlet L. 250 × ø40
- with joint ø32÷40
- PP flange ø78

10 pcs.




a. **137.032.5**

size	packaging	category
1"¼ × ø32	1×box / 5 (T)	11

- c.p. brass inlet pipe for Escundido
- inlet H. 150 × 1"¼
- outlet L. 300 × ø32
- with joint ø32÷40
- s/steel flange ø100

15 pcs.



a. **137.033.5**


size	packaging	category
1"¼ × ø32	1×box / 5 (T)	11

- c.p. brass inlet pipe for Escundido
- inlet H. 165 × 1"¼
- outlet L. 300 × ø32
- with joint ø32÷40
- c.p. brass flange ø90

15 pcs.




2370
Split
PP conditioning-drops trap



a. 2370.273.4

- with recessed housing for in-wall installation
- white ABS plate 170×150
- with joint ø18÷20
- removable trap
- straight outlet


size	packaging	category
ø18/20	1×bag / 15 (W)	11
50 mm	15 pcs.	



a. 2370.162.4

- with holder for external installation
- with joint ø18÷20
- removable trap
- straight outlet

size	packaging	category
ø18/20	1×bag / 30 (W)	11
50 mm	30 pcs.	



a. 2370.185.4


- with holder and plate for in-wall installation
- s/steel plate 110×160
- with joint ø18÷20
- removable trap
- straight and bent outlets


size	packaging	category
ø18/20	1×bag / 30 (W)	11
50 mm	30 pcs.	

2350 + 2380

...

PST recessed housings for conditioning





a. 2350.073.4


size	packaging	category
174×154×58	1×bag / 10	11

- 174×154×58
- white ABS plate 170×150
- with removable trap
- reversible right or left
- horizontal outlet ø16/18/20

30 mm · 10 pcs. · new

NOTES / OUTLET

The outlet can be vertically modified using the elbow fitting 2389.700.3 available on the following page



a. 2380.115.3


size	packaging	category
430×103×68	1×bag / 16	11

- 430×103×65
- with plate
- with removable trap
- pipe with direct connection and connector ø16
- reversible right or left
- horizontal outlet ø16/18/20

30 mm · 16 pcs. · new

NOTES / ADVANTAGES

- total absence of the conveyor
- improved insulation of electrical cables
- eliminates thermal bridges causing wall stains
- eliminates potential condensation build-up leading to mold and bacteria



a. 2380.110.3

size	packaging	category
430×103×68	1×bag / 24	11

- 430×103×68
- with plate
- without trap
- with fixing plates
- reversible right or left
- horizontal outlet ø16/18/20

24 pcs.

b. 2380.120.3


size	packaging	category
525×105×68	1×bag / 24	11

- 525×105×68
- with plate
- without trap
- with fixing plates
- reversible right or left
- horizontal outlet ø16/18/20

24 pcs.

complementary

for conditioning



a. 2355.105.4

- condensate neutralizer for condensing boilers
- for boilers up to 35 kW
- outlet ø20

size	packaging	category
ø20	1×bag	11


1 pcs. new

b. 2355.999.0

- recharge for 2355.105.4

size	packaging	category
	1×bag	11

1 pcs. new



a. 2389.330.2

- hose for conditioning-drops
- L. 50 m
- ø16/18

size	packaging	category
ø16/18	1×bag (50 m)	11


1 pcs.

b. 2389.330.3

- hose for conditioning-drops
- L. 50 m
- ø18/20

size	packaging	category
ø18/20	1×bag (50 m)	11

1 pcs.



a. 2389.335.2

- hose for conditioning-drops
- for condensing boilers
- L. 50 m
- ø16/18

size	packaging	category
ø16/18	1×bag (50 m)	11


1 pcs. new

b. 2389.335.3

- hose for conditioning-drops
- for condensing boilers
- L. 50 m
- ø18/20

size	packaging	category
ø18/20	1×bag (50 m)	11

1 pcs. new




a. 2389.700.3

- bended outlet for conditioning-drops
- ø16/18/20
- for recessed housing (art. 2380)

size	packaging	category
ø16/20	48×box	11

48 pcs.



a. 2389.400.3

- connecting sleeve for conditioning-drops
- flexible/rigid
- ø20/20

size	packaging	category
ø20/20	30×box	11


30 pcs.

b. 2389.400.4


- connecting sleeve for conditioning-drops
- flexible/rigid
- ø20/25

size	packaging	category
ø20/25	30×box	11


30 pcs.




		size	packaging	category
a.	**2389.450.1** - rigid/flexible adapter for conditioning-drops - flexible ø14/16/18/20 - rigid ø16	ø16 10 pcs.	10×bag	11
b.	**2389.450.2** - rigid/flexible adapter for conditioning-drops - flexible ø14/16/18/20 - rigid ø18	ø18 10 pcs.	10×bag	11
c.	**2389.450.3** - rigid/flexible adapter for conditioning-drops - flexible ø14/16/18/20 - rigid ø20	ø20 10 pcs.	10×bag	11
d.	**2389.450.4** - rigid/flexible adapter for conditioning-drops - flexible ø14/16/18/20 - rigid ø25	ø25 10 pcs.	10×bag	11
e.	**2389.450.5** - rigid/flexible adapter for conditioning-drops - flexible ø14/16/18/20 - rigid ø32	ø32 10 pcs.	10×bag	11



		size	packaging	category
a.	**2389.500.2** - Y shaped 3 way junction for conditioning-drops - ø16/18	ø16/18 25 pcs.	25×box	11
b.	**2389.500.3** - Y shaped 3 way junction for conditioning-drops - ø18/20	ø18/20 25 pcs.	25×box	11




		size	packaging	category
a.	**2389.600.2** - T shaped 3 way junction for conditioning-drops - ø16/18	ø16/18 25 pcs.	25×box	11
b.	**2389.600.3** - T shaped 3 way junction for conditioning-drops - ø18/20	ø18/20 25 pcs.	25×box	11



...

washing machine valve

and accessories




a. 5130.130.6

size	packaging	category
170×90×ø40	1×bag / 40 (Q)	10

- PP convector-drops funnel
- without trap
- with holder
- H. 220
- outlet ø40

40 pcs.




b. 5130.430.6

size	packaging	category
170×90×ø40	1×bag / 20 (Q)	10

- PP convector-drops funnel
- with trap
- with holder
- H. 220
- outlet L. 300 × ø40

60 mm 65 l/min 20 pcs.




a. 2108.700.6

size	packaging	category
1"½×ø40	1×box / 10 (A)	11

- PP trap for washing-machine, conditioning-drops and dryer
- inlet H. 280 × 1"½
- with 2 hose connections for washing machine 1"×ø21
- with 1 hose connection for conditioning-drops and dryer 1"×ø10/14
- outlet ø40
- without wall pipe
- without flange
- with check hole

50 mm 10 pcs. new




a. 109.450.5

size	packaging	category
ø32	6×bag	11

- washing-machine valve
- in brass
- single connection
- dry trap
- outlet ø32

6 pcs.




b. 2108.180.5

size	packaging	category
ø32	1×bag / 30 (T)	11

- washing-machine valve
- in PP
- single connection
- dry trap
- outlet ø32

30 pcs.




c. 2108.600.4

size	packaging	category
1”	1×bag / 10 (T)	11

- washing-machine valve
- in PP
- double connection
- dry trap
- outlet 1"

10 pcs.

Spring siphoning device working in every position




a. 2110.110.6

size	packaging	category
1” × ø40	1×bag / 30 (W)	11

- washing-machine valve
- in PEHD
- with white ABS plate 110×160 for in-wall installation
- dry trap
- white PP hose connection
- outlet ø40

30 pcs.

PEHD outlet to be soldered with PE pipes




a. 2113.110.6

size	packaging	category
1” × ø40	1×bag / 30 (W)	11

- washing-machine trap
- in PVC
- with white ABS plate 110×160 for in-wall installation
- water trap
- white PP hose connection
- outlet ø40

50 mm 30 pcs.




a. 2111.260.4

size	packaging	category
1” × 1”	10×bag	10

- extension
- in PP
- 1"

10 pcs.



b. 111.260.4

size	packaging	category
1” × 1”	10×bag	08


- extension
- in brass
- 1"

10 pcs.


Accessories

aerators -
extendible pipes -
straight pipes -
bent and flexible pipes -
floor pipes -
flanged pipes -
extensions and connections -
reductions and tailpieces -
angle valves -
mixer-hose connections -
plugs for washbasin + sink wastes -
gaskets for traps -
nuts -
gaskets for wastes -
wall flanges -
spouts -
aerators and - accessories for sink
accessories for shower tray - and bathtub wastes
accessories for shower channels -
accessories for waterproofing - new
accessories for floor drains -
accessories for in-wall traps -
hose connections -
accessories for wc -
traps for urinals -
other... -


07



		size	packaging	category
a.	**159.250.4** **Chrome plated brass straight outlet pipe for traps** - with aerator - L. 250 mm - ϕ26	250 × ø26	10×box / 80 (B)	08
b.	**159.250.5** - ϕ32	250 × ø32	10×box / 80 (B)	08




		size	packaging	category
a.	**187.259.5** **Chrome plated brass bent outlet pipe for traps** - with aerator - L. 230 mm - 1"¼ × ϕ32	230 × ø32	5×box / 50 (C)	08




		size	packaging	category
a.	**2159.250.5** **White PP extension for traps outlet pipe** - with aerator - with straight PP pipe L. 250 - ϕ32	ø32 new	10×bag	10
b.	**2159.250.6** - with straight PP pipe L. 200 - ϕ40	ø40 new	10×bag	10




		size	packaging	category
a.	**2159.050.5** **White PP extension for traps outlet pipe** - with aerator - without straight pipe - ϕ32	ø32	10×bag	10
b.	**2159.050.6** - ϕ40	ø40	10×bag	10




		size	packaging	category
a.	**2070.100.9** **ABS air admittance valve for venting system** - for primary air admittance - ϕ75 × H. 80 mm	ø75 × 80	1×box	10
b.	**2070.100.0** - ϕ110 × H. 100 mm	ø110 × 100	1×box	10




		size	packaging	category
a.	**2070.100.6** - for secondary air admittance - ϕ40 × H. 44 mm	ø40 × 44	1×box	10




		size	packaging	category
a.	**485.906.5**	1"¼ × ø32	1×bag / 30 (T)	10
	PP extendible pipe - 450÷780 - PP nut - 1"¼ × ϕ32			
b.	**485.906.6**	1"½ × ø40	1×bag / 30 (T)	10
	- 1"½ × ϕ40			




a.	**485.903.5**	1"¼ × ø32	1×bag / 30 (T)	10
	- c.p. metal nut - 1"¼ × ϕ32			
b.	**485.903.6**	1"½ × ø40	1×bag / 30 (T)	10
	- 1"½ × ϕ40			




a.	**485.993.6**	1"¼ × ø32/40	1×bag / 30 (T)	10
	- c.p. metal nut - double diameter outlet - 1"¼ × ϕ32/40			
b.	**485.993.8**	1"½ × ø40/50	1×bag / 30 (T)	10
	- 1"½ × ϕ40/50			




a.	**485.905.5**	ø32 × ø32	1×bag / 30 (T)	10
	- PP nut with tailpiece - ϕ32 × ϕ32			
b.	**485.905.6**	ø40 × ø40	1×bag / 30 (T)	10
	- ϕ40 × ϕ40			



		size	packaging	category
a.	**585.906.5**	1"¼ × ø32	1×bag / 30 (T)	10
	PP extendible pipe - 320÷780 - PP nut - 1"¼ × ϕ32			
b.	**585.906.6**	1"½ × ø40	1×bag / 30 (T)	10
	- 1"½ × ϕ40			




a.	**585.903.5**	1"¼ × ø32	1×bag / 30 (T)	10
	- c.p. metal nut - 1"¼ × ϕ32			
b.	**585.903.6**	1"½ × ø40	1×bag / 30 (T)	10
	- 1"½ × ϕ40			




		size	packaging	category
a.	**485.309.6**			
	Extendible pipe - for washing-machine - 700÷3000	700÷3000	1×bag / 30 (Q)	10

straight pipes


in chrome plated brass and plastic




		size	packaging	category
a.	**78.190.4** C.p. brass straight pipe - L. 190 - ϕ26	190 × ø26	10×bag	08
b.	**78.190.5** - ϕ32	190 × ø32	10×bag	08




a.	**78.250.4** - L. 250 - ϕ26	250 × ø26	10×bag	08
b.	**78.254.5** - ϕ30	250 × ø30	10×bag	08
c.	**78.250.5** - ϕ32	250 × ø32	10×bag	08




a.	**78.300.4** - L. 300 - ϕ26	300 × ø26	10×bag	08
b.	**78.304.5** - ϕ30	300 × ø30	10×bag	08
c.	**78.300.5** - ϕ32	300 × ø32	10×bag	08
d.	**78.300.6** - ϕ40	300 × ø40	10×bag	08



a.	**78.000.4** - L. 1000 - ϕ26	1000 × ø26	10×bag	08
b.	**78.004.5** - ϕ30	1000 × ø30	10×bag	08
c.	**78.000.5** - ϕ32	1000 × ø32	10×bag	08
d.	**78.000.6** - ϕ40	1000 × ø40	10×bag	08




		size	packaging	category
a.	**78.250.5.H** C.p. ABS straight pipe - L. 250 - ϕ32	250 × ø32 new	10×bag	10
b.	**78.300.5.H** - L. 300	300 × ø32 new	10×bag	10




		size	packaging	category
a.	**278.250.5** White PP straight pipe - L. 250 - ϕ32	250 × ø32	10×bag	10
b.	**278.300.6** - L. 300 - ϕ40	300 × ø40	10×bag	10

bent and flexible pipes


in chrome plated brass




			size	packaging	category
a.	79.200.4	C.p. brass bent pipe 90° - 150×250 - ϕ26	150×250×ø26	5×bag / 50 (B)	08
b.	79.204.5	- ϕ30	150×250×ø30	5×bag / 50 (B)	08
c.	79.200.5	- ϕ32	150×250×ø32	5×bag / 50 (B)	08
d.	79.364.5	- 200×300 - ϕ30	200×300×ø30	5×bag / 50 (C)	08
e.	79.360.5	- ϕ32	200×300×ø32	5×bag / 50 (C)	08
f.	79.410.5	- 220×250 - ϕ32	220×250×ø32	5×bag / 50 (C)	08




			size	packaging	category
a.	81.254.5	C.p. brass bent pipe 45° - L. 250 - ϕ30	250 × ø30	10×bag	08
b.	81.250.5	- ϕ32	250 × ø32	10×bag	08



			size	packaging	category
a.	85.254.5	C.p. copper flexible pipe - L. 250 - ϕ30	250 × ø30	10×bag	08
b.	85.250.5	- ϕ32	250 × ø32	10×bag	08



			size	packaging	category
a.	85.304.5	- L. 300 - ϕ30	300 × ø30	10×bag	08
b.	85.300.5	- ϕ32	300 × ø32	10×bag	08




			size	packaging	category
a.	385.600.5.S	S/steel flexible pipe - L. 600 - inlet 1"¼ - outlet ϕ32 - s/steel flange ϕ65	1"¼ × ø32	10×bag	08


Stainless steel

floor pipes


in chrome plated brass and plastic



		size	packaging	category
a.	**79.320.5** C.p. brass floor pipe 90° - 150×610 - ø32	150×610×ø32	1×bag / 50 (D)	08
b.	**79.490.5** - 220×680 - ø32	220×680×ø32	1×bag / 40 (D)	08
c.	**79.700.5** - 300×700 - ø32	300×700×ø32	1×bag / 25 (D)	08
d.	**79.560.5** - 220×750 - ø32	220×750×ø32 new	1×bag / 60 (L)	08
e.	**79.490.6** - 220×680 - ø40	220×680×ø40	1×bag / 50 (L)	08




		size	packaging	category
a.	**79.330.5** C.p. brass floor pipe 90° - eccentric - 150×610 - ø32	150×610×ø32	1×bag / 60 (L)	08




		size	packaging	category
a.	**180.680.5**	80×680×ø32	1×bag / 70 (L)	08

C.p. brass floor pipe 180°
- 80×680
- ϕ32



		size	packaging	category
a.	**279.490.5**	220×680×ø32	1×bag / 50 (L)	10

PP floor pipe 90°
- 220×680 rigid
- inlet ϕ32
- outlet ϕ32





		size	packaging	category
b.	**279.509.6**	300×700×ø40	1×bag / 25 (L)	10


- 300×700 flexible
- inlet ϕ40
- outlet ϕ40/50

flanged pipes


in chrome plated brass and plastic









		size	packaging	category
a.	**80.200.4** **C.p. brass flanged pipe** - without nut nor gasket - L. 200 - ϕ26	200 × ø26	10×bag	08
b.	**80.200.5** - ϕ32	200 × ø32	10×bag	08
a.	**80.250.4** - L. 250 - ϕ26	250 × ø26	10×bag	08
b.	**80.250.5** - ϕ32	250 × ø32	10×bag	08
a.	**80.300.4** - L. 300 - ϕ26	300 × ø26	10×bag	08
b.	**80.304.5** - ϕ30	300 × ø30	10×bag	08
c.	**80.300.5** - ϕ32	300 × ø32	10×bag	08




		size	packaging	category
a.	**86.196.5** **C.p. brass flanged pipe** - with c.p. brass nut and gasket - L. 200 - 1"¼ × ϕ32	200 × ø32	10×bag	08
b.	**86.256.5** - L. 250	250 × ø32	10×bag	08
c.	**86.306.5** - L. 300	300 × ø32	10×bag	08




		size	packaging	category
a.	**286.206.5** **PP flanged pipe** - with PP nut and gasket - L. 200 - 1"¼ × ϕ32	200 × ø32	10×bag	10
b.	**286.206.6** - 1"½ × ϕ40	200 × ø40	10×bag	10






		size	packaging	category
a.	**97.205.5** **C.p. brass flanged pipe** - with hose connection - with c.p. brass nut and gasket - L. 200 - 1"¼ × ø32	200 × ø32	10×bag	08
a.	**97.087.5** - L. 70 - 1"¼ × 1"¼	70 × 1"¼	10×bag	08


To install between waste and trap




		size	packaging	category
a.	**297.219.5** **PP flanged pipe** - with 1 hose connection - with nut and gasket - L. 200 - 1"½ × ø32 - with reduction 1"½ - 1"¼	200 × ø32	10×bag	10




a.	**297.116.6** - with 2 hose connections - L. 170 - 1"½ × ø40 - with reduction 1"½ - 1"¼	170 × ø40	10×bag	10
b.	**297.176.6** - without reduction	170 × ø40 new	10×bag	10




		size	packaging	category
a.	**187.250.5** **C.p. brass flanged bent pipe (outlet pipe for traps)** - without nut nor gasket - L. 250 mm - 1"¼ × ø32	250 × ø32	10×bag	08
b.	**187.300.5** - L. 300 mm	300 × ø32	10×bag	08




		size	packaging	category
a.	**287.257.5** **PP flanged bent pipe (inlet pipe for traps)** - with PP nut and gasket - L. 250 mm - 1"¼ × ø32	1"¼ × ø32	10×bag	10
b.	**287.257.6** - 1"½ × ø40	1"½ × ø40	10×bag	10




		size	packaging	category
a.	**92.300.4** C.p. brass eccentric pipe - L. 300 - ϕ26	300 × ø26	10 - X (bag)	08
b.	**92.304.5** - ϕ30	300 × ø30	10 - X (bag)	08
c.	**92.300.5** - ϕ32	300 × ø32	10 - X (bag)	08




		size	packaging	category
a.	**292.155.5** PP eccentric pipe - L. 200 mm - ϕ32 × ϕ40	200 × ø32/40	10 - X (bag)	10
b.	**292.455.5** - with ABS extension L. 300 new	500 × ø32/40	10 - X (bag)	10




		size	packaging	category
a.	**100.130.4** C.p. brass extension tube - ϕ26	130 × ø26	10 - X (bag)	08
b.	**100.134.5** - ϕ30	130 × ø30	10 - X (bag)	08
c.	**100.130.5** - ϕ32	130 × ø32	10 - X (bag)	08



		size	packaging	category
a.	**2100.322.5** PP extension tube - with nut and gasket - L. 250 mm - 1"¼ × ϕ32	250 × ø32	10 - X (bag)	10
b.	**2100.322.6** - 1"½ × ϕ40	280 × ø40	10 - X (bag)	10





a.	**2104.322.5** PP extension tube 90° - with nut and gasket - L. 250 mm - 1"¼ × ϕ32	1"¼ × ø32	10 - X (bag)	10
b.	**2104.322.6** - 1"½ × ϕ40	1"½ × ø40	10 - X (bag)	10





		size	packaging	category
a.	**2103.302.6** PP connections kit - extension L. 250 (2100.322.6) - extension 90° L. 75 - extension 45° L. 70	1"½ × ø40	10 - X (bag)	10
a.	**2103.322.6** PP bivalent extension - with 1 hose connection - with closing cap - L. 230	230 × ø40	10 - X (bag)	10


Can also be used as a non-trapped washing machine connection















a.	**101**.170.4.0 Raw brass connection - with o-ring - ϕ26	size ø26	packaging 10×bag	category 08
b.	**101**.170.5.0 - ϕ32	ø32	10×bag	08
c.	**101**.170.6.0 - ϕ40	ø40	10×bag	08
a.	**101**.175.5.0 - with diameter reduction - ϕ32 × ϕ26	ø32 × ø26	10×bag	08
b.	**101**.175.6.0 - ϕ40 × ϕ32	ø40 × ø32	10×bag	08


a.	**102**.160.4 C.p. brass connection - with 2 o-rings - ϕ26	size ø26	packaging 10×bag	category 08
b.	**102**.164.5 - ϕ30	ø30	10×bag	08
c.	**102**.160.5 - ϕ32	ø32	10×bag	08
d.	**102**.160.6 - ϕ40	ø40	10 - X (bag)	08
a.	**102**.165.5 - with diameter reduction - ϕ32 × ϕ26	ø32 × ø26	10×bag	08
b.	**102**.165.6 - ϕ40 × ϕ32	ø40 × ø32	10×bag	08

a.	**102**.480.5 C.p. brass threaded connection - with nuts and gaskets - 1”¼ × 1”¼	size 1”¼ × 1”¼	packaging 10×bag	category 08


a.	**2102**.480.5 PP threaded connection - with nuts and gaskets - 1”¼ × 1”¼	size 1”¼ × 1”¼	packaging 10×bag	category 10
b.	**2102**.480.6 - 1”½ × 1”½	1”½ × 1”½	10×bag	10
a.	**2102**.485.6 - with diameter reduction - 1”½ × 1”¼	1”½ × 1”¼	10×bag	10



a.	52.006.5	C.p. brass reduction - 1"¼ × 1"	size 1"¼ × 1"	packaging 10×bag	category 08
b.	52.006.6	- 1"½ × 1"¼	1"½ × 1"¼	10×bag	08
c.	52.005.5	- 1" × 1"¼	1" × 1"¼	10×bag	08




a.	252.006.5	PP reduction - 1"¼ × 1"	size 1"¼ × 1"	packaging 10×bag	category 10
b.	252.006.6	- 1"½ × 1"¼	1"½ × 1"¼	10×bag	10
a.	252.005.5	- 1" × 1"¼	1" × 1"¼	10×bag	10
b.	252.005.6	- 1"¼ × 1"½	1"¼ × 1"½	10×bag	10




a.	252.905.6	PP invisible reduction - 1"¼ × 1"½	size 1"¼ × 1"½	packaging 10×bag	category 10

It can be used with gasket supplied with the nut

Check compatibility with other manufacturers' nuts



a.	50.210.5.0	Raw brass bent tailpiece - brass nut - 1"¼ × ø32	size 1"¼ × ø32	packaging 10×bag	category 08




a.	51.250.5.0	Raw brass straight tailpiece - brass nut - 1"¼ × ø32	size 1"¼ × ø32	packaging 10×bag	category 08
b.	51.250.6.0	- 1"½ × ø38	1"½ × ø38	10×bag	08




a.	52.517.5	C.p. brass 90° bent connection - 1"¼ × ø32	size 1"¼ × ø32	packaging 10×bag	category 08





a.	52.417.5	C.p. brass 90° bent connection - ø32 × ø32	ø32 × ø32	10×bag	08
























a.	**250.211.5**	size	packaging	category	
	PVC bent tailpiece - brass nut - 1"¼ × ø32	1"¼ × ø32	10 - X (bag)	10	
b.	**250.211.6** - 1"½ × ø40	1"½ × ø40	10 - X (bag)	10	
a.	**250.311.6** - PP nut - 1"½ × ø40	1"½ × ø40	10 - X (bag)	10	
	Outlet can be directly glued with PVC pipes				
a.	**251.241.5**	size	packaging	category	
	PVC straight tailpiece - brass nut - 1"¼ × ø32	1"¼ × ø32	10 - X (bag)	10	
b.	**251.241.6** - 1"½ × ø40	1"½ × ø40	10 - X (bag)	10	
a.	**251.341.5** - PP nut - 1"¼ × ø32	1"¼ × ø32	10 - X (bag)	10	
b.	**251.341.6** - 1"½ × ø40	1"½ × ø40	10 - X (bag)	10	
	Outlet can be directly glued with PVC pipes				
a.	**250.213.5**	size	packaging	category	
	PEHD bent tailpiece - brass nut - 1"¼ × ø40	1"¼ × ø40	10 - X (bag)	10	
b.	**250.213.6** - 1"½ × ø40	1"½ × ø40	10 - X (bag)	10	
a.	**250.218.5** - 1"¼ × ø40/50	1"¼ × ø40/50	10 - X (bag)	10	
b.	**250.218.6** - 1"½ × ø40/50	1"½ × ø40/50	10 - X (bag)	10	
a.	**250.313.6** - PP nut - 1"½ × ø40	1"½ × ø40	10 - X (bag)	10	
b.	**250.318.6** - 1"½ × ø40/50	1"½ × ø40/50	10 - X (bag)	10	
	PEHD outlet to be soldered with PEHD pipes				
a.	**251.253.5**	size	packaging	category	
	PEHD straight tailpiece - brass nut - 1"¼ × ø40	1"¼ × ø40	10 - X (bag)	10	
b.	**251.253.6** - 1"½ × ø40	1"½ × ø40	10 - X (bag)	10	
a.	**251.353.6** - PP nut - 1"½ × ø40	1"½ × ø40	10 - X (bag)	10	
	PEHD outlet to be soldered with PEHD pipes				



angle valves


in chrome plated brass



a. **7320.131.2.K**

size	packaging	category
½" × ø10	2×box / 20 (T)	07


Chrome plated brass angle valve
- model Toti
- without filter
- c.p. brass flange ø60



b. **7320.431.2.K**

size	packaging	category
½" × ø10	2×box / 20 (T)	07


- model Toti
- with filter
- c.p. brass flange ø60



c. **7320.441.2.K**

size	packaging	category
½" × ø10	2×box / 20 (T)	07


- model Toti
- with filter
- jointed outlet
- c.p. brass flange ø60



d. **7340.431.2.K**


size	packaging	category
½" × ø10	2×box / 20 (T)	07

- model Quasar
- with filter
- c.p. brass flange ⧄55



angle valves and mixer-hose connections


in chrome plated brass



a. 3320.131.2

size	packaging	category
½" × ø10	1×box / 60 (I)	07


Chrome plated brass angle valve
- without filter
- s/steel flange ø55



b. 3320.132.2

size	packaging	category
½" × ø10	1×box / 60 (I)	07


- with filter
- s/steel flange ø55



c. 3320.142.2

size	packaging	category
½" × ø10	1×box / 60 (I)	07


- with filter
- jointed outlet
- s/steel flange ø55



a. 3053.131.2

size	packaging	category
½" × ø10	8×box / 120 (T)	07

Chrome plated brass mixer-hose connection
- 45°
- s/steel flange ø55




b. 3054.131.2

size	packaging	category
½" × ø10	6×box / 90 (T)	07

- 90°
- s/steel flange ø55


plugs for washbasin and sink wastes

spare plugs for washbasin wastes and sink wastes




a. 137.049.0 — size: ø48 — packaging: 5×bag — category: 08

Spare plug for automatic wastes
- 3530 p. 38




b. 137.036.0 — size: ø63 — packaging: 5×bag — category: 08

for
- 7533 p. 6
- 8530 p. 7
- 4830 p. 39




c. 137.027.0 — size: ø63 — packaging: 5×bag — category: 08

for
- 8532 p. 14




d. 137.053.0 — size: ø70 — packaging: 5×bag — category: 08

for
- 8530 p. 9



e. 137.037.0 — size: ⍁70 — packaging: 5×bag — category: 08


for
- 8540 p. 8



f. 137.097.1 — size: ø63 — packaging: 5×bag — category: 08


new

for
- 7532 p. 17



a. 119.713.5 — size: ø65 — packaging: 5×bag — category: 08


Spare grid for free flow wastes
- 147 p. 10
- 542 p. 15



b. 137.098.1 — size: ø63 — packaging: 5×bag — category: 08


new

for
- 7542 p. 19




a. 120.360.5 — size: ø40 — packaging: 5×bag — category: 08


Spare plug for pop-up wastes
- 529 p. 41




		size	packaging	category
a.	**120.120.5** Spare plug with triangle - ø38,5	ø38,5	10×bag	08
b.	**120.820.5** - ø40,5	ø40,5	10×bag	08
c.	**120.120.7** - ø50,5	ø50,5	10×bag	08




a.	**120.170.5** Spare plug with handle - ø38,5	ø38,5	10×bag	08
b.	**120.170.6** - ø45,5	ø45,5	10×bag	08
c.	**120.170.7** - ø50,5	ø50,5	10×bag	08




a.	**120.111.5** Spare plug with chain and ring - ø38,5 - chain L. 250	ø38,5	10×bag	08
b.	**120.811.5** - ø40,5	ø40,5	10×bag	08




a.	**120.112.6** Spare plug with chain and stay - 45,5 - chain L. 250	ø45,5	10×bag	08
b.	**120.112.0** - ø50,5 - chain L. 300	ø50,5	10×bag	08



		size	packaging	category
a.	**121.099.0** Vertical rod - ø48 × H. 340 mm	ø48 × H. 350	10×bag	08




a.	**121.020.0** Cover - ø40 × H. 50 mm	ø40 × H. 50	10×bag	08



b.	**121.490.0** - ø40 × H. 50 mm	ø40 × H. 50	10×bag	08

gaskets for traps

plate, conical and specific gaskets for traps




		size	packaging	category
a.	**125.200.4**			
	Plate gasket - without asbestos - 1″	1”	10×bag	10
b.	**125.200.5**	1”¼	10×bag	10
	- 1″¼			
c.	**125.200.6**	1”½	10×bag	10
	- 1″½			




a.	**125.730.5**	1”¼	10×bag	10
	- in rubber, flanged - 1″¼			

Protects the internal edge of the inlet pipe




a.	**125.230.5**	1”¼	10×bag	10
	- in rubber - 1″¼			
b.	**125.230.6**	1”½	10×bag	10
	- 1″½			




		size	packaging	category
a.	**124.320.4**			
	Conical gasket - in PVC - 1″	1”	10×bag	10
b.	**124.330.5**	1”¼	10×bag	10
	- in rubber - 1″¼			
c.	**124.330.6**	1”½	10×bag	10
	- 1″½			



a.	**124.331.5**	1”¼	10×bag	10
	- specific for Tea products - 1″¼			



		size	packaging	category
a.	**137.081.0**			
	Specific for bottle traps - without asbestos - 317 p. 57	52 × 44	10×bag	10
b.	**137.082.0**	59 × 52	10×bag	10
	- 17 p. 58			



a.	**137.090.0**	71 × 64	10×bag	10
	- in PVC - 217-218 p. 68-71 - 2517 p. 72			

nuts

in brass and plastic



		size	packaging	category
a.	**114.000.5.0** Raw brass hexagonal nut - 1"¼	1"¼	10×bag	08
b.	**114.000.6.0** - 1"½	1"½	10×bag	08



a.	**114.590.5.0** Raw brass hexagonal nut H.15 - 1"¼	1"¼ new	10×bag	08
b.	**114.590.6.0** - 1"½	1"½ new	10×bag	08



a.	**114.000.5** C.p. brass hexagonal nut - 1"¼	1"¼	10×bag	08
b.	**114.000.6** - 1"½	1"½	10×bag	08



a.	**114.001.5.0** Raw brass knurled nut - 1"¼	1"¼	10×bag	08
b.	**114.001.6.0** - 1"½	1"½	10×bag	08




a.	**114.001.5** C.p. brass knurled nut - 1"¼	1"¼	10×bag	08
b.	**114.001.6** - 1"½	1"½	10×bag	08



		size	packaging	category
a.	**2114.002.4** PP nut - 1"	1"	10×bag	10
b.	**2114.002.5** - 1"¼	1"¼	10×bag	10
c.	**2114.002.6** - 1"½	1"½	10×bag	10




a.	**2114.504.6** - specific for Tea products - with washer - 1"½	1"½	10×bag	10



		size	packaging	category
a.	**137.086.0** C.p. brass check hole plug - 322 p. 57 - 324 p. 57		10×bag	08
b.	**137.087.0** - 22 p. 58 - 24 p. 58		10×bag	08
c.	**137.088.0** - 390 p. 56		10×bag	08

gaskets for wastes

gaskets for washbasin, sink, bathtub and shower tray wastes




a. 123.421.0

size: øint 42 | packaging: 10×bag | category: 10

Shaped gasket
for washbasin wastes
- 147 p. 10
- 529 p. 41
- 555 p. 40
- 3530 p. 38
- 7532 p. 17
- 7533 p. 6
- 7542 p. 19
- 8530 p. 7 / 9
- 8532 p. 14
- 8540 p. 8
- 8542 p. 14


new



a. 123.321.5

size: øint 40 | packaging: 10×bag | category: 10

Shaped gasket
for washbasin wastes
- 29 p. 44
- 30 p. 45



a. 123.420.0


size: øint 42 | packaging: 10×bag | category: 10

Shaped gasket
for washbasin wastes (ø63)
- 34 p. 42
- 55 p. 42
- 234 p. 43

b. 123.621.0

size: øint 67 | packaging: 10×bag | category: 10

for sink wastes (ø80)
- 34 p. 98
- 234 p. 97




a. 123.502.0

size: øint 93 | packaging: 10×bag | category: 10

Plate gasket
for sink basket strainer
- 133 p. 92-93


new



b. 123.523.0

size: øint 50 | packaging: 10×bag | category: 10


Plate gasket
for bathtub wastes
- 98 p. 141
- 298 p. 140
- 312 p. 140



a. **123.505.0**

Plate gasket
for ø90 holed tray wastes
- 5261 p. 112
- 5258 p. 112
- 6561 p. 117 (6561.106.6)
- 6621 p. 119 (6621.101.6)
- 6721 p. 121 (6721.101.6)


size	packaging	category
øint 92	10×bag	10



b. **123.504.0**

Plate gasket
for ø60 holed tray wastes
- 61 p. 128
- 254 p. 126
- 256 p. 127
- 257 p. 125
- 261 p. 124
- 361 p. 128
- 461 p. 124
- 661 p. 123


size	packaging	category
øint 57	10×bag	10



a. **123.524.0**

Flanged gasket
for bathtub wastes
- 295 p. ***
- 301 p. ***
- 399 p. ***
- 595 p. ***


size	packaging	category
øint 48	10×bag	10



b. **123.527.0**

Flanged gasket
for ø90 holed tray wastes
- 5661 p. 113
- 6241 p. 115
- 6261 p. 114-113
- 6561 p. 116-117
- 6621 p. 118-119
- 6721 p. 120-121


size	packaging	category
øint 89	10×bag	10



c. **123.525.0**

Flanged gasket
for ø50 holed tray wastes
- 6461 p. 122

size	packaging	category
øint 48	10×bag	10




d. **123.526.0**


Flanged gasket
for ø60 holed tray wastes
- 6461 p. 122

size	packaging	category
øint 58	10×bag	10


wall flanges

in chrome plated brass, stainless steel and plastic







		size	packaging	category
a.	**2115.114.2** PP wall flange for angle valves - external ϕ60 - internal ϕ12	ø12	100×bag	10
b.	**2115.114.3** - internal ϕ16	ø16	100×bag	10
a.	**2115.119.1** - universal - internal ϕ10÷ϕ16	ø10 ÷ ø16	100×bag	10




		size	packaging	category
a.	**2115.110.5** PP wall flange for traps - external ϕ78 - internal ϕ32	ø32	10×bag	10
b.	**2115.110.6** - internal ϕ40	ø40	10×bag	10
c.	**2115.110.8** - internal ϕ50	ø50	10×bag	10




		size	packaging	category
a.	**118.310.2** C.p.brass flange for angle valves - external ϕ60 - thickness 5 - internal ½"	½"	100×bag	08
b.	**118.310.3** - internal ¾"	¾"	100×bag	08
c.	**118.210.2** - internal ½" - in s/steel	½" Stainless steel	100×bag	08




a.	**118.320.2** - thickness 10 - internal ½"	½"	100×bag	08
b.	**118.320.3** - internal ¾"	¾"	100×bag	08




a.	**118.330.2** - thickness 15 - internal ½"	½"	100×bag	08
b.	**118.330.3** - internal ¾"	¾"	100×bag	08




a.	**118.340.2** - thickness 20 - internal ½"	½"	100×bag	08




a.	**118.360.2** - thickness 30 - internal ½"	½"	100×bag	08
b.	**118.360.3** - internal ¾"	¾"	100×bag	08




		size	packaging	category
a.	**115.210.5** **Wall flange for traps** - external ϕ65 in s/steel - internal ϕ32	ø32	10×bag	08
b.	**115.310.5** - in c.p. brass	ø32	10×bag	08




a.	**115.220.5** - external ϕ75 in s/steel - internal ϕ32	ø32	10×bag	08
b.	**115.220.6** - internal ϕ40	ø40	10×bag	08




a.	**115.320.5** - external ϕ75 in c.p. brass - internal ϕ32	ø32	10×bag	08
b.	**115.320.6** - internal ϕ40	ø40	10×bag	08




a.	**115.350.5** - external ϕ80 in c.p. brass - internal ϕ32	ø32	10×bag	08
b.	**115.350.6** - internal ϕ40	ø40	10×bag	08



a.	**115.340.5** - external ϕ90 in c.p. brass - internal ϕ32 - thickness 45	ø32	10×bag	08



		size	packaging	category
a.	**115.390.5** **Wall flange for design traps** - external ϕ80 in c.p. brass - internal ϕ32	ø32	10×bag	08
b.	**115.200.5** - external ϕ70	ø32	10×bag	08




a.	**115.400.5** - external ϕ80 in c.p. ABS - internal ϕ32	ø32	10×bag	10




spouts


in chrome plated brass




		size	packaging	category
a.	**3022.151.3** C.p. brass spout "S" - ¾" × ø18 - aerator DIN approved - L. 150	¾” × ø18 new	10×box / 100 (C)	07
b.	**3022.201.3** - L. 200	¾” × ø18	10×box / 100 (C)	07
c.	**3022.251.3** - L. 250	¾” × ø18	10×box / 100 (A)	07
d.	**3022.301.3** - L. 300	¾” × ø18	5×box / 50 (A)	07



		size	packaging	category
a.	**3024.201.3** C.p. brass spout "U" - ¾" × ø18 - aerator DIN approved - L. 200	¾” × ø18	10×box / 100 (C)	07
b.	**3024.251.3** - L. 250	¾” × ø18	10×box / 100 (A)	07
c.	**3024.301.3** - L. 300	¾” × ø18	10×box / 100 (A)	07




		size	packaging	category
a.	**3026.121.3** C.p. brass spout "J" - ¾" × ø18 - aerator DIN approved - L. 135	¾” × ø18	10×box / 100 (C)	07
b.	**3026.201.3** - L. 200	¾” × ø18	10×box / 100 (C)	07
c.	**3026.251.3** - L. 250	¾” × ø18	10×box / 100 (Q)	07




		size	packaging	category
a.	**3070.500.0** C.p. brass aerator - F16 × 1	F16 × 1	10×bag	07
b.	**3070.600.0** - F22 × 1	F22 × 1	10×bag	07
c.	**3070.508.0** - with water-saver - F16 × 1	F16 × 1 With water-saver, 8 l/min limited water flow	10×bag	07
d.	**3070.608.0** - with water-saver - F22 × 1	F22 × 1 With water-saver, 8 l/min limited water flow	10×bag	07




a.	**3070.000.0** - M18 × 1	M18 × 1	10×bag	07
b.	**3070.200.0** - M24 × 1	M24 × 1	10×bag	07
c.	**3070.300.0** - M28 × 1	M28 × 1	10×bag	07
d.	**3070.008.0** - with water-saver - M18 × 1	M18 × 1 With water-saver, 8 l/min limited water flow	10×bag	07
e.	**3070.208.0** - with water-saver - M24 × 1	M24 × 1 With water-saver, 8 l/min limited water flow	10×bag	07




		size	packaging	category
a.	**137.070.0** Basket strainer (Pic nic) spare parts - s/steel plug ø80, with washer	ø80	10×bag	08
b.	**137.070.9** - plug washer	ø50	10×bag	08




a.	**137.071.0** - screw - L. 30	L. 30	10×bag	08
b.	**137.072.0** - L. 65	L. 65	10×bag	08



		size	packaging	category
a.	**137.079.0** Basket strainer (Punnet) spare parts - s/steel plug ø50, with washer	ø50 new	10×bag	08



		size	packaging	category
a.	**137.022.0** Overflow set for sink wastes - with c.p. ABS grid - with washer - for ø30 holed	ø30 new	10×bag	10



a. **119.310.0**

C.p. brass spare grid ø65 for
- 58 p. 128


size: ø65 | packaging: 10×bag | category: 08



a. **119.410.0**

C.p. brass spare grid ø45 for
- 257 p. 125
- 261 p. 124


size: ø45 | packaging: 10×bag | category: 08



a. **119.510.0**

C.p. brass spare grid ø45 for
- 61 p. 128

size: ø45 | packaging: 10×bag | category: 08



a. **119.910.0**

C.p. brass spare grid ø57 for
- 361 p. 128


size: ø57 | packaging: 10×bag | category: 08



a. **119.511.0**

C.p. brass spare grid ø45 for
- 661 p. 123
- 6461 p. 122


size: ø45 | packaging: 10×bag | category: 08



a. **119.525.0**

C.p. ABS spare grid ø85 for
- 461 p. 124
- 661 p. 123
- 6461 p. 122


size: ø85 | packaging: 10×bag | category: 10



a. **119.512.0**

C.p. metal spare grid ø118 for
- 5261 p. 112
- 6261 p. 115


size: ø118 | packaging: 10×bag | category: 08



a. **119.522.0**

C.p. ABS spare grid ø118 for
- 5261 p. 112
- 6261 p. 114
- 6621 p. 118
- 6621 p. 119
- 6721 p. 120

size: ø118 | packaging: 10×bag | category: 10




a. **119.522.0.B**

White ABS spare grid ø118 for
- 5261 p. 112
- 6261 p. 114
- 6621 p. 118
- 6621 p. 119
- 6721 p. 120

new

size: ø118 | packaging: 10×bag | category: 10




a. **119.523.0**

C.p. ABS spare grid ø118 for
- 5661 p. 113

new

size: ø118 | packaging: 10×bag | category: 10




a. **119.527.0**


C.p. ABS spare grid ⧄120 for
- 5641 p. 113
- 6241 p. 115

new


size: ⧄120 | packaging: 10×bag | category: 10




		size	packaging	category
a.	**278.155.6** Tailpiece - ø40/50 - straight in PEHD	ø40/50	10×bag	10
a.	**2188.250.8** - bent 45° in PP	ø40/50	10×bag	10




		size	packaging	category
a.	**137.056.0** Trap for shower tray wastes - 6241 p. 115 - 6261 p. 114-115 - 6561 p. 116-117	new	10×bag	10




		size	packaging	category
a.	**137.061.0** C.p. brass spare plug ø45 for - 295 p. 136 - 491 p.137 - 301 p. 137 - 595 p.135	ø45	10×bag	08
b.	**137.063.0** - 399 p. 134	ø45	10×bag	08




		size	packaging	category
a.	**137.052.0** C.p. brass spare plug ø70 for - 8295 p. 138 - 8301 p. 138 - 8491 p. 138	ø70	10×bag	08
b.	**137.047.1** - 8305 in c.p. ABS	ø73	10×bag	08




		size	packaging	category
a.	**137.039.0** C.p. brass spare plug ø70 for - 2868 p. 133 - 8568 p. 132	ø70	10×bag	08




		size	packaging	category
a.	**120.113.6** Spare plug ø45,5 for - 98 p. 140 - 298 p. 140 - 312 p. 140	ø45,5	10×bag	10




		size	packaging	category
a.	**137.044.0** C.p. metal spare handle for - 295/301 p. 136 - 595 p. 135 - 8295/8301 p. 138	ø75	10×bag	08




		size	packaging	category
a.	**137.043.0** C.p. metal spare handle for - 399 p. 134	ø75	10×bag	08



		size	packaging	category
a.	**137.051.0** C.p. ABS spare handle for - 8305	ø75	10×bag	10




		size	packaging	category
a.	**137.047.0** C.p. ABS spare handle for - 491 p. 137 - 595 p. 135 - 8491 p. 138	ø90	10×bag	10




a. **137.007.0** | size | packaging: 10×bag | category: 10

Trap for channels
- 943 p. 180-181
- 953 p. 154 / 158
- 963 p. 178
- 983 p. 148
- 6963 p. 152 / 169




b. **137.029.0** | new | packaging: 10×bag | category: 10

for
- 953 p. 166
- 975 p. 192
- 4943 p. 188-189
- 5963 p. 172
- 5953 p. 162 / 170




c. **137.009.0** | packaging: 10×bag | category: 10

for
- 972 p. 147
- 973 p. 146




d. **137.014.0** | new | packaging: 10×bag | category: 10

for
- 971 p. 179




a. **137.023.0** | new | size | packaging: 10×bag | category: 10

Dry trap for channels
- 943 p. 182-183 / 185
- 953 p. 156 / 167
- 963 p. 178 (accessory)
- 975 p. 192 (accessory)
- 983 p. 150
- 4943 p. 190-191
- 5953 p. 164 / 171
- 5963 p. 174
- 6963 p. 152 /169 (accessory)



a. **987.200.0** | size | packaging: 1 - X (bag) | category: 10


Cutting template for channels
- 982 p. 151
- 983 p. 148 / 150




a. **979.821.0** | size: 290 ml | new | packaging: 1 - X (bag) | category: 08

Deflow MS resin
- MS polymer based mastic to be used for sealing the perimeter area of the shower channel in case of installation with resin floors
- 290 ml


To use for resin floors




		size	packaging	category
a.	**979.141.0** **Deflow Tech** - waterproof tech fabric - 1.500 mm - 5 meters roll	5 m new	1×bag	08
b.	**979.142.0** - 20 meters roll	20 m new	1×bag	08



		size	packaging	category
a.	**979.300.0** **Deflow Tech** - waterproof tech fabric - angle component	new	1×bag	08
b.	**979.500.0** - edge component	new	1×bag	08



		size	packaging	category
a.	**979.907.0** **Deflow Tech** - waterproof tech fabric with elastoplastic double-sided tape - perimetric waterproofing kit for shower channels - 2,5 meters roll	2,5 m new Included in standard package	10×bag	08




		size	packaging	category
a.	**979.810.0** **Deflow Seal** - elastoplastic double-sided tape to seal all the junctions and joints - 15 meters roll - tape width 15 mm	15 m new	1×bag	08
b.	**979.811.0** - tape width 50 mm	15 m new	1×bag	08

omptea.eu/installation
- stratigraphic section of the waterproofing
- waterproofing security levels
- products for waterproofing
- instructions for the waterproofing




a. **119.610.0** — Chrome plated brass grid for floor drains, model Standard
- 62/65 p. 216

size: ø90 × H. 22 | packaging: 10×bag | category: 08




a. **119.612.0** — Chrome plated brass grid for floor drains, model Standard
- 2562/2565 p. 208-209
- 2565 p. 212
- 2662/2665 p. 200-203

size: ø90 × H. 7 | packaging: 10×bag | category: 08 | new




a. **119.616.0** — Chrome plated brass grid for floor drains, model Design
- 2562/2565 p. 208-209
- 2662/2665 p. 200-201

size: ø90 × H. 45 | packaging: 10×bag | category: 08




a. **119.617.0** — S/steel AISI316 grid for floor drains, model Standard
- 2552/2555 p. 210-212
- 2652/2655 p. 206-207
- 2755 p. 196-197
- 9977 p. 213

size: ø90 | packaging: 10×bag | category: 08




b. **119.618.0** — model Design

size: ø90 | packaging: 10×bag | category: 08



c. **119.619.0** — model Square

size: ø90 | packaging: 10×bag | category: 08




a. **77.408.9** — S/steel AISI316 frame and tileable grid 115×115 for floor drains
- 2662/2665 p. 204-205
- 2755 p. 196-197
- 9977 p. 214


size: 115×115 | packaging: 10×bag | category: 08 | new

b. **77.428.9** — S/steel AISI316 frame and tileable grid 150×150 for floor drains
- 2662/2665 p. 204-205
- 2755 p. 196-197
- 9977 p. 214


size: 150×150 | packaging: 10×bag | category: 08 | new




		size	packaging	category
a.	**77.410.9** Chrome plated brass frame 100×100 for floor drains - 62/65 p. 216 - 271 p. 217 - 2562 p. 209 - 2565 p. 208 - 2662 p. 201 - 2665 p. 200-203	100×100	10×bag	08




b.	**77.400.9** Chrome plated brass frame 120×120	120×120	10×bag	08




c.	**77.420.9** Chrome plated brass frame 150×150	150×150	10×bag	08



		size	packaging	category
a.	**77.400.9.S** S/steel AISI316 frame 120×120 for floor drains - 2552 p. 211 - 2555 p. 210 / 212	120×120	10×bag	08




b.	**77.401.9.S** for - 2652 p. 207 - 2655 p. 206 - 2755 p. 197 (grated)	120×120	10×bag	08



		size	packaging	category
a.	**137.013.1** Trap for floor drains - 2652 p. 207 - 2655 p. 206 - 2662 p. 201 (standard) - 2665 p. 200 (standard) - 2662 p. 205 - 2665 p. 204 - 2755 p. 196 - 9977 p. 213-215	new	10×bag	10




a.	**137.013.0** Trap for floor drains - 2555 p. 212 - 2565 p. 212 (standard) - 2652 p. 207 - 2655 p. 206 - 2662 p. 203 / 205 - 2665 p. 202 / 204 - 2665 p. 197 - 9977 p. 213-215		10×bag	10




a. **177.601.0** — S/steel cover ø100 for floor drains
- 274 p. 2018-219
- 275 p. 2018-219

size: ø130 (new) | packaging: 10×bag | category: 08



a. **177.300.9** — Chrome plated brass grid ø90 for floor drains
- 271 p. 217

size: ø90 (new) | packaging: 10×bag | category: 08




a. **177.501.0** — Waterproofing kit with 500×600 PVC sheet for
- 262 p. 220
- 266 p. 220
- 276 p. 221

size: 500×600 | packaging: 1×bag / 5 (I) | category: 08


b. **177.521.0** — 1200×1200 PVC sheet

size: 1200×1200 | packaging: 1×bag / 5 (B) | category: 08




a. **137.075.0** — Wall cover plate
- 110×160
- white ABS

size: 110×160 | packaging: 10×bag | category: 10




b. **137.074.0**
- stainless steel

size: 110×160 | packaging: 10×bag | category: 08



a. **137.078.0** — For in-wall traps
- counter-nut PP 1”

size: 1” | packaging: 10×bag | category: 10




b. **2114.013.4**
- check-hole cap PP 1”


size: 1” | packaging: 10×bag | category: 10

hose connections


for conditioning-drops, washing machine and dryer




		size	packaging	category
a.	**2111.108.6** **Hose connection for washing machine** - pipes joint in white PP - 1"½ × 1"½	1"½ × 1"½	10×bag	10




a.	**2111.106.6** - straight in white PP - 1"½	1"½	10×bag	10
b.	**2111.106.4** - 1"	1"	10×bag	10




a.	**2111.100.4** - bent in white PP - 1"	1"	10×bag	10
b.	**2111.300.4** - bent in c.p. PP	1"	10×bag	10




a.	**2111.103.5** - pipes extension in white PP - 1"¼ × ø32 new	1"¼ × ø32	10×bag	10




		size	packaging	category
a.	**2111.105.4** **Hose connection ø10/14 for conditioning-drops and dryer** - pipes joint in white PP - 1" × 1" new	1" × 1"	10×bag	10




a.	**2111.107.4** - bent in white PP ø10/14 - 1" - with anti-backflow gasket new	1"	10×bag	10



a.	**2111.116.4** - straight in white PP ø16/18/20 - 1" - with anti-backflow gasket new	1"	10×bag	10



		size	packaging	category
a.	**2111.109.4** **PP hose connection for washing machine and dryer** - no. 2 for washing machine - no. 1 for dryer - 1" new	1"	10×bag	10




a. **155.620.0**

PVC WC connector
- H. 100 mm

size	packaging	category
ø100 × 100	1×bag / 36 (P8)	10

36 pcs.




a. **155.628.0**

PVC WC connector
- extensible
- H. 290÷590 mm

size	packaging	category
ø100 × 590	1×bag / 30 (L)	10

30 pcs.




a. **156.620.0**

PVC WC connector
- H. 100 mm
- eccentric 15 mm

size	packaging	category
ø100 × 100	1×bag / 36 (P8)	10

36 pcs.



a. **156.625.0**

PVC WC connector
- H. 100 mm
- eccentric 45 mm

size	packaging	category
ø100 × 100	1×bag / 36 (Z)	10


36 pcs.

a. **259.434.5**

size	packaging	category
ø30 × ø30	1×bag / 10 (P)	10

PVC telescopic cistern connector
- ambivalent inlet 45/90°
- outlet ø30

10 pcs.




The upper curve is ambivalent with angles both at 90° and 45°. To achieve a 45° curve, simply remove the excess part with a cut

a. **259.041.6**

size	packaging	category
ø40 × ø24	1×bag / 10 (P)	10

PP cistern connector
- inlet 90°
- outlet ø40

10 pcs.




a. **2178.307.6**

size	packaging	category
300 × ø40	10×bag	10

PP WC connector
- pipe L. 300 × ø40
- with joint ø44
- with PP wall flange

10 pcs.





a. **178.307.6**

size	packaging	category
300 × ø40	10×bag	10

C.p. brass WC connector
- pipe L. 300 × ø40
- with joint ø44
- with c.p. brass wall flange

10 pcs.






a. **2130.130.6**

size	packaging	category
ø50 × ø40	10×bag	10

PP convector for urinals
- with joint ø50

10 pcs.




b. **2130.430.6**

size	packaging	category
ø50 × ø40	1×bag / 10 (W)	10

- with joint ø50
- with PP trap
  - inlet H. 200 × ø50
  - outlet L. 300 × ø40
  - with PP flange

60 mm 65 l/min 10 pcs.




a. **2130.530.6**

size	packaging	category
ø50 × ø40	1×bag / 10 (W)	10

- with joint ø50
- with PP trap
  - inlet H. 200 × ø50
  - outlet L. 200 × ø40
  - with PP flange

60 mm 61 l/min 10 pcs.




a. **6130.002.8**

size	packaging	category
ø50 × ø50	1×bag / 10 (T)	10

PP in-wall trap for urinals
- inlet ø50
- lateral outlet ø50

60 mm 10 pcs.




b. **6135.002.8**


size	packaging	category
ø50 × ø50	1×bag / 10 (T)	10


- inlet ø50
- vertical outlet ø50


60 mm 10 pcs.




			size	packaging	category
a.	122.300.0	Stainless steel screw 6MA - L. 35	L. 35	10×bag	08
b.	122.550.0	- L. 55	L. 55	10×bag	08
c.	122.750.0	- L. 75	L. 75	10×bag	08
d.	122.000.0	- L. 100	L. 100	10×bag	08








			size	packaging	category
a.	137.350.3	Testing plugs - bivalent in PP - blue	½" × ¾"	10×bag	10
b.	137.355.3	- red	½" × ¾"	10×bag	10
c.	137.358.3	- yellow	½" × ¾"	10×bag	10
a.	137.050.2	- monovalent in Nylon - blue	½"	10×bag	10
b.	137.055.2	- red	½"	10×bag	10
a.	137.250.2	- monovalent in Nylon - with brass thread - blue	½"	10×bag	10
b.	137.255.2	- red	½"	10×bag	10



			size	packaging	category
a.	137.058.7	Outlet adaptor in ABS - inlet ø40 - outlet ø43	ø40 × ø43 new	10×bag	10
b.	137.058.9	- inlet ø50 - outlet ø56	ø50 × ø56 new	10×bag	10



			size	packaging	category
a.	247.301.0	Accessories specific for Squid art 1650/1652 - overflow set - c.p. ABS overflow grid - for holes ø30 - for washbasin thickness 5÷20 - max tube length L. 540	1"½ × 1"½ new	10×bag	10
			Specific for Squid art 1650/1652 page 82-85		
a.	2111.110.4	- hose connection - with conical gasket specific for Squid	1" new	10×bag	10
			Specific for Squid art 1650/1652 page 82-85		

Informations

OMP TEA introduce TECHNOVA -
protection of personal data -
warranty conditions -
seller's general terms -
legend -
packing -
product conformity -
eco-efficiency in siphon production -
summary -

1.
OMP TEA introduce TECHNOVA

In 2017 Technova, an Italian company manufacturing custom-made items for bathroom furnishings in Pietraluce since 1969, became part of the OMP SpA group. We are pleased to present a new range of OMP TEA products.



The company
Technova has been manufacturing since 1969 custom-made items for bathroom furnishings in Pietraluce.
Our long experience and our distinctive professionalism, our best technologies, as well as the quality of our material Pietraluce, have assured our success over the years.
The aesthetical quality of our products, their flexibility in shapes and colours have attracted the interest of the best customers, while their high resistance and durability are guaranteed by thousands of supplies for the most different uses.
All our products have been craft-made in Italy and they have been completely hand finished by our expert technicians. This enables us to supply a high quality product, unique and exclusive, and to guarantee its endurance in the respect of the tradition of the Made in Italy.



Our material
Pietraluce is shiny, water-proof and with anti-scale features.
Pietraluce is resistant to acids, solvents and to all the liquid products used for cleaning; it has anti-bacterial properties, it is non-flammable and self-extinguishing. Scratches or stains can be removed with a normal polishing paste; small repairs of chipping or cuts can be done by using our maintenance kit. Pietraluce be cut and drilled with normal tools in steel.
Pietraluce exists in various versions and colours, even on Customer's sample, and in shine or mat finishing. Beautiful, pleasant to the touch, resistant to the use, flexible in shapes and colours, Pietraluce is the material at the service of design.
Pietraluce remains an exclusive material: more than sixty years of experience and several thousands of supplies in hotels, schools, hospitals, commercial centres or private residences, represent its best guarantee.



Range
- on top, freestanding or wall-mounted washbasins
- bathroom furnitures
- on measure washbasins
- bathtubs
- shower trays
- complementary and on measure wall-covering slab

technova
tailor made bathroom

Viale Europa 13
25036 Palazzolo sull'Oglio (BS) - Italy
+39 030 7300792
technova@technova.it

technova.it











2.
Protection of personal data

We inform you that personal data that we acquire, which will be asked to you or which will be communicated to us by third parties will be processed according to the legislative regulations specified by Personal data protection Code (Regulation EU 2016/679 GDPR)

Processing aim
- compulsory fulfilment of fiscal and book-keeping matters as prescribed by law
- customer management
- cases management

Further aims, subject to specific agreement
- to provide information about our possible promotional activities
- to provide information about future commercial initiatives and new products, services and offers both from our company and affiliated and/or subsidiary companies and business partners

Processing method
- automatic processing by computer
- manual processing on paper archives

Each processing is carried out according to the methods described in art. 15-22 of the Code Regulation EU 2016/679 (GDPR) and with the minimum safety measures provided by the technical rule set

Communication
Your data will be hold at the company headquarters and will be communicated only to the relevant subjects, to carry out the services necessary for proper working relationship management. We guarantee that personal data will be protected. The subjects that can ask for personal data are:
- marketing office
- administration office
- our commercial network - agents

Your data may be communicated to people outside the company, more specifically to:
- consultants and professionals even in associated form
- banks and credit institutes
- credit information centres
- companies working in the transport sector
- installers and/or private subjects interested in our products who ask for dealers selling our products

Diffusion
Your data will not be diffused in any way

Owner
According to the law, the Owner of personal data processing is OMP spa in the person of its legal representative

Access right to personal data and other rights
The person concerned can in any moment exercise the rights provided for by art. 7 of the a.m. Code and ask to delete, communicate, update, rectify or integrate his/her personal data. Please remember that if you do not want to receive any further communications or information/promotional material from us, you can inform us as follows:
e-mail privacy@omptea.com

For more informations, please refer to
www.omptea.eu

3.
Warranty conditions

1)
TEA® hydro-sanitary water discharge systems are designed and manufactured by OMP to convey, when correctly installed, bath, kitchen, house-washers and dishwashers waste water to the building drain piping. At the same time, they prevent any return of gases and insalubrious bad odours from sewers to the house.

2)
OMP warranty ends 12 months after product delivery. OMP guarantees that their products have no design or manufacture faults. Warranty does not cover:
- damage caused by incidents, negligence or product misuse including discharge of noxious, corrosive or toxic acids, though accidental;
- damage caused by atmospheric phenomena - water, fire, lightning, etc.;
- repairing of products resulting damaged or faulty after the operation of unauthorized or unskilled personnel;
- repairing of products damaged during transport or by improper installing, tampering, modifications, connection to inappropriate hydraulic systems;
- product installation.

3)
Since OMP products with other products supplied by third parties make up more complex hydro-sanitary systems, we specify that this warranty is only valid for systems realized in a workmanlike manner, in compliance with current regulations and by specialized personnel who has to issue a conformity declaration as required by Law 46/1990. Obviously, the above mentioned warranty is not valid for the entire systems, but only for OMP products.

4)
Any claim is to be directed to OMP by recorded delivery letter within eight days from fault detection; once both the claim and the faulty piece – together with its components – have been received, OMP and its technicians will carry out an investigation gathering all necessary information to assess the claim legitimacy. Should the claim result legitimate, OMP will do its utmost to solve the situation, should the reverse be true, the buyer will be sent a communication indicating the reasons for claim refusal. The case will then be closed.

5)
The full text reported above represents the sole valid warranty; nobody can modify its contents and terms, be it in verbal or written form.

https://www.omptea.eu/seller-warranty-conditions/

4.
Seller's general terms and conditions

1) Seller's general terms and conditions, modifications
Buyer hereby agrees to be bound by the following Seller's general terms and conditions, the content of which it is fully aware. Any amendment to these conditions shall be valid and in force only if specifically confirmed in writing by the Seller; the validity of any amendment shall be limited to that order for which it has been confirmed.

2) Orders' acceptance
The order shall be deemed to be a Buyers' irrevocable proposal, for a period of 60 (sixty) days, and shall finalise the agreements arising out from previous negotiations between parties. The required characteristics that qualify the order are: price and payment conditions; characteristics of the product; quantity; type of packaging; terms of return; means of transport, delivery point; terms of delivery. The validity of the order shall be subjected to the Seller's acceptance, to be deemed occurred by confirmation in writing directly by the Buyer or through its own agent or intermediary or by the issuance of the related invoice or through the direct execution of the order. If the Seller should not be able to deliver the product within the agreed time, or if Seller should ascertain Buyer's insolvency, the former shall be entitled to negotiate the order's a, on a new basis, until an agreement is reached. Any amendment to the order subsequent to the execution of the agreement shall be deemed as a new Buyer's proposal.

3) Product
Seller has the right, at any time, to modify the products as it may be necessary in order to accomplished with both Italian and EU law, as well as to implement any other modification which, notwithstanding to the Buyer's technical specifications, does not affect the quality and usability of the product. Seller warrants that the sold products are in compliance with the specified characteristics. Buyer shall bear any risk and liability related to the use of the products, whether they are used individually or in combination with other products. The above warranty is granted exclusively to first-quality products. Moreover, except for death or personal injuries due to Seller's fraudulent or gross negligent behaviour, Seller shall not bear other losses, damages or costs arising out of the supply, use or resale of the products. In any case, Seller's liability shall not exceed the value of the sold products, except for any mandatory rule.

4) Packaging
The products shall be packed by the Seller at its own expenses. The standard packaging shall not include products beyond measure or special and particular shipping; in such cases, the expenses thereof shall be charged to the Buyer, unless otherwise agreed in writing.

5) Defective products, modality of return
The Buyer shall verify the supplied products within 30 (thirty) days as from the date when it has received them. After such period the Seller will not accept any claim except from those defects that the Buyer proves to be intervening defects. In any case, the complaint shall be notify in writing within 8 (eight) days from the discovery of the defects. For a period of 60 (sixty) days from the date of the claim the contested products shall be kept at the Seller's disposal as well as of its assessors and of its insurance company's assessors that shall have the right to inspect and sample them. In any case, the Buyer shall prove the contested defects. The Seller shall not accept returned products without its prior and express approval. In any case, Seller shall not accept returned product related to supplies that has been supplied after 3 (three) months from the date of their delivery. The returned products shall be delivered to the Seller free delivered to Bione, Brescia-Italy together with their required documents. In case of ascertained defects of the products, Seller shall have the right, in any case, to decide either to substitute them or grant a reduction on the price.

6) Delivery and Shipping
The terms of delivery shall be accounted in working days; the respect of them is, in any case, subordinated to the material availability of labour supply and to the potential circumstances beyond the reasonable control of the Seller. The Buyer shall never be entitled to terminate the agreement, reject the supply or claim compensation for damages whatsoever, in the event of delay in the delivery. The title and ownership of the sold products shall pass to the Buyer at the time of the delivery of the products that shall take place at the Seller's premises in Bione, Brescia-Italy. Buyer shall be responsible for the safekeeping of the sold product, pursuant to art. 2051of the Italian Civil Code as from the date of its delivery at the Seller's premises. Whether the Buyer did not give precise instructions regarding the shipping and if it is agreed that the burden of shipping is on the Seller, the latter shall have the right to select the means of shipping that he deems to be more appropriate by delivered ex quay unpaid. The Seller has the right to execute any order by using one or more shipping.

If the products are delivered in partial shipments, each delivery is considered as a single and separate agreement; the failure to execute one or more deliveries shall not entitle the Buyer to refuse the performance of the whole agreement. The products shall be delivered within 45 (forty-five) working days from the Seller's order acceptance. Seller shall be entitled to deliver the products before the contractually agreed delivery date, upon previous notification in writing to the Buyer. Seller shall not be liable for possible delays regarding the agreed date due to intervening circumstances that can not be attributed to the Seller. As a result of that, Buyer is not entitle to terminate the agreement, reject the supply or claim compensation for damages whatsoever, in the event of delay in the delivery. Whether the Buyer neither accepts the delivered products on consignment nor gives instructions about the delivery, Seller, without waiving any other action, may:

- store the products at Buyer's expenses, including insurance costs, until the delivery of the products will take place;
- sell the products at the best workable price and after deducting storage and sale costs charge the Buyer with the over cost or the difference with respect the agreed price in the agreement.

If Buyer does not accept the partial delivery of the ordered products, Seller shall have the right to postpone or cancel the sale, without giving prior notice to the Buyer and without affecting the remaining part of the order.
If the Seller should not be able, due to any reason whatsoever, to perform the entire order, it has the right to execute partial deliveries without being considered in default. Seller shall not be liable for the delay in the delivery or defaults in performing the contract originated directly or indirectly by causes of force majeure such as strikes, fires, explosions, incidents, floods, riots, revolutions, wars, acts accomplished or authorised by the governmental authority, impossibility to obtain materials, fuel, energy, means of transportation, and any other event due to causes beyond the reasonable control of the aggrieved party.

7) Payment conditions

The payment shall be fulfilled within 30 (thirty) days as from the end of the invoicing month, or within any other date notified in writing to the Buyer. Seller shall have the right to suspend and to cancel the supplies in the event the Buyer does not fulfil, totally or partially, its payment obligation. Moreover, if the Seller does not receive the payment within the due date stated in the invoice, it shall be entitled to issue a draft sight surcharged of expenses. On the delays in the payments, it will be applied by the Seller interests on arrears at the average bank discount rate surcharged of 3/5 plus expenses. Seller shall have the right to modify at any time the list prices pursuant to the trend of the market. In the price shall never be included any amount due to duties, taxes, imposts and any other similar burden that shall be born by the Buyer unless, where agreed, are deemed to be anticipated by the Seller. The supply prices are not binding.

8) Minimum Order

Seller, besides the feasibility study, shall have the right to execute only those orders which amount is not less than 250 Euro.

9) Notices

Any notice to be given by either Party shall be in writing and sent to the registered office of the other Party, or to a different address, previously notified.

10) Jurisdiction

If a dispute arises regarding the validity, construction or performance of the contract, the Parties agree that the Tribunal of Brescia shall have jurisdiction on it with express exclusion of any other different court.

https://www.omptea.eu/seller-warranty-conditions/

5.
Legend



Water seal
Indicates the water seal of the trap, the value is expressed in millimeters



Water volume
Indicates the water flow rate of the item, the value is expressed in litres/minute



Water volume of the overflow
Indicates the water flow rate of overflow, the value is expressed in litres/minute



European standard conformity
Indicates products in conformity with European standards



TÜVLGA approved product
Indicates products approved by TÜV-LGA



NF approved product
Indicates products approved by NF



CSA approved product
Indicates products approved by CSA



Article packed in box
The item with this symbol is packed in cardboard boxes



Article packed in bag
The item with this symbol is packed in a polyethylene (PE) bag



Eco-efficiency
Indicates items made using a lower environmental impact production process



Notes
Indicates important notes about the product series or information specific to a single article



Accessories available
This symbol is used when spare parts are available for the article to which it refers



New article
Indicates that the item to which it refers was not present in the previous version of the catalogue

6.
Packing

In order to make transport and stockage operations easier, we have adopted packages suitable for 120×80 cm standard pallet.

Each packaging entity (box or bag) is provided with a item-label showing: Article-Code, Size, eventual Drawing and EAN 13 Bar-code.


On the external package we stick a marking-label with same information, together with a customer identification's acronym.

These two system, item-label and marking-label, are integrated with an automatic packaging machinery which provides a better and quicker packaging process.
This is the reason why we will round the quantities of your orders. Please see column "Package" on the index of this catalogue for standard package quantity.

Dimensions of the external package

Cod.	dim. 1	dim. 2	dim. 3 (H)	Volume
A	60	40	32	0,0768
B	60	40	22	0,0528
C	60	40	28	0,0672
I (1)	30	22	23	0,0152
K	72	20	48	0,0691
L	80	41	36	0,1181
O	60	40	18	0,0432
P	41	110	30	0,1353
Q	60	40	35	0,0840
QA	60	40	37	0,0864
S	73	40	24	0,0701
T (3)	39	30	24	0,0281
W	40	30	31	0,0372
Z	59	40	45	0,1062
P8	41	41	36	0,0605

X Bag



7.
Product conformity

The reference standard for sanitary appliances' discharge devices is the UNI EN 274 standard, which is connected to a set of standards on gravity drainage systems in buildings UNI EN 12056.
In order to better recognize compliant products and to compare their functional characteristics, we used the symbols listed on legend (page 282).

Regarding the hydraulic seal of the products, standards mandate a minimum height of 50 mm for all types of siphons, regardless of their application area.

Concerning water flow, standards specify test procedures and the quantity of water the device must be capable of discharging. All details about water flow requirements are listed in the table below.


OMP S.p.A. has its own testing facilities with specifically calibrated equipment.
Water flow refers always to 1"¼ × ϕ32mm washbasin and bidet traps.
Water flow of 1" traps was not indicated.
The certifications reported here can also refer to products of the same family which are not indicated in this catalogue but have equivalent characteristics and functions.

Washbasin and bidet	water column	reference standard		minimum water volum.	minimum water seal
Waste only	120 mm	EN274	A	36 l/min	
Waste and trap	120 mm		B	30 l/min	50 mm
Trap only	120 mm		C	36 l/min	50 mm
Overflow	30 mm		D	15 l/min	
Sink					
Waste only	120 mm	EN274	E	42 l/min	
Waste and trap	120 mm		F	36 l/min	50 mm
Trap only	120 mm		G	42 l/min	50 mm
Overflow	30 mm		H	15 l/min	
Shower tray					
Waste and trap (tray holed ϕ50÷60 mm)	120 mm	EN274	I	24 l/min	50 mm
Waste and trap (tray holed ϕ90 mm)	15 mm		J	24 l/min	50 mm
Floor drain					
Trapped floor drain without additional inlet	20 mm	EN1253	K	24 l/min	50 mm
Trapped floor drain (DN 40)	20 mm		L	36 l/min	50 mm
Trapped floor drain (DN 50)	20 mm		M	48 l/min	50 mm
Bathtub					
Waste only	300 mm	EN274	N	60 l/min	
Waste and trap	300 mm		O	48 l/min	50 mm
Trap only	300 mm		P	51 l/min	50 mm
Overflow	60 mm		Q	36 l/min	


A Waste only
0,6 l/s - 36 l/min




B Waste and trap
0,5 l/s - 30 l/min




C Trap only
0,6 l/s - 36 l/min




D Overflow
0,25 l/s - 15 l/min




E Waste only
0,7 l/s - 42 l/min




F Waste and trap
0,6 l/s - 36 l/min




G Trap only
0,7 l/s - 42 l/min




H Overflow
0,25 l/s - 15 l/min




I Waste and trap (tray holed ϕ50÷60 mm)
0,4 l/s - 24 l/min




J Waste and trap (tray holed ϕ90 mm)
0,4 l/s - 24 l/min




K Trapped floor drain without additional inlet
0,4 l/s - 24 l/min




L Trapped floor drain (DN 40)
0,6 l/s - 36 l/min




M Trapped floor drain (DN 50)
0,8 l/s - 48 l/min




N Waste only
1,0 l/s - 60 l/min




O Waste and trap
0,8 l/s - 48 l/min



P Trap only
0,85 l/s - 51 l/min



Q Overflow
0,6 l/s - 36 l/min



8.
Eco-efficiency in siphon production

Università Cattolica del Sacro cuore

Research on the eco-efficiency of Halley Evo production compared to traditional die-cast siphons

*** Produced from brass pipe without casting**

MI-MIP Indicator

Comparison between the "Halley Evo" brass pipe siphon and the die-cast "Europa" siphon

Material Intensity Per Service (MIPS)

MIPS is an indicator originating from the Wuppertal Institute in Germany and used in several European countries by public entities and companies. The indicator is innovative and experimental, providing a measure of the direct and indirect impact that a single unit of a product or service has on the environment throughout its lifecycle. Indeed, MIPS clearly and succinctly identifies the materials used or discarded to produce a unit of product or service. The indicator is related to the use of materials in production processes, as required by the Global Reporting Initiative. MIPS is derived from the ratio between the resources used (calculated in kilograms or tonnes) and the quantity of the final product.

The higher the MIPS value, the greater the amount of material incorporated into the product from the extraction of raw materials to the final production stage (the so-called "ecological backpack" of the product).

The following types of primary resources are included in the MIPS calculation:

- abiotic material;
- biotic material;
- water;
- land transfers (waste material created during raw material extraction);
- air (used in extraction and production processes).

MIP Analysis

The calculation of the MI-MIP indicator was performed for two products: the "Europa" siphon and the "Halley Evo" siphon.

The MI (Material Intensity) index is related to the weight in kilograms of the type of material used in production, while the MIP index (Material Intensity per Product) is related to the weight of the type of material used per single unit of product.

For each of the products, the analysis was conducted concerning:

- production process (basic separate analyses, production process analysis, subdivision into sub processes, calculation of MI for each phase of the process, and for the total process);
- experimental weight (laboratory weight of the components constituting the finished product and calculation of MI for each component and for the total weight of the product);
- energy consumption (calculation of energy consumption in the production phases of the components constituting the finished products and calculation of total consumption and relative MI-MIP index).


Graphical Representations

"Halley Evo" Siphon (Kg)

Percentage distribution and relative weight (Kg) among production waste of the Halley Evo Siphon and the weight of the product itself. The graph shows the weight of the waste resulting from the production process of the Halley Evo siphon in relation to the weight of the finished product; waste represents 16% of the product's weight, slightly lower than the Europa siphon waste.

"Europa" Siphon (Kg)

Percentage distribution and relative weight (Kg) among production waste of the Europa Siphon and the weight of the product itself. The graph shows the weight of the waste resulting from the production process of the Europa siphon in relation to the weight of the finished product; waste represents 18% of the product's weight.




Process Material Intensity

Comparison between the process Material Intensity indices of the "Halley Evo" and "Europa" products.


From the graph, it can be deduced that the production process of the Europa siphon involves a much higher

Material Intensity load (expressed in Kg) compared to the production process of the Halley Evo. This comparison should be seen in the context of a production process balance, considering the "added weight" that each material working phase entails. The Europa processing is more articulated than the Halley Evo siphon process, and each additional phase in the process entails a load in terms of Material Intensity. It's essential to consider this graphical representation not as a comparison between products and their materials but exclusively between production processes.




Experimental Weight and MI

Comparison between experimental weight and Material Intensity of experimental weight between the "Halley Evo" and "Europa" siphons The graph represents the actual load of Material Intensity related to the finished product; the greater weight of the Europa siphon results in a greater Material Intensity load, whereas the lighter Halley Evo siphon has a lower MI load. The graph shows the comparison between weights and MIs related to finished products concerning the materials used, whose actual weight was verified in the laboratory using an experimental weight procedure.



Energy Consumption

Indices between the "Halley Evo" and "Europa" siphons. The graph shows the comparison between the energy consumption related to the production of the two siphons and the related Material Intensity levels. The energy expenditure for Europa siphon production is much higher compared to that used for the Halley Evo siphon; consequently, the MI weight related to energy consumption is higher for the Europa siphon.



Eco-efficiency

The siphon series 26, 28, 510, 700, 710, 711, 713, being made from brass pipe, also adhere to the same characteristics as Halley Evo. Therefore, compared to other siphons in the market, they are produced through a production process with a lower environmental impact.

9.
Summary

ARTICLE	PACKAGING	PAGE	CAT.	EAN BAR-CODE	CH.
17.223.5	1×box / 30 (C)	58	01	8019952000350	01
19.124.5.H	1×box / 30 (C)	64	03	8019952134215	01
19.200.5	1×box / 30 (B)	49	01	8019952000541	01
19.200.5.1	1×box / 30 (B)	49	01	8019952000558	01
19.200.6	1×box / 30 (B)	108	01	8019952000572	02
19.200.6.1	1×box / 30 (B)	108	01	8019952000589	02
19.211.5	1×box / 30 (B)	48	01	8019952000015	01
19.212.6	1×box / 30 (B)	108	01	8019952000671	02
19.215.5	1×box / 30 (B)	48	01	8019952000077	01
19.411.5	1×box / 30 (B)	48	01	8019952000787	01
19.422.5	1×box / 30 (C)	48	01	8019952000046	01
19.422.6	1×box / 30 (C)	108	01	8019952000893	02
19.426.5	1×box / 30 (C)	48	01	8019952000107	01
19.452.5	1×box / 30 (C)	48	01	8019952000954	01
19.700.6	1×box / 30 (B)	49	01	8019952000992	01
19.912.6	1×box / 30 (B)	49	01	8019952001012	01
20.421.5	1×box / 30 (C)	51	01	8019952091495	01
20.710.5	1×box / 30 (B)	51	01	8019952001098	01
20.711.5	1×box / 30 (B)	50	01	8019952001104	01
20.714.5	1×box / 30 (B)	51	01	8019952001111	01
20.911.5	1×box / 30 (B)	50	01	8019952001159	01
20.918.5	1×box / 30 (C)	50	01	8019952001173	01
20.941.5	1×box / 30 (B)	51	01	8019952001180	01
22.223.5	1×box / 30 (C)	58	01	8019952001395	01
24.223.5	1×box / 30 (C)	58	01	8019952001791	01
25.335.4.K	1×box / 10 (O)	60	02	8019952116358	01
25.495.4.K	1×box / 10 (O)	60	02	8019952126968	01
25.711.5	1×box / 30 (C)	47	02	8019952001982	01
25.911.5	1×box / 30 (C)	47	02	8019952184289	01
26.423.5	1×box / 30 (C)	47	02	8019952027777	01
26.511.5	1×box / 30 (B)	47	02	8019952002453	01
26.515.5	1×box / 30 (B)	47	02	8019952002477	01
26.711.5	1×box / 30 (B)	46	02	8019952000022	01
26.715.5	1×box / 30 (B)	46	02	8019952000053	01
26.791.5	1×box / 20 (D)	54	02	8019952101439	01
26.911.5	1×box / 30 (C)	46	02	8019952002767	01
26.922.5	1×box / 30 (C)	46	02	8019952002828	01
26.924.5.H	1×box / 15 (W)	64	03	8019952153971	01
26.926.5	1×box / 30 (C)	46	02	8019952002972	01
26.952.5	1×box / 30 (C)	46	02	8019952003023	01
28.711.5	1×box / 30 (B)	52	02	8019952003245	01
28.715.5	1×box / 30 (B)	52	02	8019952003276	01
29.020.5	1×box / 15 (I)	44	04	8019952003443	01
29.110.5	1×box / 15 (I)	44	04	8019952003559	01
29.120.5	1×box / 15 (I)	44	04	8019952003573	01
29.140.5	1×box / 15 (I)	44	04	8019952003597	01
30.120.5	1×box / 15 (I)	45	04	8019952003696	01
30.140.5	1×box / 15 (I)	45	04	8019952003702	01
34.610.5	5×box / 150 (B)	42	04	8019952000084	01

ARTICLE	PACKAGING	PAGE	CAT.	EAN BAR-CODE	CH.
34.615.5	10×box / 50 (T)	98	04	8019952004020	02
34.615.6	10×box / 50 (T)	98	04	8019952004037	02
34.620.5	5×box / 150 (B)	42	04	8019952004068	01
34.625.5	10×box / 50 (T)	98	04	8019952004099	02
34.625.6	10×box / 50 (T)	98	04	8019952004105	02
34.630.5	5×box / 150 (B)	42	04	8019952004129	01
34.635.5	10×box / 50 (T)	98	04	8019952004136	02
34.635.6	10×box / 50 (T)	98	04	8019952004167	02
34.640.5	5×box / 150 (B)	42	04	8019952004181	01
34.645.5	10×box / 50 (T)	98	04	8019952004198	02
34.645.6	10×box / 50 (T)	98	04	8019952004204	02
47.100.0	1×bag / 10 (X)	24	08	8019952004488	DS
50.210.5.0	10×bag	248	08	8019952004655	07
51.250.5.0	10×bag	248	08	8019952004730	07
51.250.6.0	10×bag	248	08	8019952004761	07
52.005.5	10×bag	248	08	8019952004778	07
52.006.5	10×bag	248	08	8019952004785	07
52.006.6	10×bag	248	08	8019952004792	07
52.417.5	10×bag	248	08	8019952173283	07
52.517.5	10×bag	248	08	8019952004815	07
55.165.5	10×box / 50 (T)	129	15	8019952005058	03
55.165.6	10×box / 50 (T)	129	15	8019952005089	03
55.660.5	10×box / 50 (T)	42	04	8019952005171	01
55.665.5	10×box / 50 (T)	129	15	8019952005188	03
55.665.6	10×box / 50 (T)	129	15	8019952005195	03
58.065.5	2×box / 30 (T)	128	15	8019952005263	03
61.065.5	1×box / 15 (T)	128	15	8019952005447	03
61.067.5	1×box / 15 (T)	128	15	8019952005577	03
62.305.5	2×box / 30 (T)	216	15	8019952005614	05
62.405.5	2×box / 30 (T)	216	15	8019952005621	05
62.605.5	1×box / 15 (T)	216	15	8019952178660	05
62.905.5	1×box / 16 (B)	216	15	8019952005706	05
65.200.6	1×box / 15 (T)	216	15	8019952169385	05
65.300.6	1×box / 15 (T)	216	15	8019952005720	05
65.400.6	1×box / 15 (T)	216	15	8019952005768	05
65.900.6	1×box / 16 (B)	216	15	8019952005874	05
77.400.9	10×bag	267	08	8019952006116	07
77.400.9.S	10×bag	267	08	8019952181141	07
77.401.9.S	10×bag	267	08	8019952182780	07
77.408.9	10×bag	266	08	8019952189505	07
77.410.9	10×bag	267	08	8019952170114	07
77.420.9	10×bag	267	08	8019952170121	07
77.428.9	10×bag	266	08	8019952189512	07
78.000.4	10×bag	240	08	8019952006277	07
78.000.5	10×bag	240	08	8019952006284	07
78.000.6	10×bag	240	08	8019952006291	07
78.004.5	10×bag	240	08	8019952006314	07
78.190.4	10×bag	240	08	8019952006321	07
78.190.5	10×bag	240	08	8019952006338	07

ARTICLE	PACKAGING	PAGE	CAT.	EAN BAR-CODE	CH.
78.250.4	10×bag	240	08	8019952006420	07
78.250.5	10×bag	240	08	8019952006437	07
78.250.5.H	10×bag	240	10	8019952155869	07
78.254.5	10×bag	240	08	8019952006499	07
78.300.4	10×bag	240	08	8019952006505	07
78.300.5	10×bag	240	08	8019952006598	07
78.300.5.H	10×bag	240	10	8019952183916	07
78.300.6	10×bag	240	08	8019952006697	07
78.304.5	10×bag	240	08	8019952006710	07
79.200.4	5×bag / 50 (B)	241	08	8019952006949	07
79.200.5	5×bag / 50 (B)	241	08	8019952006956	07
79.204.5	5×bag / 50 (B)	241	08	8019952006963	07
79.320.5	1×bag / 50 (D)	242	08	8019952007007	07
79.330.5	1×bag / 60 (L)	242	08	8019952007021	07
79.360.5	5×bag / 50 (C)	241	08	8019952007120	07
79.364.5	5×bag / 50 (C)	241	08	8019952007229	07
79.410.5	5×bag / 50 (C)	241	08	8019952007359	07
79.490.5	1×bag / 40 (D)	242	08	8019952007403	07
79.490.6	1×bag / 50 (L)	242	08	8019952007410	07
79.560.5	1×bag / 60 (L)	242	08	8019952126548	07
79.700.5	1×bag / 25 (D)	242	08	8019952007434	07
80.200.4	10×bag	244	08	8019952102528	07
80.200.5	10×bag	244	08	8019952094861	07
80.250.4	10×bag	244	08	8019952007625	07
80.250.5	10×bag	244	08	8019952000114	07
80.300.4	10×bag	244	08	8019952007687	07
80.300.5	10×bag	244	08	8019952007694	07
80.304.5	10×bag	244	08	8019952007724	07
81.250.5	10×bag	241	08	8019952007793	07
81.254.5	10×bag	241	08	8019952007809	07
85.250.5	10×bag	241	08	8019952007977	07
85.254.5	10×bag	241	08	8019952007984	07
85.300.5	10×bag	241	08	8019952008004	07
85.304.5	10×bag	241	08	8019952008011	07
86.196.5	10×bag	244	08	8019952008127	07
86.256.5	10×bag	244	08	8019952008240	07
86.302.5.H	**10×bag**	**64**	**10**	**8019952189529**	**01**
86.306.5	10×bag	244	08	8019952008295	07
88.405.5.0	5×box / 60 (B)	141	02	8019952008554	04
88.405.6.0	3×box / 36 (B)	141	02	8019952008578	04
88.409.6.0	1×bag / 15 (T)	141	02	8019952008615	04
90.504.5.1	**1×box / 30 (B)**	**56**	**01**	**8019952032924**	**01**
92.300.4	10×bag	246	08	8019952008851	07
92.300.5	10×bag	246	08	8019952008875	07
92.304.5	10×bag	246	08	8019952008899	07
97.087.5	10×bag	245	08	8019952008981	07
97.205.5	10×bag	245	08	8019952009025	07
98.820.5	1×box / 30 (C)	141	15	8019952102771	04
98.820.6	1×box / 30 (C)	141	15	8019952009155	04

ARTICLE	PACKAGING	PAGE	CAT.	EAN BAR-CODE	CH.
019.701.5	1×box / 20 (M)	54	01	8019952200118	01
019.711.5	1×box / 20 (M)	54	01	8019952200125	01
020.701.5	1×box / 20 (M)	54	01	8019952009339	01
100.130.4	10×bag	246	08	8019952009360	07
100.130.5	10×bag	246	08	8019952009377	07
100.134.5	10×bag	246	08	8019952009391	07
101.170.4.0	10×bag	247	08	8019952009445	07
101.170.5.0	10×bag	247	08	8019952009469	07
101.170.6.0	10×bag	247	08	8019952009490	07
101.175.5.0	10×bag	247	08	8019952009582	07
101.175.6.0	10×bag	247	08	8019952009605	07
102.160.4	10×bag	247	08	8019952009629	07
102.160.5	10×bag	247	08	8019952009636	07
102.160.6	10×bag	247	08	8019952009643	07
102.164.5	10×bag	247	08	8019952009650	07
102.165.5	10×bag	247	08	8019952009674	07
102.165.6	10×bag	247	08	8019952009681	07
102.480.5	10×bag	247	08	8019952009698	07
109.450.5	6×bag	235	11	8019952009797	06
111.260.4	10×bag	235	08	8019952009865	06
114.000.5	10×bag	255	08	8019952009926	07
114.000.5.0	10×bag	255	08	8019952009933	07
114.000.6	10×bag	255	08	8019952009940	07
114.000.6.0	10×bag	255	08	8019952009957	07
114.001.5	10×bag	255	08	8019952009964	07
114.001.5.0	10×bag	255	08	8019952009971	07
114.001.6	10×bag	255	08	8019952009988	07
114.001.6.0	10×bag	255	08	8019952009995	07
114.590.5.0	10×bag	255	08	8019952010007	07
114.590.6.0	10×bag	255	08	8019952010014	07
115.200.5	10×bag	259	08	8019952174259	07
115.210.5	10×bag	259	08	8019952010021	07
115.220.5	10×bag	259	08	8019952010052	07
115.220.6	10×bag	259	08	8019952010069	07
115.310.5	10×bag	259	08	8019952010151	07
115.320.5	10×bag	259	08	8019952010267	07
115.320.6	10×bag	259	08	8019952010373	07
115.340.5	10×bag	259	08	8019952010625	07
115.350.5	10×bag	259	08	8019952010649	07
115.350.6	10×bag	259	08	8019952010656	07
115.390.5	10×bag	259	08	8019952150727	07
115.400.5	10×bag	259	10	8019952174976	07
118.210.2	100×bag	258	08	8019952010694	07
118.310.2	100×bag	258	08	8019952010717	07
118.310.3	100×bag	258	08	8019952010724	07
118.320.2	100×bag	258	08	8019952010748	07
118.320.3	100×bag	258	08	8019952010755	07
118.330.2	100×bag	258	08	8019952010762	07
118.330.3	100×bag	258	08	8019952010779	07

ARTICLE	PACKAGING	PAGE	CAT.	EAN BAR-CODE	CH.
118.340.2	100×bag	258	08	8019952010786	07
118.360.2	100×bag	258	08	8019952010809	07
118.360.3	100×bag	258	08	8019952010816	07
119.310.0	10×bag	262	08	8019952011103	07
119.410.0	10×bag	262	10	8019952011134	07
119.510.0	10×bag	262	08	8019952011158	07
119.511.0	10×bag	262	08	8019952174266	07
119.512.0	10×bag	262	08	8019952115214	07
119.522.0	10×bag	262	10	8019952100005	07
119.522.0.B	10×bag	262	10	8019952133454	07
119.523.0	10×bag	262	10	8019952189536	07
119.525.0	10×bag	262	10	8019952100012	07
119.527.0	10×bag	262	10	8019952188034	07
119.610.0	10×bag	266	08	8019952011226	07
119.612.0	10×bag	266	08	8019952185873	07
119.616.0	10×bag	266	08	8019952143682	07
119.617.0	10×bag	266	08	8019952180816	07
119.618.0	10×bag	266	08	8019952180823	07
119.619.0	10×bag	266	08	8019952180830	07
119.713.5	5×bag	252	08	8019952095424	07
119.910.0	10×bag	262	10	8019952100029	07
120.111.5	10×bag	253	08	8019952011332	07
120.112.0	10×bag	253	08	8019952011349	07
120.112.6	10×bag	253	08	8019952011356	07
120.113.6	10×bag	263	08	8019952011387	07
120.120.5	10×bag	253	08	8019952011424	07
120.120.7	10×bag	253	08	8019952011448	07
120.170.5	10×bag	253	08	8019952011486	07
120.170.6	10×bag	253	08	8019952011493	07
120.170.7	10×bag	253	08	8019952011509	07
120.360.5	5×bag	252	08	8019952011523	07
120.811.5	10×bag	253	08	8019952095516	07
120.820.5	10×bag	253	08	8019952095479	07
121.020.0	10×bag	253	08	8019952011554	07
121.099.0	10×bag	253	08	8019952011592	07
121.490.0	10×bag	253	08	8019952011653	07
122.000.0	10×bag	273	08	8019952121772	07
122.300.0	10×bag	273	08	8019952011660	07
122.550.0	10×bag	273	08	8019952011707	07
122.750.0	10×bag	273	08	8019952011714	07
123.321.5	10×bag	256	10	8019952011790	07
123.420.0	10×bag	256	10	8019952100036	07
123.421.0	10×bag	256	10	8019952189543	07
123.502.0	10×bag	256	10	8019952189550	07
123.504.0	10×bag	257	10	8019952143712	07
123.505.0	10×bag	257	10	8019952143729	07
123.523.0	10×bag	256	10	8019952100210	07
123.524.0	10×bag	257	10	8019952122076	07
123.525.0	10×bag	257	10	8019952143736	07

ARTICLE	PACKAGING	PAGE	CAT.	EAN BAR-CODE	CH.
123.526.0	10×bag	257	10	8019952143743	07
123.527.0	10×bag	257	10	8019952143750	07
123.621.0	10×bag	256	10	8019952151076	07
124.320.4	10×bag	254	10	8019952121109	07
124.330.5	10×bag	254	10	8019952011912	07
124.330.6	10×bag	254	10	8019952011929	07
124.331.5	10×bag	254	10	8019952116099	07
125.200.4	10×bag	254	10	8019952011950	07
125.200.5	10×bag	254	10	8019952011967	07
125.200.6	10×bag	254	10	8019952011974	07
125.230.5	10×bag	254	10	8019952012001	07
125.230.6	10×bag	254	10	8019952012018	07
125.730.5	10×bag	254	10	8019952168173	07
126.013.5.H	1×box / 15 (B)	65	03	8019952148618	01
128.223.5	1×box / 30 (C)	56	01	8019952012087	01
132.405.6	1×bag / 10 (I)	94	05	8019952177687	02
132.505.6	1×bag / 15 (I)	94	05	8019952142241	02
132.605.6	1×bag / 10 (I)	94	05	8019952142258	02
133.305.6	1×bag / 10 (I)	93	05	8019952154466	02
133.405.6	1×bag / 10 (I)	93	05	8019952097626	02
133.455.6	1×bag / 10 (I)	93	05	8019952154732	02
133.505.6	1×bag / 15 (I)	92	05	8019952012193	02
133.535.6	1×bag / 15 (I)	92	05	8019952122083	02
133.555.6	1×bag / 15 (I)	92	05	8019952113753	02
133.605.6	1×bag / 10 (I)	92	05	8019952012216	02
133.635.6	1×bag / 10 (I)	92	05	8019952148861	02
133.705.6	1×bag / 10 (I)	93	05	8019952091020	02
137.007.0	10×bag	264	10	8019952181097	07
137.009.0	10×bag	264	10	8019952181721	07
137.013.0	10×bag	267	10	8019952182711	07
137.013.1	10×bag	267	10	8019952196930	07
137.014.0	10×bag	264	10	8019952184876	07
137.022.0	10×bag	261	10	8019952189567	07
137.023.0	10×bag	264	10	8019952191645	07
137.027.0	5×bag	252	08	8019952148908	07
137.029.0	10×bag	264	10	8019952197951	07
137.031.5	1×bag / 30 (C)	229	11	8019952114866	06
137.031.6	1×bag / 30 (C)	229	11	8019952114521	06
137.032.5	1×box / 5 (T)	229	11	8019952115108	06
137.033.5	1×box / 5 (T)	229	11	8019952114897	06
137.036.0	5×bag	252	08	8019952130262	07
137.037.0	5×bag	252	08	8019952130279	07
137.039.0	10×bag	263	08	8019952130293	07
137.043.0	10×bag	263	08	8019952100432	07
137.044.0	10×bag	263	08	8019952126579	07
137.047.0	10×bag	263	10	8019952121574	07
137.047.1	10×bag	263	08	8019952121581	07
137.049.0	5×bag	252	08	8019952143767	07
137.050.2	10×bag	273	10	8019952098722	07

ARTICLE	PACKAGING	PAGE	CAT.	EAN BAR-CODE	CH.
137.051.0	10×bag	263	10	8019952179179	07
137.052.0	10×bag	263	08	8019952174297	07
137.053.0	5×bag	252	08	8019952174303	07
137.055.2	10×bag	273	10	8019952098746	07
137.056.0	10×bag	263	10	8019952199412	07
137.058.7	10×bag	273	10	8019952200682	07
137.058.9	10×bag	273	10	8019952200699	07
137.061.0	10×bag	263	08	8019952099606	07
137.063.0	10×bag	263	08	8019952099620	07
137.070.0	10×bag	261	08	8019952099637	07
137.070.9	10×bag	261	08	8019952121741	07
137.071.0	10×bag	261	08	8019952099644	07
137.072.0	10×bag	261	08	8019952100081	07
137.074.0	10×bag	268	08	8019952100227	07
137.075.0	10×bag	268	10	8019952100234	07
137.078.0	10×bag	268	10	8019952100265	07
137.079.0	10×bag	261	08	8019952166711	07
137.081.0	10×bag	254	10	8019952100111	07
137.082.0	10×bag	254	10	8019952100128	07
137.086.0	10×bag	255	08	8019952100142	07
137.087.0	10×bag	255	08	8019952100159	07
137.088.0	10×bag	255	08	8019952100166	07
137.090.0	10×bag	254	10	8019952100173	07
137.097.1	5×bag	252	08	8019952193724	07
137.098.1	5×bag	252	08	8019952193731	07
137.136.0	**1×bag / 10 (X)**	**25**	**08**	**8019952169545**	**DS**
137.250.2	10×bag	273	10	8019952103297	07
137.255.2	10×bag	273	10	8019952103303	07
137.350.3	10×bag	273	10	8019952114736	07
137.355.3	10×bag	273	10	8019952114743	07
137.358.3	10×bag	273	10	8019952114750	07
139.436.6	**8×bag / 80 (C)**	**99**	**08**	**8019952116297**	**02**
139.456.6	**8×bag / 80 (C)**	**99**	**08**	**8019952099675**	**02**
139.466.6	**8×bag / 80 (C)**	**99**	**08**	**8019952114842**	**02**
140.416.6	**5×box / 50 (Q)**	**99**	**15**	**8019952114217**	**02**
140.436.6	**5×box / 50 (Q)**	**99**	**15**	**8019952099224**	**02**
140.456.6	**5×box / 40 (A)**	**99**	**15**	**8019952096537**	**02**
140.466.6	**5×box / 40 (A)**	**99**	**15**	**8019952098265**	**02**
147.345.5	**1×box / 15 (I)**	**11**	**12**	**8019952174518**	**DS**
147.355.5	**1×box / 15 (I)**	**10**	**12**	**8019952106748**	**DS**
147.545.5	**1×box / 15 (I)**	**11**	**12**	**8019952156187**	**DS**
147.550.5	**1×box / 15 (I)**	**13**	**12**	**8019952122830**	**DS**
147.555.5	**1×box / 15 (I)**	**10**	**12**	**8019952106762**	**DS**
147.745.5	**1×box / 15 (I)**	**11**	**12**	**8019952166872**	**DS**
147.750.5	**1×box / 15 (I)**	**13**	**12**	**8019952114613**	**DS**
147.755.5	**1×box / 15 (I)**	**10**	**12**	**8019952106786**	**DS**
147.945.5	**1×box / 15 (I)**	**11**	**12**	**8019952183343**	**DS**
147.950.5	**1×box / 15 (I)**	**13**	**12**	**8019952109718**	**DS**
147.955.5	**1×box / 15 (I)**	**10**	**12**	**8019952108575**	**DS**

ARTICLE	PACKAGING	PAGE	CAT.	EAN BAR-CODE	CH.
149.405.6.4	1×box / 30 (T)	109	01	8019952091570	02
149.505.6.4	1×box / 30 (B)	109	01	8019952091594	02
155.620.0	1×bag / 36 (P8)	270	10	8019952013275	07
155.628.0	1×bag / 30 (L)	270	10	8019952110936	07
156.620.0	1×bag / 36 (P8)	270	10	8019952013299	07
156.625.0	1×bag / 36 (Z)	270	10	8019952090863	07
159.250.4	10×box / 80 (B)	238	08	8019952013343	07
159.250.5	10×box / 80 (B)	238	08	8019952013350	07
177.300.9	10×bag	268	08	8019952013657	07
177.501.0	1×bag / 5 (I)	268	08	8019952013718	07
177.521.0	1×bag / 5 (B)	268	08	8019952013732	07
177.601.0	10×bag	268	08	8019952193717	07
178.307.6	10×bag	271	08	8019952115481	07
180.680.5	1×bag / 70 (L)	243	08	8019952013824	07
187.250.5	10×bag	245	08	8019952013862	07
187.259.5	5×box / 50 (C)	238	08	8019952013879	07
187.300.5	10×bag	245	08	8019952013886	07
214.654.6	1×bag / 30 (A)	107	10	8019952188706	02
217.100.6	1×bag / 50 (QA)	69	03	8019952032399	01
217.144.6	1×bag / 50 (QA)	69	03	8019952032405	01
217.200.5	1×bag / 50 (QA)	69	03	8019952014159	01
217.244.5	1×bag / 50 (QA)	69	03	8019952014173	01
217.344.5	1×bag / 50 (QA)	68	03	8019952032511	01
217.400.5	1×bag / 50 (QA)	68	03	8019952014227	01
217.444.5	1×bag / 50 (QA)	68	03	8019952014265	01
218.210.5	1×box / 30 (C)	71	03	8019952102122	01
218.214.5	1×box / 30 (C)	71	03	8019952184296	01
218.244.5	1×box / 30 (C)	71	03	8019952014388	01
218.410.5	1×box / 30 (C)	70	03	8019952014401	01
218.414.5	1×box / 30 (C)	70	03	8019952014425	01
218.444.5	1×box / 30 (C)	70	03	8019952014494	01
218.944.5	1×box / 30 (Q)	70	03	8019952014524	01
222.444.5	1×bag / 30 (A)	74	03	8019952014531	01
222.854.6	1×bag / 30 (A)	74	03	8019952014579	01
226.444.5	1×bag / 30 (A)	74	03	8019952014739	01
226.454.6	1×bag / 30 (Q)	104	03	8019952014753	02
226.708.8	1×bag / 30 (Q)	104	03	8019952098319	02
226.747.8	1×bag / 25 (Q)	104	03	8019952101200	02
226.754.6	1×bag / 30 (Q)	104	03	8019952014869	02
226.854.6	1×bag / 30 (A)	74	03	8019952014913	01
227.708.8	1×bag / 15 (C)	106	03	8019952098371	02
227.754.6	1×bag / 15 (C)	106	03	8019952014968	02
228.254.6	1×bag / 15 (Q)	105	03	8019952014982	02
228.654.6	1×bag / 15 (Q)	105	03	8019952185231	02
232.530.6	1×bag / 30 (T)	95	05	8019952015095	02
232.535.6	10×bag / 60 (T)	97	05	8019952015118	02
232.540.6	1×bag / 30 (T)	95	05	8019952015149	02
232.545.6	10×bag / 60 (T)	97	05	8019952015156	02
232.833.6	1×bag / 30 (W)	95	05	8019952015200	02

ARTICLE	PACKAGING	PAGE	CAT.	EAN BAR-CODE	CH.
232.840.6	1×bag / 30 (W)	95	05	8019952015217	02
234.540.6	1×bag / 30 (T)	96	05	8019952015231	02
234.610.5	10×bag / 100 (T)	43	05	8019952015262	01
234.620.5	10×bag / 100 (T)	43	05	8019952015323	01
234.625.5	10×bag / 60 (T)	97	05	8019952015347	02
234.625.6	10×bag / 60 (T)	97	05	8019952015361	02
234.630.5	10×bag / 100 (T)	43	05	8019952015385	01
234.635.5	10×bag / 60 (T)	97	05	8019952015408	02
234.635.6	10×bag / 60 (T)	97	05	8019952015422	02
234.640.5	10×bag / 100 (T)	43	05	8019952015439	01
234.640.6	1×bag / 30 (B)	96	05	8019952015446	02
234.641.6	1×bag / 30 (B)	96	05	8019952015477	02
245.016.6	1×bag / 30 (W)	128	06	8019952015606	03
245.096.6	1×bag / 30 (W)	128	06	8019952104119	03
247.301.0	10×bag	273	10	8019952192949	07
247.304.0	1×bag / 15 (I)	24	10	8019952015613	DS
247.354.0	1×bag / 15 (I)	24	10	8019952143057	DS
247.604.0	1×bag / 15 (I)	24	10	8019952094328	DS
250.211.5	10×bag	249	10	8019952015644	07
250.211.6	10×bag	249	10	8019952015651	07
250.213.5	10×bag	249	10	8019952015668	07
250.213.6	10×bag	249	10	8019952015682	07
250.218.5	10×bag	249	10	8019952015705	07
250.218.6	10×bag	249	10	8019952015729	07
250.311.6	10×bag	249	10	8019952015750	07
250.313.6	10×bag	249	10	8019952015781	07
250.318.6	10×bag	249	10	8019952015811	07
251.241.5	10×bag	249	10	8019952015842	07
251.241.6	10×bag	249	10	8019952015859	07
251.253.5	10×bag	249	10	8019952015866	07
251.253.6	10×bag	249	10	8019952015880	07
251.341.5	10×bag	249	10	8019952015903	07
251.341.6	10×bag	249	10	8019952015910	07
251.353.6	10×bag	249	10	8019952015941	07
252.005.5	10×bag	248	10	8019952015965	07
252.005.6	10×bag	248	10	8019952015989	07
252.006.5	10×bag	248	10	8019952016009	07
252.006.6	10×bag	248	10	8019952016016	07
252.905.6	10×bag	248	10	8019952174341	07
254.016.6	1×bag / 30 (B)	126	06	8019952016054	03
254.019.8	1×bag / 30 (C)	126	06	8019952016061	03
254.066.6	1×bag / 30 (B)	126	06	8019952016085	03
254.069.8	1×bag / 30 (C)	126	06	8019952016092	03
255.665.6	1×bag / 60 (W)	129	06	8019952016160	03
255.670.5	1×bag / 30 (W)	129	06	8019952121949	03
256.016.6	1×bag / 30 (B)	127	06	8019952016221	03
256.019.8	1×bag / 30 (C)	127	06	8019952016245	03
256.066.6	1×bag / 30 (B)	127	06	8019952016269	03
256.069.8	1×bag / 30 (C)	127	06	8019952016276	03

ARTICLE	PACKAGING	PAGE	CAT.	EAN BAR-CODE	CH.
257.066.6	1×bag / 30 (B)	125	06	8019952016344	03
257.069.8	1×bag / 30 (C)	125	06	8019952016368	03
259.041.6	1×bag / 10 (P)	271	10	8019952148120	07
259.434.5	1×bag / 10 (P)	271	10	8019952189574	07
261.066.6	1×bag / 30 (B)	124	06	8019952016467	03
262.277.6	1×bag / 10 (B)	220	13	8019952016535	05
263.201.8	1×box / 10 (Q)	217	13	8019952126630	05
265.201.8	1×box / 10 (B)	217	13	8019952126685	05
266.226.6	1×box / 4 (B)	220	13	8019952099705	05
266.236.6	1×box	220	13	8019952099729	05
266.246.6	1×box	220	13	8019952099743	05
266.277.8	1×bag / 10 (Q)	220	13	8019952016757	05
267.201.8	1×box / 10 (B)	217	13	8019952143774	05
271.303.6	1×bag / 30 (B)	217	13	8019952016870	05
271.403.6	1×bag / 30 (A)	217	13	8019952016887	05
274.002.8	1×bag / 10 (B)	219	13	8019952016979	05
274.003.8	1×bag / 10 (B)	218	13	8019952016986	05
275.002.8	1×bag / 10 (C)	219	13	8019952151168	05
275.003.8	1×bag / 10 (C)	218	13	8019952017044	05
276.273.8	1×bag / 10 (Q)	221	13	8019952017068	05
276.973.8	1×bag / 10 (Q)	221	13	8019952017082	05
278.155.6	10×bag	263	10	8019952017129	07
278.250.5	10×bag	240	10	8019952174358	07
278.300.6	10×bag	240	10	8019952149721	07
279.490.5	1×bag / 50 (L)	243	10	8019952017167	07
279.509.6	1×bag / 25 (L)	243	10	8019952029795	07
286.206.5	10×bag	244	10	8019952017600	07
286.206.6	10×bag	244	10	8019952017617	07
287.257.5	10×bag	245	10	8019952017662	07
287.257.6	10×bag	245	10	8019952017679	07
289.820.6	1×bag / 30 (C)	140	09	8019952032139	04
290.000.8	1×bag / 30 (B)	142	03	8019952017716	04
290.007.6	1×bag / 30 (B)	142	03	8019952017723	04
290.400.8	1×bag / 30 (B)	142	03	8019952017754	04
290.407.6	1×bag / 30 (B)	142	03	8019952017778	04
292.155.5	10×bag	246	10	8019952183862	07
292.455.5	10×bag	246	10	8019952189208	07
293.000.8	1×bag / 30 (W)	143	03	8019952017815	04
293.007.6	1×bag / 30 (W)	143	03	8019952017839	04
293.400.8	1×bag / 30 (W)	143	03	8019952017853	04
293.407.6	1×bag / 30 (W)	143	03	8019952017877	04
293.900.8	1×bag / 15 (T)	143	03	8019952017914	04
293.907.6	1×bag / 15 (T)	143	03	8019952017921	04
295.160.6	1×box / 10 (Q)	136	09	8019952095332	04
295.360.6	1×box / 10 (Q)	136	09	8019952132174	04
295.620.6	1×box / 10 (Q)	136	09	8019952119229	04
295.660.6	1×box / 10 (Q)	136	09	8019952096148	04
295.670.6	1×box / 10 (Q)	136	09	8019952096179	04
297.116.6	10×bag	245	10	8019952174525	07

ARTICLE	PACKAGING	PAGE	CAT.	EAN BAR-CODE	CH.
297.176.6	10×bag	245	10	8019952121789	07
297.219.5	10×bag	245	10	8019952174372	07
298.820.6	1×bag / 30 (C)	140	09	8019952017983	04
301.161.8	1×box / 10 (Q)	137	09	8019952033396	04
312.601.8	1×box / 10 (C)	140	09	8019952096346	04
317.711.5	1×box / 30 (B)	57	01	8019952151311	01
322.711.5	1×box / 30 (B)	57	01	8019952018874	01
322.924.5.H	1×box / 30 (C)	65	03	8019952134222	01
324.711.5	1×box / 30 (B)	57	01	8019952019161	01
324.924.5.H	1×box / 30 (C)	65	03	8019952134239	01
361.066.6	1×box / 15 (T)	128	15	8019952019857	03
361.069.6	1×box / 15 (T)	128	15	8019952019871	03
385.600.5.S	10×bag	241	08	8019952173771	07
390.223.5	1×box / 30 (C)	56	01	8019952095325	01
399.360.6	1×box / 10 (K)	134	15	8019952019918	04
399.370.6	1×box / 10 (K)	134	15	8019952020013	04
419.129.5	1×box / 30 (C)	53	01	8019952020037	01
419.200.5	1×box / 30 (B)	53	01	8019952020136	01
419.700.6	1×box / 30 (B)	53	01	8019952020181	01
461.096.6	1×bag / 30 (B)	124	06	8019952020235	03
485.309.6	1×bag / 30 (Q)	239	10	8019952169699	07
485.903.5	1×bag / 30 (T)	239	10	8019952020297	07
485.903.6	1×bag / 30 (T)	239	10	8019952020303	07
485.905.5	1×bag / 30 (T)	239	10	8019952032092	07
485.905.6	1×bag / 30 (T)	239	10	8019952032108	07
485.906.5	1×bag / 30 (T)	239	10	8019952020310	07
485.906.6	1×bag / 30 (T)	239	10	8019952020327	07
485.993.6	1×bag / 30 (T)	239	10	8019952091174	07
485.993.8	1×bag / 30 (T)	239	10	8019952090955	07
491.061.8	1×box / 10 (Q)	137	09	8019952151175	04
510.135.5.K	1×box / 10 (O)	32	12	8019952148052	DS
510.165.5.K	1×box / 10 (O)	32	12	8019952150161	DS
517.423.5	1×box / 30 (C)	59	01	8019952020471	01
519.200.5	1×box / 30 (B)	52	01	8019952020587	01
519.200.5.1	1×box / 30 (B)	52	01	8019952020594	01
519.211.5	1×box / 30 (B)	52	01	8019952020624	01
519.215.5	1×box / 30 (B)	52	01	8019952020631	01
522.423.5	1×box / 30 (C)	56	01	8019952020730	01
529.160.5	1×box / 15 (T)	41	04	8019952020884	01
542.710.5	1×box / 15 (I)	15	12	8019952121161	DS
542.742.5	1×box / 15 (I)	15	12	8019952127200	DS
555.060.5	1×box / 15 (I)	40	04	8019952021362	01
555.061.5	1×box / 15 (I)	40	04	8019952021379	01
555.067.5	1×box / 15 (I)	40	04	8019952096612	01
555.160.5	1×box / 15 (I)	40	04	8019952021386	01
555.161.5	1×box / 15 (I)	40	04	8019952021393	01
575.511.8	1×box / 4 (B)	198	14	8019952123004	05
575.611.8	1×box	198	14	8019952123783	05
585.903.5	1×bag / 30 (T)	239	10	8019952143828	07

ARTICLE	PACKAGING	PAGE	CAT.	EAN BAR-CODE	CH.
585.903.6	1×bag / 30 (T)	239	10	8019952143835	07
585.906.5	1×bag / 30 (T)	239	10	8019952143842	07
585.906.6	1×bag / 30 (T)	239	10	8019952143859	07
595.160.6	1×box / 10 (S)	135	15	8019952133768	04
595.170.6	1×box / 10 (S)	135	15	8019952139944	04
595.180.6	1×box / 5 (B)	135	15	8019952174389	04
619.912.6	1×box / 30 (C)	53	01	8019952021713	01
661.066.6	1×bag / 30 (B)	123	06	8019952173351	03
661.096.6	1×bag / 30 (B)	123	06	8019952173368	03
700.135.5.K	1×box / 10 (O)	26	12	8019952097251	DS
700.165.5.K	1×box / 10 (O)	26	12	8019952098258	DS
700.165.6.K	1×box / 10 (O)	26	12	8019952102900	DS
710.135.5.K	1×box / 10 (O)	27	12	8019952103013	DS
710.165.5.K	1×box / 10 (O)	27	12	8019952104966	DS
710.165.6.K	1×box / 10 (O)	27	12	8019952110479	DS
710.934.5.H	1×box / 10 (O)	62	03	8019952134871	01
710.934.6.B	1×box / 10 (O)	66	03	8019952174396	01
710.934.6.H	1×box / 10 (O)	62	03	8019952143002	01
710.939.6.H	1×box / 10 (O)	62	03	8019952143019	01
711.215.5.K	1×box / 8 (B)	33	12	8019952110646	DS
713.135.5.K	1×box / 10 (O)	30	12	8019952113555	DS
810.135.5.K	1×box / 10 (O)	28	12	8019952113395	DS
810.165.5.K	1×box / 10 (O)	28	12	8019952120553	DS
810.165.6.K	1×box / 10 (O)	28	12	8019952122397	DS
811.215.5.K	1×box / 8 (B)	33	12	8019952120713	DS
830.180.5	1×box / 15 (I)	45	04	8019952130705	01
891.160.6.K	1×box / 8 (A)	139	15	8019952121208	04
911.611.5	1×box / 8 (B)	49	01	8019952200880	01
912.324.5	1×box / 30 (C)	61	01	8019952189581	01
912.334.5	1×box / 10 (O)	61	01	8019952189598	01
913.324.5.K	1×box / 10 (T)	31	12	8019952167800	DS
913.334.5.K	1×box / 10 (O)	31	12	8019952174532	DS
913.334.5.X	1×box / 10 (O)	31	12	8019952195728	DS
913.334.5.XD	1×box / 10 (O)	31	12	8019952196169	DS
913.334.5.Y2	1×box / 10 (O)	31	12	8019952196176	DS
914.939.6.B	1×box / 10 (O)	66	03	8019952198224	01
914.939.6.H	1×box / 10 (O)	63	03	8019952197487	01
915.324.5	1×box / 30 (C)	61	01	8019952181172	01
915.334.5	1×box / 10 (O)	61	01	8019952183183	01
916.215.5.K	1×box / 8 (B)	33	12	8019952143262	DS
916.324.5.K	1×box / 10 (T)	29	12	8019952128733	DS
916.334.5.K	1×box / 10 (O)	29	12	8019952131283	DS
916.334.5.X	1×box / 10 (O)	29	12	8019952183190	DS
916.334.5.XD	1×box / 10 (O)	29	12	8019952183206	DS
916.334.5.Y2	1×box / 10 (O)	29	12	8019952171807	DS
916.924.5.B	1×box / 30 (C)	66	03	8019952196138	01
916.924.5.H	1×box / 30 (C)	63	03	8019952196145	01
916.934.6.B	1×box / 10 (O)	66	03	8019952199429	01
916.934.6.H	1×box / 10 (O)	63	03	8019952199436	01

ARTICLE	PACKAGING	PAGE	CAT.	EAN BAR-CODE	CH.
922.423.5	1×box / 30 (C)	59	01	8019952113265	01
924.423.5	1×box / 30 (C)	59	01	8019952113272	01
942.203.8	1×box	187	14	8019952191980	05
942.206.8	1×box	186	14	8019952186474	05
942.303.8	1×box	187	14	8019952190372	05
942.306.8	1×box	186	14	8019952186535	05
942.503.8	1×box	187	14	8019952198408	05
942.506.8	1×box	186	14	8019952186573	05
942.703.8	1×box	187	14	8019952193403	05
942.706.8	1×box	186	14	8019952186627	05
942.803.8	1×box	187	14	8019952199795	05
942.806.8	1×box	186	14	8019952186689	05
942.903.8	1×box	187	14	8019952192000	05
942.906.8	1×box	186	14	8019952186733	05
943.203.8	1×box	184	14	8019952189420	05
943.204.8.C	1×box	181	14	8019952170183	05
943.206.8	1×box	180	14	8019952169934	05
943.273.8	1×box	185	14	8019952191126	05
943.274.8.C	1×box	183	14	8019952200132	05
943.276.8	1×box	182	14	8019952191133	05
943.303.8	1×box	184	14	8019952189628	05
943.304.8.C	1×box	181	14	8019952170244	05
943.306.8	1×box	180	14	8019952169705	05
943.373.8	1×box	185	14	8019952191362	05
943.374.8.C	1×box	183	14	8019952200149	05
943.376.8	1×box	182	14	8019952191140	05
943.503.8	1×box	184	14	8019952189437	05
943.504.8.C	1×box	181	14	8019952170305	05
943.506.8	1×box	180	14	8019952169910	05
943.573.8	1×box	185	14	8019952200156	05
943.574.8.C	1×box	183	14	8019952200163	05
943.576.8	1×box	182	14	8019952200170	05
943.703.8	1×box	184	14	8019952189444	05
943.704.8.C	1×box	181	14	8019952170367	05
943.706.8	1×box	180	14	8019952169682	05
943.773.8	1×box	185	14	8019952191379	05
943.774.8.C	1×box	183	14	8019952200187	05
943.776.8	1×box	182	14	8019952191157	05
943.803.8	1×box	184	14	8019952189451	05
943.804.8.C	1×box	181	14	8019952170428	05
943.806.8	1×box	180	14	8019952169941	05
943.873.8	1×box	185	14	8019952191164	05
943.874.8.C	1×box	183	14	8019952200194	05
943.876.8	1×box	182	14	8019952191171	05
943.903.8	1×box	184	14	8019952189468	05
943.904.8.C	1×box	181	14	8019952170480	05
943.906.8	1×box	180	14	8019952169712	05
943.973.8	1×box	185	14	8019952191188	05
943.974.8.C	1×box	183	14	8019952200200	05

ARTICLE	PACKAGING	PAGE	CAT.	EAN BAR-CODE	CH.
943.976.8	1×box	182	14	8019952191195	05
952.101.8	1×box	160	14	8019952171678	05
952.105.8	1×box	168	14	8019952196787	05
952.201.8	1×box	160	14	8019952180045	05
952.205.8	1×box	168	14	8019952200217	05
952.301.8	1×box	160	14	8019952180052	05
952.305.8	1×box	168	14	8019952199764	05
952.701.8	1×box	160	14	8019952186771	05
952.705.8	1×box	168	14	8019952200897	05
952.801.8	1×box	160	14	8019952186788	05
952.805.8	1×box	168	14	8019952199771	05
952.901.8	1×box	160	14	8019952180069	05
952.905.8	1×box	168	14	8019952200224	05
953.101.8	1×box	154	14	8019952149820	05
953.105.8	1×box	166	14	8019952192109	05
953.171.8	1×box	156	14	8019952200231	05
953.175.8	1×box	167	14	8019952200248	05
953.201.8	1×box	154	14	8019952149998	05
953.201.8.05	1×box	158	14	8019952185897	05
953.205.8	1×box	166	14	8019952197463	05
953.271.8	1×box	156	14	8019952200255	05
953.275.8	1×box	167	14	8019952200262	05
953.301.8	1×box	154	14	8019952151946	05
953.301.8.05	1×box	158	14	8019952193748	05
953.305.8	1×box	166	14	8019952194059	05
953.371.8	1×box	156	14	8019952200279	05
953.375.8	1×box	167	14	8019952200286	05
953.701.8	1×box	154	14	8019952183381	05
953.705.8	1×box	166	14	8019952199443	05
953.771.8	1×box	156	14	8019952200293	05
953.775.8	1×box	167	14	8019952200903	05
953.801.8	1×box	154	14	8019952183404	05
953.801.8.05	1×box	158	14	8019952185903	05
953.805.8	1×box	166	14	8019952193519	05
953.871.8	1×box	156	14	8019952200309	05
953.875.8	1×box	167	14	8019952200316	05
953.901.8	1×box	154	14	8019952150673	05
953.901.8.05	1×box	158	14	8019952176345	05
953.905.8	1×box	166	14	8019952176208	05
953.971.8	1×box	156	14	8019952200323	05
953.975.8	1×box	167	14	8019952200330	05
963.106.8	1×box	178	14	8019952144931	05
963.106.8.C	1×box	178	14	8019952168074	05
971.101.8	1×box / 4 (B)	179	14	8019952134338	05
971.104.8.C	1×box / 4 (B)	179	14	8019952168968	05
972.101.8	1×box	147	14	8019952130934	05
973.101.8	1×box	146	14	8019952132204	05
973.201.8	1×box	146	14	8019952131061	05
973.401.8	1×box	146	14	8019952131085	05

ARTICLE	PACKAGING	PAGE	CAT.	EAN BAR-CODE	CH.
973.801.8	1×box	146	14	8019952142838	05
973.901.8	1×box	146	14	8019952139074	05
975.101.8	1×box	192	14	8019952185354	05
975.102.8	1×box	192	14	8019952188768	05
979.141.0	1×bag	265	08	8019952133553	07
979.142.0	1×bag	265	08	8019952133287	07
979.300.0	1×bag	265	08	8019952134444	07
979.500.0	1×bag	265	08	8019952134451	07
979.810.0	1×bag	265	08	8019952133485	07
979.811.0	1×bag	265	08	8019952138985	07
979.821.0	1×bag	264	08	8019952196459	07
979.850.0	1×bag	265	08	8019952133508	07
979.907.0	10×bag	265	08	8019952176871	07
982.401.8	1×box	151	14	8019952186450	05
983.201.8	1×box	148	14	8019952183435	05
983.271.8	1×box	150	14	8019952191201	05
983.401.8	1×box	148	14	8019952183442	05
983.471.8	1×box	150	14	8019952191232	05
987.000.0	1×bag	148	10	8019952183459	05
987.001.0	1×bag	148	08	8019952191676	05
987.004.0	1×bag	148	10	8019952186009	05
987.200.0	1×bag	264	10	8019952183466	07
0217.211.6	1×bag / 30 (L)	73	03	8019952190204	01
0916.415.5.K	1×box / 20 (M)	34	12	8019952200347	DS
1650.500.5	1×box / 16 (Q)	83	03	8019952189635	01
1650.503.5	1×box / 16 (Q)	83	03	8019952193175	01
1650.506.5	1×box / 16 (Q)	83	03	8019952189642	01
1652.500.5	1×box / 10 (A)	89	03	8019952189659	01
1657.500.5	1×box / 16 (Q)	85	03	8019952193755	01
1657.506.5	1×box / 16 (Q)	85	03	8019952193762	01
1750.501.6	1×box / 10 (A)	100	03	8019952199450	02
1752.501.6	1×box / 10 (Q)	101	03	8019952199467	02
1910.100.5	1×bag / 30 (Q)	80	03	8019952153735	01
1910.111.5	1×bag / 30 (C)	80	03	8019952153322	01
1910.130.5	1×bag / 30 (C)	80	03	8019952153742	01
1950.500.5	1×bag / 30 (Q)	81	03	8019952153452	01
1950.508.5	1×bag / 15 (B)	81	03	8019952153841	01
1950.511.5	1×bag / 15 (B)	81	03	8019952153858	01
1950.600.5	1×bag / 30 (Q)	81	03	8019952153469	01
1950.608.5	1×bag / 15 (B)	81	03	8019952153865	01
1950.611.5	1×bag / 15 (B)	81	03	8019952153872	01
2011.454.6	1×box / 10 (A)	102	03	8019952022437	02
2012.454.6	1×box / 10 (Q)	103	03	8019952022468	02
2070.100.0	1×box	238	10	8019952122212	07
2070.100.6	1×box	238	10	8019952122229	07
2070.100.9	1×box	238	10	8019952122236	07
2100.322.5	10×bag	246	10	8019952022482	07
2100.322.6	10×bag	246	10	8019952022499	07
2102.480.5	10×bag	247	10	8019952022505	07

ARTICLE	PACKAGING	PAGE	CAT.	EAN BAR-CODE	CH.
2102.480.6	10×bag	247	10	8019952022512	07
2102.485.6	10×bag	247	10	8019952022529	07
2103.302.6	10×bag	246	10	8019952116747	07
2103.322.6	10×bag	246	10	8019952022543	07
2104.322.5	10×bag	246	10	8019952022550	07
2104.322.6	10×bag	246	10	8019952022567	07
2107.112.8	1×bag / 30 (Q)	226	11	8019952109664	06
2107.192.8	1×bag / 30 (Q)	226	11	8019952111476	06
2108.180.5	1×bag / 30 (T)	235	11	8019952022666	06
2108.600.4	1×bag / 10 (T)	235	11	8019952142265	06
2108.700.6	1×box / 10 (A)	234	11	8019952200705	06
2110.110.6	1×bag / 30 (W)	235	11	8019952022680	06
2111.100.4	10×bag	269	10	8019952022741	07
2111.103.5	10×bag	269	10	8019952193779	07
2111.105.4	10×bag	269	10	8019952193786	07
2111.106.4	10×bag	269	10	8019952122243	07
2111.106.6	10×bag	269	10	8019952033365	07
2111.107.4	10×bag	269	10	8019952193793	07
2111.108.6	10×bag	269	10	8019952022765	07
2111.109.4	10×bag	269	10	8019952193809	07
2111.110.4	10×bag	273	10	8019952192956	07
2111.116.4	10×bag	269	10	8019952193816	07
2111.260.4	10×bag	235	10	8019952122250	06
2111.300.4	10×bag	269	10	8019952143880	07
2112.110.8	1×bag / 30 (Q)	224	11	8019952022789	06
2112.150.8	1×bag / 30 (Q)	224	11	8019952022802	06
2112.350.8	1×bag / 30 (Q)	224	11	8019952114460	06
2113.110.6	1×bag / 30 (W)	235	11	8019952101583	06
2114.002.4	10×bag	255	10	8019952022857	07
2114.002.5	10×bag	255	10	8019952022864	07
2114.002.6	10×bag	255	10	8019952022871	07
2114.013.4	10×bag	268	10	8019952028972	07
2114.504.6	10×bag	255	10	8019952100272	07
2115.110.5	10×bag	258	10	8019952022932	07
2115.110.6	10×bag	258	10	8019952022949	07
2115.110.8	10×bag	258	10	8019952115757	07
2115.114.2	100×bag	258	10	8019952022956	07
2115.114.3	100×bag	258	10	8019952022963	07
2115.119.1	100×bag	258	10	8019952023014	07
2122.054.6	1×bag / 15 (Q)	88	03	8019952180779	01
2126.054.5	1×bag / 15 (B)	87	03	8019952030258	01
2126.054.6	1×bag / 15 (B)	87	03	8019952023052	01
2126.554.6	1×bag / 15 (B)	87	03	8019952124940	01
2130.130.6	10×bag	272	10	8019952023090	07
2130.430.6	1×bag / 10 (W)	272	10	8019952023120	07
2130.530.6	1×bag / 10 (W)	272	10	8019952091143	07
2142.400.6	1×bag / 60 (B)	129	06	8019952023144	03
2152.451.6	1×bag / 30 (Q)	129	06	8019952092218	03
2159.050.5	10×bag	238	10	8019952176352	07

ARTICLE	PACKAGING	PAGE	CAT.	EAN BAR-CODE	CH.
2159.050.6	10×bag	238	10	8019952176369	07
2159.250.5	10×bag	238	10	8019952115764	07
2159.250.6	10×bag	238	10	8019952115771	07
2178.307.6	10×bag	271	10	8019952115788	07
2188.250.8	10×bag	263	10	8019952023410	07
2207.512.6	1×bag / 30 (Q)	227	11	8019952193823	06
2322.241.6	1×box / 16 (Q)	79	03	8019952183237	01
2322.244.5	1×bag / 30 (C)	76	03	8019952193830	01
2322.244.6	1×bag / 30 (C)	76	03	8019952023434	01
2350.073.4	1×bag / 10	231	11	8019952183473	06
2355.105.4	1×bag	232	11	8019952183480	06
2355.999.0	1×bag	232	11	8019952183497	06
2370.162.4	1×bag / 30 (W)	230	11	8019952139449	06
2370.185.4	1×bag / 30 (W)	230	11	8019952139432	06
2370.273.4	1×bag / 15 (W)	230	11	8019952122045	06
2380.110.3	1×bag / 24	231	11	8019952174549	06
2380.115.3	1×bag / 16	231	11	8019952183503	06
2380.120.3	1×bag / 24	231	11	8019952174556	06
2389.330.2	1×bag	232	11	8019952174563	06
2389.330.3	1×bag	232	11	8019952174570	06
2389.335.2	1×bag	232	11	8019952183510	06
2389.335.3	1×bag	232	11	8019952183527	06
2389.400.3	30×box	232	11	8019952174587	06
2389.400.4	30×box	232	11	8019952174594	06
2389.450.1	10×bag	233	11	8019952183534	06
2389.450.2	10×bag	233	11	8019952183541	06
2389.450.3	10×bag	233	11	8019952183558	06
2389.450.4	10×bag	233	11	8019952183565	06
2389.450.5	10×bag	233	11	8019952183572	06
2389.500.2	25×box	233	11	8019952174600	06
2389.500.3	25×box	233	11	8019952174617	06
2389.600.2	25×box	233	11	8019952174624	06
2389.600.3	25×box	233	11	8019952174631	06
2389.700.3	48×box	232	11	8019952174648	06
2390.241.6	1×box / 16 (Q)	79	03	8019952183244	01
2390.244.5	1×bag / 30 (C)	77	03	8019952193847	01
2390.244.6	1×bag / 30 (C)	77	03	8019952115184	01
2390.344.6	1×bag / 30 (C)	77	03	8019952143903	01
2414.234.6	1×bag / 30 (B)	107	10	8019952034638	02
2414.334.6	1×bag / 30 (B)	107	10	8019952102269	02
2465.602.8	1×box / 4 (B)	193	13	8019952193854	05
2517.400.5	1×bag / 50 (QA)	72	03	8019952023458	01
2517.444.5	1×bag / 50 (QA)	72	03	8019952023465	01
2529.000.5	1×bag / 60 (Q)	41	05	8019952023472	01
2552.401.8	1×box / 16 (B)	211	13	8019952179186	05
2552.451.8	1×box / 16 (B)	211	13	8019952179711	05
2552.461.8	1×box / 16 (B)	211	13	8019952179728	05
2555.401.8	1×box / 16 (B)	210	13	8019952179193	05
2555.406.8	1×box / 16 (B)	212	13	8019952183619	05

ARTICLE	PACKAGING	PAGE	CAT.	EAN BAR-CODE	CH.
2555.451.8	1×box / 16 (B)	210	13	8019952179735	05
2555.456.8	1×box / 16 (B)	212	13	8019952183626	05
2555.461.8	1×box / 16 (B)	210	13	8019952179742	05
2555.466.8	1×box / 12 (B)	212	13	8019952183633	05
2562.201.8	1×box / 16 (B)	209	13	8019952168975	05
2562.251.8	1×box / 16 (B)	209	13	8019952168982	05
2562.401.8	1×box / 16 (B)	209	13	8019952150314	05
2562.451.8	1×box / 16 (B)	209	13	8019952168999	05
2562.901.8	1×box / 12 (B)	209	13	8019952169002	05
2562.951.8	1×box / 12 (B)	209	13	8019952169019	05
2565.201.8	1×box / 16 (B)	208	13	8019952169422	05
2565.206.8	1×box / 16 (B)	212	13	8019952183671	05
2565.251.8	1×box / 16 (B)	208	13	8019952169187	05
2565.401.8	1×box / 16 (B)	208	13	8019952154015	05
2565.406.8	1×box / 16 (B)	212	13	8019952183688	05
2565.451.8	1×box / 16 (B)	208	13	8019952168821	05
2565.901.8	1×box / 12 (B)	208	13	8019952168128	05
2565.906.8	1×box / 12 (B)	212	13	8019952183695	05
2565.951.8	1×box / 12 (B)	208	13	8019952170558	05
2652.491.8	1×box / 10 (C)	207	13	8019952179209	05
2652.495.8	1×box / 10 (C)	207	13	8019952179759	05
2652.496.8	1×box / 10 (C)	207	13	8019952179766	05
2652.591.8	1×box / 10 (C)	207	13	8019952183701	05
2652.595.8	1×box / 10 (C)	207	13	8019952183718	05
2652.596.8	1×box / 10 (C)	207	13	8019952183725	05
2655.491.8	1×box / 10 (C)	206	13	8019952179216	05
2655.495.8	1×box / 10 (C)	206	13	8019952179773	05
2655.496.8	1×box / 10 (C)	206	13	8019952179780	05
2655.591.8	1×box / 10 (C)	206	13	8019952183732	05
2655.595.8	1×box / 10 (C)	206	13	8019952183749	05
2655.596.8	1×box / 10 (C)	206	13	8019952183756	05
2662.291.8	1×box / 10 (C)	201	13	8019952172989	05
2662.295.8	1×box / 10 (C)	201	13	8019952174655	05
2662.391.8	1×box / 10 (C)	203	13	8019952183763	05
2662.491.8	1×box / 10 (C)	201	13	8019952172651	05
2662.492.8	1×box / 10 (C)	205	13	8019952174433	05
2662.495.8	1×box / 10 (C)	201	13	8019952174662	05
2662.591.8	1×box / 10 (C)	203	13	8019952183770	05
2662.592.8	1×box / 10 (C)	205	13	8019952186023	05
2662.691.8	1×box / 10 (C)	201	13	8019952173009	05
2662.692.8	1×box / 10 (C)	205	13	8019952189666	05
2662.695.8	1×box / 10 (C)	201	13	8019952174679	05
2662.791.8	1×box / 10 (C)	203	13	8019952183787	05
2662.792.8	1×box / 10 (C)	205	13	8019952189673	05
2665.291.8	1×box / 10 (C)	200	13	8019952167688	05
2665.295.8	1×box / 10 (C)	200	13	8019952169040	05
2665.391.8	1×box / 10 (C)	202	13	8019952183794	05
2665.491.8	1×box / 10 (C)	200	13	8019952167695	05
2665.492.8	1×box / 10 (C)	204	13	8019952174440	05

ARTICLE	PACKAGING	PAGE	CAT.	EAN BAR-CODE	CH.
2665.495.8	1×box / 10 (C)	200	13	8019952169064	05
2665.591.8	1×box / 10 (C)	202	13	8019952183800	05
2665.592.8	1×box / 10 (C)	204	13	8019952186030	05
2665.608.8	1×box / 10 (C)	194	13	8019952199474	05
2665.691.8	1×box / 10 (C)	200	13	8019952167701	05
2665.692.8	1×box / 10 (C)	204	13	8019952189680	05
2665.695.8	1×box / 10 (C)	200	13	8019952169095	05
2665.708.8	1×box / 10 (C)	195	13	8019952200354	05
2665.791.8	1×box / 10 (C)	202	13	8019952183817	05
2665.792.8	1×box / 10 (C)	204	13	8019952189697	05
2755.401.8	1×box / 10 (C)	196	13	8019952183824	05
2755.402.8	1×box / 10 (C)	196	13	8019952189703	05
2755.405.8	1×box / 10 (C)	196	13	8019952183831	05
2755.406.8	1×box / 10 (C)	196	13	8019952183848	05
2755.501.8	1×box / 10 (C)	197	13	8019952200712	05
2755.502.8	1×box / 10 (C)	197	13	8019952200729	05
2755.505.8	1×box / 10 (C)	197	13	8019952200736	05
2755.506.8	1×box / 10 (C)	197	13	8019952200743	05
2755.602.8	1×box / 10 (C)	196	13	8019952189802	05
2755.702.8	1×box / 10 (C)	197	13	8019952200750	05
2868.660.6	1×box / 15 (Q)	133	09	8019952109862	04
2868.960.6	1×box / 15 (Q)	133	09	8019952110530	04
2870.963.8	1×box / 10 (C)	133	09	8019952111483	04
2917.264.5	1×bag / 30 (Q)	73	03	8019952093772	01
2930.300.5	1×box / 8 (B)	25	05	8019952176994	DS
3022.151.3	10×box / 100 (C)	260	07	8019952023649	07
3022.201.3	10×box / 100 (C)	260	07	8019952023748	07
3022.251.3	10×box / 100 (A)	260	07	8019952023816	07
3022.301.3	5×box / 50 (A)	260	07	8019952023885	07
3024.201.3	10×box / 100 (C)	260	07	8019952024080	07
3024.251.3	10×box / 100 (A)	260	07	8019952024158	07
3024.301.3	10×box / 100 (A)	260	07	8019952024219	07
3026.121.3	10×box / 100 (C)	260	07	8019952024325	07
3026.201.3	10×box / 100 (C)	260	07	8019952024455	07
3026.251.3	10×box / 100 (Q)	260	07	8019952024523	07
3053.131.2	8×box / 120 (T)	251	07	8019952024653	07
3054.131.2	6×box / 90 (T)	251	07	8019952024677	07
3070.000.0	10×bag	261	07	8019952143927	07
3070.008.0	10×bag	261	07	8019952143934	07
3070.200.0	10×bag	261	07	8019952024691	07
3070.208.0	10×bag	261	07	8019952143941	07
3070.300.0	10×bag	261	07	8019952024714	07
3070.500.0	10×bag	261	07	8019952143958	07
3070.508.0	10×bag	261	07	8019952143965	07
3070.600.0	10×bag	261	07	8019952024738	07
3070.608.0	10×bag	261	07	8019952143972	07
3215.744.6	1×bag / 30 (C)	107	03	8019952146201	02
3215.804.6	1×bag / 60 (A)	107	03	8019952099545	02
3216.744.6	1×bag / 15 (Q)	107	03	8019952184364	02


ARTICLE	PACKAGING	PAGE	CAT.	EAN BAR-CODE	CH.
3290.000.8	1×bag / 30 (B)	142	03	8019952134307	04
3290.007.6	1×bag / 30 (B)	142	03	8019952134314	04
3320.131.2	1×box / 60 (I)	251	07	8019952025681	07
3320.132.2	1×box / 60 (I)	251	07	8019952025773	07
3320.142.2	1×box / 60 (I)	251	07	8019952025841	07
3530.310.5	1×box / 15 (I)	38	04	8019952143422	01
3530.320.5	1×box / 15 (I)	38	04	8019952150208	01
3530.360.5	1×box / 15 (I)	38	04	8019952141244	01
3530.370.5	1×box / 15 (I)	38	04	8019952150215	01
4230.360.5	1×box / 15 (I)	39	05	8019952168661	01
4830.360.5	1×box / 15 (I)	39	05	8019952166902	01
4943.203.8	1×box	189	14	8019952194202	05
4943.206.8	1×box	188	14	8019952194790	05
4943.273.8	1×box	191	14	8019952200767	05
4943.276.8	1×box	190	14	8019952199948	05
4943.303.8	1×box	189	14	8019952195261	05
4943.306.8	1×box	188	14	8019952200774	05
4943.373.8	1×box	191	14	8019952200781	05
4943.376.8	1×box	190	14	8019952200798	05
4943.503.8	1×box	189	14	8019952194219	05
4943.506.8	1×box	188	14	8019952194226	05
4943.573.8	1×box	191	14	8019952200804	05
4943.576.8	1×box	190	14	8019952200811	05
4943.703.8	1×box	189	14	8019952194233	05
4943.706.8	1×box	188	14	8019952193571	05
4943.773.8	1×box	191	14	8019952196589	05
4943.776.8	1×box	190	14	8019952200828	05
4943.803.8	1×box	189	14	8019952194769	05
4943.806.8	1×box	188	14	8019952194851	05
4943.873.8	1×box	191	14	8019952196596	05
4943.876.8	1×box	190	14	8019952200835	05
4943.903.8	1×box	189	14	8019952194844	05
4943.906.8	1×box	188	14	8019952193601	05
4943.973.8	1×box	191	14	8019952196602	05
4943.976.8	1×box	190	14	8019952200842	05
5130.130.6	1×bag / 40 (Q)	234	10	8019952031743	06
5130.430.6	1×bag / 20 (Q)	234	10	8019952031750	06
5258.076.6	1×bag / 20 (B)	112	06	8019952110158	03
5261.076.6	1×box / 16 (B)	112	06	8019952026473	03
5261.078.8	1×box / 12 (B)	112	06	8019952032764	03
5261.086.6	1×box / 16 (B)	112	06	8019952030418	03
5641.076.6	1×box / 16 (B)	113	06	8019952187068	03
5661.006.6	1×box / 16 (B)	113	06	8019952188096	03
5661.076.6	1×box / 16 (B)	113	06	8019952183855	03
5661.106.6	1×box / 16 (B)	113	06	8019952199481	03
5953.201.8.05	1×box	162	14	8019952186047	05
5953.205.8	1×box	170	14	8019952194868	05
5953.271.8.05	1×box	164	14	8019952191263	05
5953.275.8	1×box	171	14	8019952200361	05

ARTICLE	PACKAGING	PAGE	CAT.	EAN BAR-CODE	CH.
5953.301.8.05	1×box	162	14	8019952189819	05
5953.305.8	1×box	170	14	8019952193861	05
5953.371.8.05	1×box	164	14	8019952200378	05
5953.375.8	1×box	171	14	8019952200385	05
5953.401.8.05	1×box	162	14	8019952189826	05
5953.471.8.05	1×box	164	14	8019952200392	05
5953.801.8.05	1×box	162	14	8019952186054	05
5953.805.8	1×box	170	14	8019952191874	05
5953.871.8.05	1×box	164	14	8019952191270	05
5953.875.8	1×box	171	14	8019952200408	05
5953.901.8.05	1×box	162	14	8019952186061	05
5953.905.8	1×box	170	14	8019952194875	05
5953.971.8.05	1×box	164	14	8019952191287	05
5953.975.8	1×box	171	14	8019952200415	05
5962.203.8	1×box	176	14	8019952200422	05
5962.204.8	1×box	176	14	8019952200439	05
5962.403.8	1×box	176	14	8019952200910	05
5962.404.8	1×box	176	14	8019952200927	05
5962.503.8	1×box	176	14	8019952200446	05
5962.504.8	1×box	176	14	8019952200453	05
5962.803.8	1×box	176	14	8019952200460	05
5962.804.8	1×box	176	14	8019952200477	05
5963.203.8	1×box	172	14	8019952193878	05
5963.204.8	1×box	172	14	8019952193885	05
5963.273.8	1×box	174	14	8019952200484	05
5963.274.8	1×box	174	14	8019952200491	05
5963.403.8	1×box	172	14	8019952193892	05
5963.404.8	1×box	172	14	8019952193908	05
5963.473.8	1×box	174	14	8019952200507	05
5963.474.8	1×box	174	14	8019952200934	05
5963.503.8	1×box	172	14	8019952193915	05
5963.504.8	1×box	172	14	8019952193922	05
5963.573.8	1×box	174	14	8019952200514	05
5963.574.8	1×box	174	14	8019952200521	05
5963.803.8	1×box	172	14	8019952193939	05
5963.804.8	1×box	172	14	8019952193946	05
5963.873.8	1×box	174	14	8019952200538	05
5963.874.8	1×box	174	14	8019952200545	05
6060.000.0	1×bag / 10 (T)	228	11	8019952114965	06
6060.216.0	1×box / 10 (C)	228	11	8019952114989	06
6100.215.6	1×box / 10 (C)	228	11	8019952110349	06
6107.201.4	1×box / 10 (C)	225	11	8019952112145	06
6107.501.4	1×box / 10 (C)	225	11	8019952110325	06
6130.002.8	1×bag / 10 (T)	272	10	8019952121963	07
6135.002.8	1×bag / 10 (T)	272	10	8019952121970	07
6241.078.8	1×box / 12 (B)	115	06	8019952139371	03
6253.002.6	1×bag / 10 (T)	228	11	8019952110363	06
6261.076.6	1×box / 16 (B)	114	06	8019952132785	03
6261.078.8	1×box / 12 (B)	114	06	8019952132792	03

ARTICLE	PACKAGING	PAGE	CAT.	EAN BAR-CODE	CH.
6261.086.6	1×box / 16 (B)	115	06	8019952140377	03
6322.544.5	1×bag / 30 (C)	67	03	8019952143330	01
6324.544.5	1×bag / 30 (C)	67	03	8019952143347	01
6461.066.6	1×box / 16 (B)	122	06	8019952141046	03
6461.068.8	1×box / 12 (B)	122	06	8019952143217	03
6461.096.6	1×box / 16 (B)	122	06	8019952139678	03
6461.098.8	1×box / 12 (B)	122	06	8019952142852	03
6561.006.6	1×box / 16 (B)	117	06	8019952139685	03
6561.086.6	1×box / 16 (B)	116	06	8019952139692	03
6561.106.6	1×box / 16 (B)	117	06	8019952168401	03
6561.286.6	1×box / 16 (B)	116	06	8019952139715	03
6561.386.6	1×box / 16 (B)	116	06	8019952139722	03
6621.001.6	1×box / 16 (B)	119	06	8019952193977	03
6621.071.6	1×box / 16 (B)	119	06	8019952193984	03
6621.076.6	1×box / 16 (B)	118	06	8019952174495	03
6621.078.8	1×box / 12 (B)	118	06	8019952177663	03
6621.101.6	1×box / 16 (B)	119	06	8019952193991	03
6721.001.6	1×box / 16 (B)	121	06	8019952198170	03
6721.071.6	1×box / 16 (B)	120	06	8019952197814	03
6721.101.6	1×box / 16 (B)	121	06	8019952199498	03
6963.101.8	1×box	152	14	8019952152462	05
6963.105.8	1×box	169	14	8019952191881	05
6963.201.8	1×box	152	14	8019952152479	05
6963.205.8	1×box	169	14	8019952175089	05
6963.301.8	1×box	152	14	8019952148939	05
6963.305.8	1×box	169	14	8019952175096	05
6963.401.8	1×box	152	14	8019952152486	05
6963.901.8	1×box	152	14	8019952148946	05
6963.905.8	1×box	169	14	8019952175102	05
7114.423.5.K	1×box / 8 (B)	35	12	8019952129761	DS
7114.423.5.X	1×box / 8 (B)	35	12	8019952194608	DS
7114.423.5.XD	1×box / 8 (B)	35	12	8019952196183	DS
7114.423.5.Y2	1×box / 8 (B)	35	12	8019952194615	DS
7320.131.2.K	2×box / 20 (T)	250	07	8019952110547	07
7320.431.2.K	2×box / 20 (T)	250	07	8019952142975	07
7320.441.2.K	2×box / 20 (T)	250	07	8019952143989	07
7340.431.2.K	2×box / 20 (T)	250	07	8019952142982	07
7532.310.5	1×box / 15 (I)	17	12	8019952189710	DS
7532.310.5 US	1×box / 15 (I)	20	12	8019952199894	DS
7532.310.5.T	1×box / 15 (I)	17	12	8019952192161	DS
7532.310.5.T US	1×box / 15 (I)	20	12	8019952200552	DS
7532.310.5.T1	1×box / 15 (I)	17	12	8019952192963	DS
7532.310.5.T1 US	1×box / 15 (I)	20	12	8019952200569	DS
7532.310.5.T2	1×box / 15 (I)	17	12	8019952192857	DS
7532.310.5.T2 US	1×box / 15 (I)	20	12	8019952200576	DS
7532.310.5.X	1×box / 15 (I)	17	12	8019952189727	DS
7532.310.5.X US	1×box / 15 (I)	20	12	8019952200583	DS
7532.310.5.XD	1×box / 15 (I)	17	12	8019952189734	DS
7532.310.5.Y2	1×box / 15 (I)	17	12	8019952193083	DS

ARTICLE	PACKAGING	PAGE	CAT.	EAN BAR-CODE	CH.
7532.316.5	1×box / 16 (B)	23	12	8019952192901	DS
7533.370.5	1×box / 15 (T)	6	12	8019952143231	DS
7533.375.5	1×box / 15 (T)	6	12	8019952177434	DS
7542.710.5	1×box / 15 (I)	19	12	8019952191720	DS
7542.710.5 US	1×box / 15 (I)	21	12	8019952200590	DS
7542.710.5.T	1×box / 15 (I)	19	12	8019952194004	DS
7542.710.5.T US	1×box / 15 (I)	21	12	8019952200606	DS
7542.710.5.T1	1×box / 15 (I)	19	12	8019952194011	DS
7542.710.5.T1 US	1×box / 15 (I)	21	12	8019952200613	DS
7542.710.5.T2	1×box / 15 (I)	19	12	8019952194028	DS
7542.710.5.T2 US	1×box / 15 (I)	21	12	8019952200620	DS
7542.710.5.X	1×box / 15 (I)	19	12	8019952194035	DS
7542.710.5.X US	1×box / 15 (I)	21	12	8019952200637	DS
7542.710.5.XD	1×box / 15 (I)	19	12	8019952194042	DS
7542.710.5.Y2	1×box / 15 (I)	19	12	8019952199504	DS
7542.716.5	1×box / 16 (B)	23	12	8019952192369	DS
8120.378.5	1×bag / 10 (X)	39	08	8019952125565	01
8120.378.5.T	1×bag / 10 (X)	39	08	8019952126753	01
8120.378.5.T1	1×bag / 10 (X)	39	08	8019952196732	01
8120.378.5.T2	1×bag / 10 (X)	39	08	8019952199511	01
8222.854.6	1×bag / 30 (A)	75	03	8019952113722	01
8226.854.6	1×bag / 30 (A)	75	03	8019952113739	01
8295.660.6	1×box / 10 (Q)	138	09	8019952136691	04
8301.161.8	1×box / 10 (Q)	138	09	8019952146225	04
8334.060.6	1×box / 15 (T)	132	15	8019952132495	04
8491.061.8	1×box / 10 (Q)	138	09	8019952150819	04
8530.300.5	1×box / 15 (I)	7	12	8019952110134	DS
8530.310.5	1×box / 15 (I)	7	12	8019952104614	DS
8530.311.5	1×box / 15 (I)	12	12	8019952136752	DS
8530.320.5	1×box / 15 (I)	7	12	8019952111018	DS
8530.321.5	1×box / 15 (I)	12	12	8019952116501	DS
8530.360.5	1×box / 15 (I)	7	12	8019952104157	DS
8530.360.5 US	1×box / 15 (I)	20	12	8019952200644	DS
8530.360.5.X US	1×box / 15 (I)	20	12	8019952200651	DS
8530.361.5	1×box / 15 (I)	12	12	8019952147994	DS
8530.370.5	1×box / 15 (I)	7	12	8019952110851	DS
8530.371.5	1×box / 15 (I)	12	12	8019952110875	DS
8530.610.5	1×box / 15 (I)	9	12	8019952114361	DS
8530.660.5	1×box / 15 (I)	9	12	8019952115849	DS
8532.310.5	1×box / 15 (I)	14	12	8019952121185	DS
8532.312.5	1×box / 15 (I)	14	12	8019952126807	DS
8540.300.5	1×box / 15 (I)	8	12	8019952119816	DS
8540.310.5	1×box / 15 (I)	8	12	8019952119045	DS
8540.320.5	1×box / 15 (I)	8	12	8019952119984	DS
8540.360.5	1×box / 15 (I)	8	12	8019952116938	DS
8540.370.5	1×box / 15 (I)	8	12	8019952119991	DS
8542.310.5	1×box / 15 (I)	14	12	8019952121253	DS
8568.060.6	1×box / 15 (I)	132	15	8019952147451	04
8568.160.6	1×box / 20 (Q)	132	15	8019952109725	04

ARTICLE	PACKAGING	PAGE	CAT.	EAN BAR-CODE	CH.
8568.170.6	1×box / 20 (Q)	132	15	8019952110561	04
9919.215.5	1×box / 10 (W)	55	01	8019952093642	01
9926.711.5	1×box / 10 (W)	55	02	8019952093673	01
9977.411.9.S	1×box / 16 (B)	213	13	8019952200859	05
9977.412.9	1×box / 16 (B)	214	13	8019952200866	05
9977.491.9.S	1×box / 16 (B)	213	13	8019952195384	05
9977.492.9	1×box / 16 (B)	214	13	8019952194363	05
9977.591.9.S	1×box / 16 (B)	213	13	8019952195018	05
9977.592.9	1×box / 16 (B)	214	13	8019952194721	05
9977.612.9	1×box / 12 (B)	214	13	8019952200873	05
9977.618.9	1×box / 10 (C)	215	13	8019952198880	05
9977.692.9	1×box / 12 (B)	214	13	8019952194431	05
9977.698.9	1×box / 10 (C)	215	13	8019952197906	05
9977.792.9	1×box / 12 (B)	214	13	8019952195025	05
9977.798.9	1×box / 10 (C)	215	13	8019952195483	05
9978.350.5.K	10×bag	35	08	8019952196190	DS
9978.350.5.X	10×bag	35	08	8019952196206	DS
9978.350.5.XD	10×bag	35	08	8019952196213	DS
9978.350.5.Y2	10×bag	35	08	8019952196220	DS
9980.250.5.K	10×bag	35	08	8019952196237	DS
9980.250.5.X	10×bag	35	08	8019952196244	DS
9980.250.5.XD	10×bag	35	08	8019952196251	DS
9980.250.5.Y2	10×bag	35	08	8019952196268	DS



OMP S.p.A.

Via XI Febbraio 18
I-25065 Lumezzane (BS)
Italy

+39 0365 897941

info@omptea.com
www.omptea.eu

9999.DCB4
1.3 / 25.06